

Find My Ride

Understanding why post-booking pickup coordination breaks down for Uber riders and drivers in Hyderabad, and what to do about it.

PREPARED BY

Praveen Veera

DATE

18 September 2026

PRIMARY MARKET

Hyderabad, India (four-wheel app-cab rides)

EVIDENCE BASE

62 unique survey responses, functioning as self-serve interviews

On research format: Scheduling synchronous interviews was not feasible for this project. Ten or more participants were instead reached through a trilingual (English / Telugu / Hindi), self-serve, consent-gated online survey that asked the same open-ended questions a live interview would. This submission treats those responses as asynchronous interviews throughout, and states that limitation explicitly rather than presenting them as live interviews. Full detail in Section 5.

v3 — hybrid of v1 and v2. Keeps v1's three distinct product ideas intact (this is what the assignment asks for), but carries every strategic sharpening from the v2 senior-PM reframe: the driver-side marketplace-economics framing in Section 3, a competitive precedent and an economics flag added to two of the three ideas in Section 4, and the instrumentable-metric and next-step additions in Sections 1 and 5. Nothing is deleted from v1; v2's fuller restructuring (which traded one idea for a driver-research ask) is preserved separately at `../../v2/submission/final-submission-v2.html`, and the untouched original at `../../submission/final-submission.html`.

1

Research Goal

Understand when and why post-booking four-wheel pickups become difficult, how riders and drivers recover today, and which failures most reduce pickup reliability.

Candidate outcome metric — a proposed measurement direction, not a confirmed Uber metric:

Pickups completed without avoidable calls, location changes, extended waiting, or cancellation.

The most direct proxy Uber could check without more research: dwell time between the app's "driver arrived" state and trip start, by pickup location. This document does not have access to that number — it is named as the single highest-value next step in Section 5.

1.1 Key Interview Questions

Asked asynchronously through the survey. The format could not probe a vague answer with a live follow-up — a limitation carried into Section 5.

1. Tell me about the last time you had difficulty finding your ride after booking it.
2. Where were you, and what did the app tell you?
3. When did you first realize the pickup might not work as expected?
4. What made the rider and driver difficult to locate or identify?
5. What did you do next: call, message, move, wait, cancel, or seek help?
6. How much extra time or effort did the situation require?
7. What finally helped, if anything?
8. Has the same problem happened at other locations?
9. What information or support was missing at the most frustrating moment?
10. For drivers: what prevented you from reaching the pin or identifying the rider?

Top 10 Most Relevant Insights

Do not read the percentages below as Hyderabad-wide prevalence — this is a convenience sample, not a random one. They describe this response set only.

62 unique responses (63 submitted, 1 confirmed duplicate removed)	51 recent four-wheel users	24 / 52 recent users reporting difficulty or uncertainty	23 / 28 issue cases that had happened before (repeat)
---	--	--	---


Uber Pickup Survey Analytics

Survey snapshot: 17 September 2026 | Test submissions excluded | Contact details omitted

Valid submissions	Recent four-wheel users	Difficulty among recent users	Hyderabad recent difficulty	Repeated among issue cases	Driver responses
63	52	24	11	23	4
Likely non-test records	Relevant to defined scope	24 of 52 46.2%	11 of 27 40.7%	23 of 28 82.1%	4 of 63 6.3%

Scope and prevalence


Response stage	Count
Valid submissions	63
Recent four-wheel users	52
Recent users reporting difficulty	24
Hyderabad recent users	27
Hyderabad recent users reporting difficulty	11



City group	Issue / unsure	No difficulty	Issue rate (all)
Hyderabad	12	21	36.4%
Other cities	16	14	53.3%
Overall	28	35	44.4%

Problem locations among 28 issue-reporting responses

Location	Mentions
Airport	10
Residential / gated community	7
Shopping mall	6
Office / tech campus	6
Metro / railway station	5
Hotel / event venue	2
Busy street	3
Hospital	1



Actions, recovery and time lost

Action taken	Mentions
Called	17
Moved	8
Waited	9
Messaged	5
Cancelled	4
Other	1



What helped	Mentions	Extra time (current issue case)	Count
Calling or messaging	20	Less than 2 minutes	2
Nothing helped	6	2–5 minutes	1
Shared landmark	4	5–15 minutes	3
Driver moved closer	3	More than 15 minutes	4
Security or staff	1	Over five minutes	7
Other	1		

Qualitative evidence and assignment use

Current-schema issue evidence	Count
Issue-reporting records	10
Contains a story	8
Answered all four open questions	4
All four answers detailed	3

Research Interpretation	
1	Pickup difficulty is meaningful but situational; most respondents reported no difficulty.
2	Complex locations and access conditions are recurring contexts, led by airports and gated communities.
3	Calling and messaging form the main recovery layer when the app does not resolve the meeting point.
4	Cancellations may reflect destination, fare or payment preferences, not only location confusion.
5	Driver evidence is weak because only four of 63 submissions came from drivers.
Note	Directional convenience sample. Do not use these percentages as Hyderabad-wide prevalence.

Best responses for interview context

Rank	Sheet row	City	Theme	Evidence use	Quote / summary
1	64	Lucknow	Driver no-show, cancellation and no redressal	Primary	The driver kept the rider waiting, said not to cancel, then did not arrive; no immediate help was available.
2	67	Emakulam	App said arrived but rider and driver could not meet	Primary	The app said the driver had arrived, but it still took almost ten minutes to locate each other.
3	47	Hyderabad	Rain and destination-based cancellation	Primary	During rains it would be very difficult to book a cab... cancellations based on the drop point.
4	53	Hyderabad	Driver unable to identify location	Primary	Some drivers are unable to identify the location and ask the rider to cancel.
5	60	Other / not specified	Drop, fare and payment questions	Primary	Drivers ask about drop location, displayed fare and payment mode before proceeding.
6	55	Mumbai	Expected versus actual wait	Primary	Expected 2–3 minutes; experienced 10–15 minutes in a busy area.
7	14	Hyderabad	Late and peak-hour cancellation	Supporting	Driver asked the destination and then cancelled; respondent said this happened many times.

81	8	49	Hyderabad	Driver accepted but did not move	Supporting	Driver remained stationary, later cancelled or waited for the rider to cancel.
82	9	63	Hyderabad	Airport delay and missing clarity	Supporting	Recent airport case with a 5–15 minute delay; most frustrating part was no clarity.
83	10	61	Hyderabad	Proactive standing-location message	Supporting	I always place a message on where I would stand with details.
84						
85						
86	Method and limitations					
87	Method	63 likely non-test submissions were normalized across the legacy and current survey schemas. Contact fields were excluded.				
88	Limitations	Convenience sample; 59 riders and four drivers; one possible duplicate; no unique participant identifier; qualitative depth varies.				
89	Refresh	This dashboard is a snapshot. Re-run normalization after collecting additional responses.				

Contact-safe analytics dashboard generated from the normalized survey dataset. Source: data/survey/analytics-dashboard.png.

Insight 1

STRONG DIRECTIONAL, SAMPLE NOT REPRESENTATIVE

Pickup difficulty is meaningful, but it is not universal

WHAT THE EVIDENCE SHOWS

- 24 of 52 recent four-wheel users reported difficulty or uncertainty.
- 11 of 27 recent Hyderabad four-wheel users reported difficulty or uncertainty.
- 35 of all 63 records did not report a pickup issue.

"On the whole the experience is good. Exceptions will always be there."

R030, rider

The opportunity is not to add more steps to every pickup. It's to identify the locations and conditions where coordination risk is actually high.

Insight 2

STRONG WITHIN THE ISSUE-REPORTING SUBGROUP

For affected respondents, the problem is usually recurring

WHAT THE EVIDENCE SHOWS

- 23 of 28 issue cases said the problem had happened before.
- Repetition appeared across Hyderabad and comparison cities.

"During rains it would be very difficult to book a cab and even after booking there are many cancellations based on the drop point."

R047, Hyderabad rider

This isn't a rare first-time mistake for the affected group. Weather, time, destination, and location conditions can repeatedly recreate the problem.

Complex environments concentrate pickup problems

WHAT THE EVIDENCE SHOWS – MENTIONS, NOT PEOPLE (MULTI-SELECT)

LOCATION	MENTIONS
Airport	10
Residential / gated community	7
Shopping mall	6
Office / technology campus	6
Metro / railway station	5
Busy street	3
Hotel / event venue	2
Hospital	1

"No clarity"

R063, Hyderabad rider describing an airport pickup

Large or controlled locations create a translation problem between the map pin and the physical place: gate, side, road, level, access rule, or stopping point.

Insight 4

MODERATE — CLEAREST SUPPORT FROM A SMALL NUMBER OF DETAILED RECORDS

"Driver arrived" does not mean the rider and driver can meet

WHAT THE EVIDENCE SHOWS

- Similar-gate conditions were selected in three current-schema issue cases.
- Wrong-pin conditions were selected in four cases.
- R067 describes the driver moving around a road junction while the app showed an arrived state.

"The app says he has arrived, but almost 10 minutes to locate each other"

R067, Ernakulam rider

The app can be technically correct at area level while failing at the last physical step — exact side, landmark, accessible route, or stopping position.

Insight 5

STRONG BEHAVIORAL PATTERN IN THE SAMPLE

Calling and messaging are the main recovery layer

WHAT THE EVIDENCE SHOWS

- Calling was selected in 17 issue cases; messaging in 5.
- Calling or messaging was marked helpful in 20 of 28 issue cases.
- A landmark was marked helpful in 4 cases.

"Driver calls and asks for drop location."

R047, Hyderabad rider

The app frequently hands the final coordination job back to the rider and driver. Communication works, but it adds effort and can trigger a separate cancellation decision.

Insight 6

MODERATE TO STRONG WITHIN ISSUE CASES

The rider often absorbs the recovery effort

WHAT THE EVIDENCE SHOWS

- 9 issue respondents waited; 8 moved from their initial position.
- Only 3 said the driver moving closer helped; only 1 selected staff or security as helpful.

"I thought he will come but he kept on keeping me waiting"

R064, Lucknow rider

Recovery is not just a communication cost — riders may have to move, wait, or monitor the vehicle without knowing which action will actually solve the problem.

Insight 7

MODERATE — TIME QUESTION ANSWERED BY ONLY 10 ISSUE RECORDS

Pickup failures can create material delay

WHAT THE EVIDENCE SHOWS

ADDITIONAL TIME	CASES
Less than 2 minutes	2
2–5 minutes	1
5–15 minutes	3
More than 15 minutes	4

"At times it takes unusually long time and we book uber under normal belief that the ride will be available within 2-3 minutes but at times it takes 10-15 minutes"

R055, Mumbai rider

Part of the reliability gap is an expectation gap. An ETA or arrived state can create confidence the real pickup time doesn't match.

Insight 8

MODERATE — OVERLAP SHOWN, CAUSAL WEIGHT NOT ISOLATED

Cancellation is related to pickup coordination, but not always caused by location confusion

WHAT THE EVIDENCE SHOWS

- Cancellation was coded as the outcome in 5 current-schema issue cases; 4 respondents selected cancellation as an action.
- Detailed records also mention destination, displayed fare, payment mode, rain, and slow approach.

"Every time they asking about drop location how much amount shows in app and your payment mode cash or Uber cash"

R060, rider

Not every cancellation is a map or pickup-point failure. Coordination, destination preference, fare, and payment mode can overlap in the same journey.

Insight 9

MODERATE — 6 STRUCTURED SELECTIONS PLUS ONE DETAILED ACCOUNT

Some respondents found no effective recovery or support

WHAT THE EVIDENCE SHOWS

- 6 issue respondents selected "nothing helped."
- R045 reported a wrong pin, inability to stop, cancellation, over 15 minutes of delay, and no effective help.

"No one to seek redressal or help... Grievance redressal has to be immediate"

R064, Lucknow rider

When communication fails, the journey may offer no clear recovery path. The unmet need isn't only better location information — it may include timely escalation.

Finding the ride includes vehicle identification, not only reaching the pin

WHAT THE EVIDENCE SHOWS

- One respondent reported a mismatch between the vehicle number in the app and the vehicle carrying them.

"The number of the vehicle mentioned in the app is different from the vehicle carrying us."

R018, Visakhapatnam rider

The pickup job ends only when rider and driver confidently identify each other and the correct vehicle. A safety-relevant edge case — not a common pattern on this evidence.

Contradictions worth holding onto

EVIDENCE TENSION	WHAT IT MEANS
24 of 52 recent users reported difficulty, while most total respondents did not	The problem is important for a segment, not universal
Calling/messaging helped 20 of 28 issue cases, but 6 said nothing helped	Communication often recovers the pickup, but it's not a complete safety net
Airport led location mentions, but residential, mall, office, station, and street also appeared	The opportunity may be a reusable model with location-specific rules, not an airport-only fix
Detailed rider evidence exists, but driver evidence is thin	Two-sided product decisions remain premature

Strategy Implications

This reconciles the desk-research hypotheses formed before the survey against what the survey actually showed, then names one direction with a stated reason.

One framing choice shapes everything below: pickup failure is a cost on both sides of the marketplace, not only a rider-experience issue. Riders lose time and, in the worst cases, get no recovery path (Insight 9). Drivers lose paid time circling for a rider they cannot locate (Insight 4), with no visible compensation and no evidence yet on whether it changes their willingness to serve these locations again. This project has strong evidence for the rider side and almost none for the driver side — 4 of 62 responses. That imbalance is treated here as the largest open risk to this whole recommendation, not a footnote — see the highest-value next step in Section 5.

Recommended direction: reduce the effort and uncertainty of the manual recovery step — calling, messaging, waiting, moving — at a defined set of complex location types. Not a pickup-pin redesign. Not an airport-only fix.

Why this direction, not another

1. Pickup "failure" is multi-causal (Insight 8). A single root-cause fix like better GPS won't touch destination-, fare-, or payment-driven cancellations that get coded the same way.
2. Airport is the single largest location by mention, but not a majority — residential, mall, office, station, and street combined outnumber it (Insight 3). An airport-only fix leaves most reported cases unaddressed.
3. Insights 5 and 9 together are the strongest, most-repeated pattern in the data: communication is the de facto fallback, it mostly works, and when it doesn't, there's no floor. That's the best-supported place to focus — not because it's the most severe failure, but because it's the one the data actually supports at volume.

What the evidence adds beyond the original desk-research hypotheses

- **Communication is the default recovery layer, and it works more often than not** — but it's effortful, and for 6 respondents nothing helped at all. The gap isn't "no recovery path exists," it's that the recovery path is manual, unbounded effort with no guaranteed floor.
- **Identification, not just location, can fail** (Insight 10) — a low-frequency but safety-relevant edge case the original hypotheses didn't cover.

What not to pursue yet, and why

DO NOT PURSUE YET	REASON
A driver-side product direction	Only 4 driver responses, 1 reporting difficulty — not enough evidence for driver-specific claims. Closing this gap is named as the single highest-value next step in Section 5, ahead of any further rider-side work.
An airport-specific solution	Airport is the largest single location by mention but not a majority; no reliable Hyderabad airport-specific volume data exists either
Any claim about luggage, age, disability, or accessibility burden	No survey evidence collected on this beyond one weather data point; see the sample-skew note in Section 5
A precise "X% of Hyderabad pickups fail" market-sizing claim	No reliable internal trip-volume or issue-rate data exists publicly; the 40.7% Hyderabad-issue-rate figure is a convenience-sample statistic, not a citywide number
A single-feature commitment (e.g. AR navigation)	No insight supports a specific technical mechanism yet

Open gaps before this direction can harden further

- **Driver perspective** — needs targeted recruitment or an explicit acknowledged research gap. This is the single largest open risk to the direction above, not a minor caveat.
- **What "communication effort" actually costs** — time-loss data exists for only 10 records.
- **Location-type-specific rules** — still resting on desk research and a handful of quotes, not field-verified per location.

Research-Led Product Ideas

All three stay inside the direction above: reduce the effort and uncertainty of manual recovery at a defined set of complex locations. None redesign the pickup pin, none are airport-exclusive, none make driver-specific claims. Ordered by evidence strength, which is also the recommended build sequence.

USER	Riders and drivers together, for pickups at a defined list of complex location types — not every ride
MOMENT	After booking is confirmed, a few minutes before estimated driver arrival — before confusion starts, not after
PROBLEM	Calling/messaging is already the default recovery layer (Insight 5) but it's unstructured and reactive. "Driver arrived" can still mean lost (Insight 4). One respondent (R061) already does this manually and unprompted: "I always place a message on where I would stand with details."
ACTION	For pickups at complex location types, prompt both sides to exchange one short structured note — landmark, gate/side, waiting spot — shortly before arrival. Formalizes what a rider is already doing by hand.
COMPETITIVE FRAMING	Lyft already ships this as "Pickup Notes." This is closing a proven, shipped competitor gap, not an unproven internal bet — the strongest single piece of evidence for why Uber should act on this idea specifically.
OUTCOME	Fewer reactive calls/messages at the moment of arrival; less of the "arrived but can't find each other" gap
RISK	Shown on every ride, it adds friction to pickups that were never going to be difficult (only 24 of 52 recent users report any issue at all). Must be scoped to flagged location types only.
TEST	A/B test: show the prompt only for bookings at top-mentioned location types (airport, mall, office, residential); measure call/message rate and self-reported wait time against a control group.

USER	Riders primarily — the ones left with no recourse when recovery fails
MOMENT	After the app shows "driver arrived" but the trip hasn't started within a defined time window
PROBLEM	6 of 28 issue respondents selected "nothing helped" (Insight 9). R064: "No one to seek redressal or help... Grievance redressal has to be immediate." A distinct failure mode from Idea 1 — this is what happens after communication has already failed, not before.
ACTION	If a trip stalls in "arrived" state past a threshold at a flagged location, surface an explicit next step beyond "keep waiting or cancel" — e.g. guided live-location-share-and-call, or an active reassignment offer.
OUTCOME	Fewer unresolved cancellations with no recourse; a measurable floor under the worst-case coordination failures
RISK	Cancellation is multi-causal (Insight 8) — this must trigger only on genuine coordination stalls, or it becomes a general complaint channel that invites misuse. Reassignment also implies someone absorbs the stood-up driver's wasted time — this idea is not fully buildable as a UX flow alone; it needs a compensation or priority-matching answer for the displaced driver before it can be scoped for real.
TEST	Instrument stalled "arrived" states at flagged locations; offer the guided escalation to a sample; measure resolution rate against a control group.

PRIORITY 3 OF 3 Reusable, venue-specific coordination notes for recurring locations

USER	Riders and drivers, at a small starting shortlist of the highest-mention venues — not a general rollout
MOMENT	Before departure, once a booking's pickup point matches a venue on the shortlist
PROBLEM	23 of 28 issue cases said the problem had happened before (Insight 2) — recurring, at the same kind of place. Desk research found a concrete example of why generic map data isn't enough: Secunderabad Station's real, current 15-minute pickup/drop access rule, invisible from the pin alone.
ACTION	For 2–3 highest-mention venues, invest once in a structured coordination note — accessible gate/side, legal stopping point, known access constraints — that every rider and driver pulls from. Let per-trip usage at Idea 1's flagged locations show which venues actually generate repeat friction, rather than guessing the shortlist up front.
OUTCOME	A one-time venue-level data investment pays off across many repeat pickups at that place, targeting the recurrence pattern directly
RISK	Venue rules change (Secunderabad's own rules changed with 2026 redevelopment) — a stale note is worse than no note. Needs real update ownership. This idea also rests on a desk-only validation pass rather than live field verification (Section 5) — flag it "unverified, confirm before scaling" rather than treating it as equally confirmed as Ideas 1 and 2. Also the most resource-intensive of the three.
TEST	Pilot at 2–3 venues only; compare call/message rate and reported wait time for repeat pickups against comparable non-piloted venues of the same type.

What this set deliberately leaves out

- Any driver-specific feature — the 4-response driver sample isn't enough to support one. Closing that evidence gap is named as the single highest-value next step in Section 5, ahead of building any of the three ideas above further.
- An airport-only solution — explicitly ruled out; airport is the largest single location by mention but not a majority.
- A precise ROI or market-size claim for any idea — no reliable Hyderabad trip-volume data exists to size against.

- The vehicle-identification mismatch from Insight 10 — real but single-mention edge-case evidence, not enough yet to support a dedicated idea. Worth flagging as a safety-relevant follow-up question if more interviews happen.

Evidence Boundary, Limitations, and Source Traceability

What kind of evidence this is

- This is a convenience sample recruited through the researcher's own network and distribution channels, not a random or representative sample of Hyderabad riders.
- The interview format is a self-serve, trilingual (English / Telugu / Hindi), consent-gated online survey — asynchronous, not live. It could not probe a vague or contradictory answer the way a synchronous interview could.
- **Proof of participation:** each analyzed response is a timestamped, consent-recorded survey submission — the consent checkbox ("I agree that my anonymous answers may be used as research quotes...") is required before any other question can be answered. That timestamped, consented record is the proof format for this project, in place of photos, videos, or message screenshots of individually identified participants.
- 63 total submissions were reviewed; one confirmed duplicate (identical text, same city, submitted 9 seconds apart) was removed, leaving 62 unique responses used throughout this document.
- Only 4 of 63 submissions came from drivers, and only 1 of those 4 reported difficulty. Driver-side claims are treated as an open gap throughout, not as evidence — see the highest-value next step below.
- Language coverage skewed heavily English: 60 English, 3 Telugu, 0 Hindi responses, despite a Hindi-language distribution message going out. The Telugu and Hindi survey translations have not yet been reviewed by a native speaker — flagged as outstanding. This also means the sample under-represents the segment least able to self-recover from a pickup failure — someone who cannot read the map pin or app prompts easily. Treat this as a major unresolved segment risk to the recommendation, not a minor gap.
- Multi-select questions (location, actions, what helped) produce mention counts, not mutually exclusive person counts — noted wherever those figures appear.
- Open-text responses are participant evidence and are quoted anonymously by response ID only; attribution would require separate explicit permission not collected here.

What was deliberately not pursued, and why

- Further manual review of the remaining 18 (of 21) priority YouTube videos was stopped once primary survey data existed — public video material is Grade C evidence at best, and mattered more before the survey than after.
- Live field verification at Rajiv Gandhi International Airport, Secunderabad Railway Station, and Raidurg Metro was substituted with a desk-only public-source check given an unconfirmed deadline. That check surfaced one genuinely new fact — Secunderabad's 15-minute pickup/drop access-control window — and otherwise confirmed the original verification gaps remain open. Idea 3 in Section 4 (venue-specific notes) inherits this lower confidence and carries an "unverified, confirm before scaling" flag rather than the same confidence as Ideas 1 and 2.
- A reliable Hyderabad-specific trip-volume or pickup-failure rate could not be established from public sources. This document does not present a fabricated market-size number in its place.

The single highest-value next step

Before recruiting more riders or building anything, ask whether Uber can run one internal query: **dwelt time between the "driver arrived" state and trip start, by pickup geofence, for the last 90 days in Hyderabad.** If this is large at the location types Insight 3 already flags (airport, residential, mall, office), it validates this entire direction without further research. If the number doesn't exist or can't be produced cleanly, that is itself a real finding — "Uber cannot currently see its own pickup-failure rate" — worth stating plainly rather than treating internal data as a permanently closed door. Immediately after that, the highest-priority research action is closing the driver-evidence gap named throughout this document: at minimum matching the original 10-driver interview target from this project's recommended participant mix, asking specifically what drivers do after failing to locate a rider.

How this document was produced

AI assistance (Claude) was used to organize, structure, and synthesize evidence already collected by the researcher — normalizing survey data, cross-referencing quotes against source records, and drafting this document's structure. This v3 combines the original synthesis (v1) with a senior-PM reframe pass (v2): it keeps v1's three distinct product ideas as originally scoped, while carrying forward v2's driver-economics framing, competitive precedent, and evidence-gap prioritization. Every quote, count, and claim in this document traces to a specific survey response or a cited public source; none were generated or invented in the process.

Source traceability

Full supporting detail, beyond what's reproduced above, is documented in the project repository:

- `synthesis/01-survey-insights.md` — full insight synthesis with additional cross-tab addenda
- `synthesis/02-strategy-implications.md` — full hypothesis-by-hypothesis reconciliation (H1–H6), v1
- `v2/requirement.md`, `v2/approach.md`, `v2/solution.md` — the senior-PM reframe this v3 draws its sharpening from
- `research/desk-research-report.md` — the underlying market and competitive research (72 sources, 94 evidence records)
- `research/competitor-analysis.md` — Uber, Grab, Ola, Lyft, Waymo, MyGate, Rapido comparison
- `research/product-teardown.md` — stage-by-stage journey teardown mapping each product idea to a specific breakdown point
- `research/swot-analysis.md` — Strengths / Weaknesses / Opportunities / Threats on the pickup-coordination position specifically
- `research/location-validation-desk-only.md` — the desk-only substitute for field verification
- `data/survey/` — the normalized dataset and analytics workbook underlying every count in Section 2

Video walkthrough (under 5 minutes, presenter visible): *[insert Loom or Google Drive link before final export]*

Find My Ride — Airtribe PM Project 3 — v3 (hybrid of v1 and v2) — Praveen Veera — draft for review, not yet finalized for submission