

Q1. Java method overloading implements the OOPS concept

- A. Encapsulation
- B. Inheritance
- C. Polymorphism
- D. Abstraction

Answer:- C. Polymorphism

Q2. Data members and member functions of a class are private by default.

- A. True
- B. False
- C. Depend on code
- D. None

Answer:- A. True

Q3. Which of the following functions can be inherited from the base class?

- A. Constructor
- B. Static
- C. All
- D. None

Answer:- B. Static

Q4. Identify the feature, which is used to reduce the use of nested classes.

- A. Binding
- B. Abstraction
- C. Inheritance
- D. None

Answer:- B. Abstraction

Q5. Which concept of Java is achieved by combining methods and attributes into a class?

- A. Encapsulation
- B. Inheritance
- C. Polymorphism
- D. Abstraction

Answer:-A. Encapsulation

Q6.Which of the following declarations does not compile?

- A. double num1, int num2 = 0;
- B. int num1, num2;
- C. int num1, num2 = 0;
- D. int num1 = 0, num2 = 0;

Answer:- A. double num1, int num2 = 0;

Q7.Which of these interface must contain a unique element?

- A. Set
- B. List
- C. Array
- D. collection

Answer:- A. Set

Q8.Predict the output?

```
package main;
```

```
class T {
```

```
int t = 20;
```

```
}
```

```
class Main {  
  
    public static void main(String args[]) {  
  
        T t1 = new T();  
  
        System.out.println(t1.t);  
  
    }  
  
}
```

- A. 20
- B. 0
- C. COMPILE ERROR

Answer:- A. 20

Q9. What is the output of the below Java program?

```
//bingo.java file  
  
public class Hello  
{  
  
    public static void main(String[] args)  
    {  
  
        System.out.println("BINGO");  
  
    }  
  
}
```

- A. BINGO
- B. bingo
- C. 0
- D. Compile Error

Answer:- A. BINGO

Q10.What will be the output of the following Java program?

```
class variable_scope  
{  
    public static void main(String args[])  
    {  
        int x;  
        x = 5;  
        {  
            int y = 6;  
            System.out.print(x + " " + y);  
        }  
        System.out.println(x + " " + y);  
    }  
}
```

A. Compilation Error

B. Runtime Error

C. 5 6 5 6

D. 5 6 5

Answer:- A. Compilation Error

Q11.What will be the output of the following Java code?

```
class String_demo  
{  
    public static void main(String args[])
```

```
{  
  
char chars[] = {'a', 'b', 'c'};  
  
String s = new String(chars);  
  
System.out.println(s);  
  
}  
  
}
```

A. abc

B. a

C. b

D. c

Answer:- A. abc

Q12. What will be the output of the following Java program?

```
final class A  
  
{  
  
int i;  
  
}  
  
class B extends A  
  
{  
  
int j;  
  
System.out.println(j + " " + i);  
  
}  
  
class inheritance  
  
{  
  
public static void main(String args[])  
  
{
```

```
B obj = new B();  
obj.display();  
}  
}
```

WORKSHEET

- A. 2 2
- B. 3 3
- C. Runtime Error
- D. Compilation Error

Answer:- D. Compilation Error

Q13.What is output of following program

```
public class Test  
{  
    public int getData() //getdata() 1  
    {  
        return 0;  
    }  
    public long getData() //getdata 2  
    {  
        return 1;  
    }  
    public static void main(String[] args)  
    {  
        Test obj = new Test();  
    }  
}
```

```
System.out.println(obj.getData());  
}  
}
```

- A. 1
- B. 0
- C. Runtime Error
- D. Compilation Error

Answer:- D. Compilation Error

Q14. What is the output of the following program?

```
public class Test{  
  
    static int start = 2;  
  
    final int end;  
  
    public Test(int x) {  
  
        x = 4;  
  
        end = x;  
  
    }  
  
    public void fly(int distance) {  
  
        System.out.println(end-start+" ");  
  
        System.out.println(distance);  
  
    }  
  
    public static void main(String []args){  
  
        new Test(10).fly(5);  
  
    }  
}
```

}

A. [2 5]

B. [0 0]

C. [5 2]

D. [0 2]

Answer:-B. [0 0]

Q15.What is the output of the following program?

```
String john = "john";
```

```
String jon = new String(john);
```

```
System.out.println((john==jon) + " "+ (john.equals(jon)));
```

A. true true

B. true false

C. false true

D. false false

Answer:-C. false true

Q16. Given that Student is a class, how many reference variables and objects are created by the following code?

```
Student studentName, studentId;
```

```
studentName = new Student();
```

```
Student stud_class = new Student();
```

A. Three reference variables and two objects are created.

- B. Two reference variables and two objects are created.
- C. One reference variable and two objects are created.
- D. Three reference variables and three objects are created.

Answer:-B. Two reference variables and two objects are created.

Q17. Write a java program to check even or odd number

Answer:- import java.util.Scanner;

```
public class EvenOddChecker {  
  
    public static void main(String[] args) {  
  
        Scanner scanner = new Scanner(System.in);  
  
  
        System.out.print("Enter a number: ");  
  
        int number = scanner.nextInt();  
  
  
        if (number % 2 == 0) {  
  
            System.out.println(number + " is even.");  
  
        } else {  
  
            System.out.println(number + " is odd.");  
  
        }  
  
  
        scanner.close();  
  
    }  
}
```

Q18. Write a java program to find average of two numbers

Answer:- import java.util.Scanner;

```
public class AverageCalculator {  
  
    public static void main(String[] args) {  
  
        Scanner scanner = new Scanner(System.in);  
  
        System.out.print("Enter the first number: ");  
        double num1 = scanner.nextDouble();  
  
        System.out.print("Enter the second number: ");  
        double num2 = scanner.nextDouble();  
  
        double average = (num1 + num2) / 2;  
  
        System.out.println("The average of " + num1 + " and " + num2 + " is: " + average);  
  
        scanner.close();  
    }  
}
```

Q19. Write a java program to swap two numbers

Answer:- import java.util.Scanner;

```
public class NumberSwapper {  
  
    public static void main(String[] args) {  
  
        Scanner scanner = new Scanner(System.in);  
  
        System.out.print("Enter the first number: ");
```

```
int num1 = scanner.nextInt();

System.out.print("Enter the second number: ");

int num2 = scanner.nextInt();

System.out.println("Before swapping: num1 = " + num1 + ", num2 = " + num2);

// Swapping using a temporary variable

int temp = num1;

num1 = num2;

num2 = temp;

System.out.println("After swapping: num1 = " + num1 + ", num2 = " + num2);

scanner.close();

}

}
```

Q20. Write a java program to check whether a number is prime or not

Answer:- import java.util.Scanner;

```
public class PrimeNumberChecker {

    public static void main(String[] args) {

        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter a number: ");

        int number = scanner.nextInt();
```

```

boolean isPrime = true;

if (number <= 1) {
    isPrime = false;
} else {
    for (int i = 2; i <= Math.sqrt(number); i++) {
        if (number % i == 0) {
            isPrime = false;
            break;
        }
    }
}

if (isPrime) {
    System.out.println(number + " is a prime number.");
} else {
    System.out.println(number + " is not a prime number.");
}

scanner.close();
}
}

```

Q21. Write a java program to find table of n

Answer:- import java.util.Scanner;

```

public class MultiplicationTable {

```

```
public static void main(String[] args) {  
  
    Scanner scanner = new Scanner(System.in);  
  
    System.out.print("Enter a number to generate its multiplication table: ");  
  
    int n = scanner.nextInt();  
  
    System.out.println("Multiplication Table of " + n + ":");  
    for (int i = 1; i <= 10; i++) {  
        System.out.println(n + " * " + i + " = " + (n * i));  
    }  
  
    scanner.close();  
}  
}
```

Q22. Write a java program to find the largest of three numbers.

Answer:- import java.util.Scanner;

```
public class LargestOfThreeNumbers {  
  
    public static void main(String[] args) {  
        Scanner scanner = new Scanner(System.in);  
  
        System.out.print("Enter the first number: ");  
  
        double num1 = scanner.nextDouble();  
  
        System.out.print("Enter the second number: ");
```

```
double num2 = scanner.nextDouble();

System.out.print("Enter the third number: ");

double num3 = scanner.nextDouble();

double largest = num1;

if (num2 > largest) {
    largest = num2;
}

if (num3 > largest) {
    largest = num3;
}

System.out.println("The largest of the three numbers is: " + largest);

scanner.close();
}
}
```

Q23. Write a java program to calculate Simple Interest

Answer:- import java.util.Scanner;

```
public class SimpleInterestCalculator {

    public static void main(String[] args) {

        Scanner scanner = new Scanner(System.in);
```

```
System.out.print("Enter the principal amount: ");

double principal = scanner.nextDouble();

System.out.print("Enter the rate of interest (in percentage): ");

double rate = scanner.nextDouble();

System.out.print("Enter the time period (in years): ");

double time = scanner.nextDouble();

double simpleInterest = (principal * rate * time) / 100;

System.out.println("Simple Interest: " + simpleInterest);

scanner.close();
}
}
```

Q24. Write a java program to calculate Area and perimeter of Rectangle

Answer:- import java.util.Scanner;

```
public class RectangleCalculator {

    public static void main(String[] args) {

        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter the length of the rectangle: ");
```

```
double length = scanner.nextDouble();

System.out.print("Enter the width of the rectangle: ");

double width = scanner.nextDouble();

double area = length * width;

double perimeter = 2 * (length + width);

System.out.println("Area of the rectangle: " + area);

System.out.println("Perimeter of the rectangle: " + perimeter);

scanner.close();

}

}
```

Q25. Write a java program to check whether character is vowel or consonant

Answer:- import java.util.Scanner;

```
public class VowelConsonantChecker {

    public static void main(String[] args) {

        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter a character: ");

        char ch = scanner.next().charAt(0);

        // Convert the character to lowercase for easier comparison

        char lowerCh = Character.toLowerCase(ch);
```



```
if (lowerCh >= 'a' && lowerCh <= 'z') {  
    if (lowerCh == 'a' || lowerCh == 'e' || lowerCh == 'i' || lowerCh == 'o' || lowerCh == 'u') {  
        System.out.println(ch + " is a vowel.");  
    } else {  
        System.out.println(ch + " is a consonant.");  
    }  
} else {  
    System.out.println(ch + " is not a valid alphabetic character.");  
}  
  
scanner.close();  
}  
}
```

