

COMPUTER NETWORKS COMPLETE NOTES

Easy Language • Real-Life Examples • Important Topics Highlighted

★ Red star = Important Topic (read carefully, exam / interview favorite)

MMOC TEACH
MADE BY PRAVENDRA

INDEX

★ 1. Introduction to Computer Networks

- 2. Types of Networks (LAN, MAN, WAN)

★ 3. Network Topologies

★ 4. OSI Model

★ 5. TCP/IP Model

★ 6. IP Addressing

- 7. Subnetting
- 8. MAC Address vs IP Address

★ 9. Protocols - HTTP, HTTPS, FTP

★ 10. TCP vs UDP

★ 11. DNS (Domain Name System)

- 12. DHCP (Dynamic Host Configuration Protocol)
- 13. Routers, Switches, and Hubs
- 14. Firewalls
- 15. Network Security Basics
- 16. Wireless Networking (Wi-Fi Basics)

★ 1. Introduction to Computer Networks [IMPORTANT TOPIC]

Explanation:

A Computer Network is a group of two or more computers connected together to share data, resources, and information. Networks range in size from two devices at home to the entire internet, connecting billions of devices worldwide.

Key Points:

- Allows sharing of data, files, and internet access.
- Ranges from small home networks to the global internet.
- Requires hardware (cables, routers) and software (protocols) to work together.

Example:

Connecting your phone and laptop to the same home Wi-Fi creates a small local network, letting both devices access the internet and even share files with each other.

Real-Life Example:

The Internet itself is simply the largest computer network in the world, connecting billions of devices globally.

2. Types of Networks (LAN, MAN, WAN)

Explanation:

Networks are classified by how large an area they cover.

Key Points:

- LAN (Local Area Network) -> covers a small area, like one building or home.
- MAN (Metropolitan Area Network) -> covers a city or large campus.
- WAN (Wide Area Network) -> covers a large geographic area, like a country or the whole world.

Example:

An office's internal network connecting all its computers is a LAN. The Internet itself is the largest possible example of a WAN.

Real-Life Example:

A company with offices in Delhi and Mumbai, connected together over long distance, is using a WAN to link its two separate LANs.

★ 3. Network Topologies [IMPORTANT TOPIC]

Explanation:

A Network Topology describes the physical or logical LAYOUT of how devices are connected to each other in a network.

Key Points:

- Star Topology -> all devices connect to one central device (like a switch). If one device fails, others are unaffected.
- Bus Topology -> all devices share a single central cable.
- Ring Topology -> devices are connected in a circular chain.
- Mesh Topology -> every device is connected to every other device, for maximum reliability.

Example:

Most home and office networks use a Star Topology, where every device connects to a central Wi-Fi router.

Real-Life Example:

Star topology is the most common in modern networks because a single cable failure only affects ONE device, not the whole network.

★ 4. OSI Model [IMPORTANT TOPIC]

Explanation:

The OSI (Open Systems Interconnection) Model is a theoretical, 7-layer framework that describes how data travels from one computer to another across a network, with each layer handling a specific job.

Key Points:

- 7. Application -> where the user interacts (browsers, apps).
- 6. Presentation -> formats/encrypts data.
- 5. Session -> manages connections between devices.
- 4. Transport -> ensures reliable data delivery (TCP/UDP).
- 3. Network -> handles addressing and routing (IP).
- 2. Data Link -> handles direct device-to-device data transfer.
- 1. Physical -> the actual cables, signals, and hardware.

Example:

When you send a WhatsApp message, it travels down through all 7 layers on your phone, across the network, then back up through all 7 layers on your friend's phone.

Real-Life Example:

The OSI model is a teaching and design framework — real-world networking mostly uses the simpler, related TCP/IP model in practice.

★ 5. TCP/IP Model [IMPORTANT TOPIC]

Explanation:

The TCP/IP Model is the practical, 4-layer framework that the REAL internet actually runs on. It is simpler than the OSI model, but achieves the same overall purpose.

Key Points:

- Application Layer -> HTTP, FTP, email protocols.
- Transport Layer -> TCP and UDP (reliable vs fast delivery).
- Internet Layer -> IP addressing and routing.
- Network Access Layer -> physical transmission of data.

Example:

Every website you visit uses the TCP/IP model: your request travels down through these 4 layers, across the internet, and back up on the server's side.

Real-Life Example:

TCP/IP was originally developed by the US Department of Defense, and it remains the foundation of the entire modern internet today.

★ 6. IP Addressing [IMPORTANT TOPIC]

Explanation:

An IP Address is a unique numerical label assigned to every device on a network, allowing other devices to find and communicate with it — similar to a home address for mail delivery.

Key Points:

- IPv4 -> the older format, like 192.168.1.1 (about 4 billion possible addresses).
- IPv6 -> the newer format, much longer, created because IPv4 addresses were running out.

Example:

Your home Wi-Fi router assigns a private IP address (like 192.168.1.5) to your phone, laptop, and other connected devices, so they can all be identified on your home network.

Real-Life Example:

Websites also have public IP addresses; a Domain Name (like google.com) is just a human-friendly nickname for a website's actual IP address.

7. Subnetting

Explanation:

Subnetting means dividing one large network into several SMALLER, more manageable networks (called subnets), improving organization, security, and network performance.

Example:

A large company might split its network into separate subnets for the Finance department, the HR department, and Guest Wi-Fi, keeping each group's traffic separate and more secure.

Real-Life Example:

Subnetting is a core skill tested in networking certifications like CCNA, since it's essential for designing real company networks.

8. MAC Address vs IP Address

Explanation:

A MAC Address is a unique, PERMANENT hardware identifier built into every network device (like a Wi-Fi card), which never changes. An IP Address is a LOGICAL address that CAN change depending on which network you connect to.

Example:

Your laptop's Wi-Fi card has the SAME MAC address everywhere you go, but it gets a DIFFERENT IP address depending on whether you're connected at home, at college, or at a coffee shop.

Real-Life Example:

This is exactly how some public Wi-Fi networks can 'remember' and identify a specific device across visits, even if its IP address has changed.

★ 9. Protocols - HTTP, HTTPS, FTP [IMPORTANT TOPIC]

Explanation:

A Protocol is an agreed-upon set of RULES that devices follow to communicate correctly with each other over a network.

Key Points:

- HTTP -> used to load normal websites (HyperText Transfer Protocol).
- HTTPS -> the SECURE, encrypted version of HTTP, shown by the padlock icon in browsers.
- FTP -> File Transfer Protocol, used to upload/download files to/from a server.

Example:

When your browser's address bar shows 'https://', it means the connection to that website is encrypted and safer than a plain 'http://' connection.

Real-Life Example:

Google actively ranks HTTPS websites higher than HTTP-only websites in search results, partly to encourage better security across the internet.

★ 10. TCP vs UDP [IMPORTANT TOPIC]

Explanation:

TCP and UDP are the two main protocols used at the Transport Layer to send data across a network, each with a different priority. TCP focuses on RELIABILITY — making sure every piece of data arrives correctly, even if slower. UDP focuses on SPEED — sending data as fast as possible, even if some pieces get lost.

Example:

Loading a webpage uses TCP, since every piece of the page MUST arrive correctly. A live video call often uses UDP, since a tiny glitch is more acceptable than annoying delays.

Real-Life Example:

Online multiplayer games and video streaming often prefer UDP for its speed, accepting occasional small glitches in exchange for a smoother real-time experience.

★ 11. DNS (Domain Name System) *[IMPORTANT TOPIC]*

Explanation:

DNS is like the 'phonebook' of the internet — it translates human-friendly website names (like google.com) into the actual numerical IP address that computers use to find that website.

Example:

When you type 'youtube.com' into your browser, DNS looks up the actual IP address behind that name, and your browser then connects to THAT address to load the page.

Real-Life Example:

Without DNS, we would need to memorize long strings of numbers (IP addresses) instead of simple website names to visit any site.

12. DHCP (Dynamic Host Configuration Protocol)

Explanation:

DHCP is a protocol that automatically assigns an IP address to a device when it joins a network, so users don't have to manually configure network settings themselves.

Example:

When you connect your phone to a new Wi-Fi network, DHCP automatically gives it a working IP address within seconds, without you doing anything manually.

Real-Life Example:

This is exactly why you can walk into a cafe, connect to their Wi-Fi, and instantly start browsing — DHCP handles all the technical setup instantly in the background.

13. Routers, Switches, and Hubs

Explanation:

These are the physical devices that connect and direct traffic across a network, but they work in different ways.

Key Points:

- Hub -> sends incoming data to ALL connected devices (old, inefficient, rarely used today).
- Switch -> intelligently sends data ONLY to the specific device it's meant for.
- Router -> connects DIFFERENT networks together, like your home network to the internet.

Example:

Your home Wi-Fi router connects your entire home network to your internet provider, while an office switch efficiently directs internal traffic between office computers.

Real-Life Example:

Almost every home internet setup today includes a combined router that also acts as a switch and a Wi-Fi access point, all in one device.

14. Firewalls

Explanation:

A Firewall monitors and controls incoming and outgoing network traffic, based on a set of security rules, acting as a protective barrier between a trusted network and untrusted outside networks (like the internet).

Example:

A company firewall might block all incoming connections from unknown, suspicious countries, while still allowing normal internet browsing for employees.

Real-Life Example:

Both Windows and Mac computers come with a built-in software firewall, usually enabled by default, filtering unwanted network connections automatically.

15. Network Security Basics

Explanation:

Network Security involves protecting data as it travels ACROSS a network from being intercepted, altered, or stolen by unauthorized people.

Key Points:

- Encryption -> scrambles data so only the intended receiver can read it.
- VPN -> creates a secure, private tunnel over a public network.
- Firewalls -> filter out unwanted or dangerous traffic.

Example:

Using a VPN on public airport Wi-Fi encrypts your data, protecting it from anyone else on that same network trying to intercept it.

Real-Life Example:

Many companies require remote employees to use a VPN specifically to securely access internal company systems from home.

16. Wireless Networking (Wi-Fi Basics)

Explanation:

Wireless Networking allows devices to connect to a network using radio waves INSTEAD of physical cables — Wi-Fi being the most common example used in homes and offices worldwide.

Key Points:

- WPA3 -> the current, strongest Wi-Fi security standard.
- SSID -> the name of a Wi-Fi network that you see and select on your device.

Example:

Setting a strong Wi-Fi password using WPA3 encryption prevents outsiders from connecting to your home network or spying on your internet traffic.

Real-Life Example:

Older Wi-Fi security standards like WEP are now considered very insecure and can be broken by attackers within minutes.