

Registry Key:

Retrieve value name and value data for specified registry key.

Syntax:

Get-RegisterKey -Key 'HKLM:\Software\Microsoft\Windows\CurrentVersion\Uninstall

Create/Delete/Modify/ Registry in PSADT

- **Create New Key:**

Syntax:

**New-Item -Path "HKLM:\Software\My Company" -Type Directory -ErrorAction
SilentContinue**

- **Delete Key:**

Syntax:

**Remove-Item -Path "HKLM:\Software\My Company" -Recurse -Force -ErrorAction
SilentContinue**

- **Set Registry Value:**

Syntax:

**Set-Itemproperty -Path "HKLM:\Software\My Company" -Name "MYValue" -Value "my-
data"**

- **Get Registry Value**

Syntax:

Set-Itemproperty -Path "HKLM:\Software\My Company" -Name "MYValue"

Other Commands

- **Start Service**

Syntax:

Start-Service -Name "Your Service Name"

- **Force Stop**

Syntax:

Stop -Service -Name "Your Service Name" -Force

- **Stop With Dependencies**

Syntax:

Stop -ADTserviceAndDependencies - Name "Your Service Name"

- **Start With Dependencies**

Syntax:

Start -ServiceAndDependencies - Name "Your Service Name"

=====Steps for PSADT Deployment=====

1. *Deploy application.exe is going to run .PS1 file.exe*

:Deploy a google chrome.msi app through PSADT kit.

2.*Check .Ps1 and edit the steps before actual installation starts.*

3.A. *change the variable section as per input of App (goggle chrome given)*

B.if any pre installation task is the add the script in same .ps1 file (ex:remove older version of app packages)

4.*Deploy app with Deploy application.exe in psadt add execute ,install commands in install section of ps1*

5.*use content prep tool to package the msi to intune*

=====Intune application deployment=====

6. **a.** *create a parameter in app deployment*

b. *detection rule as mentioned*

and give install commands properly on dashboard of Intune and run