Yosys Installation Guide

September 25, 2025

Install the required setup files with sudo.

sudo apt install gcc clang python3 python3-setuptools make git

Installation

Linux (Build from Source)

For the latest version:

```
# Install dependencies


sudo apt install build-essential clang bison flex \
   libreadline-dev gawk tcl-dev libffi-dev git \
   graphviz xdot pkg-config python3

# Clone and build

(Select File Directory as Desktop)


Step 1: git clone https://github.com/YosysHQ/yosys.git

Step 2: cd yosys

Step 3: make -j$(nproc)

Step 4: sudo make install

Step 5: make test

// test to confirm successful installation
```

Windows (via WSL)

- Install **Windows Subsystem for Linux (WSL)**.
- Choose Ubuntu as your distribution.
- Follow the Linux installation instructions above inside WSL.

Running Yosys

Launching Yosys

Start Yosys with:

`./yosys or yosys`

This opens the interactive Yosys shell.



Synthesizing a Verilog File

Assume we have a file `counter.v` or create one syntesizable file:

```
module counter(input clk, input rst, output reg [3:0] out);
  always @(posedge clk or posedge rst) begin
    if (rst)
      out <= 0;
    else
      out <= out + 1;
  end
endmodule
```

To synthesize:

```
Step 1: initilize yosys

Step 2: read -sv <path-to-file>/<file-name>.v

Step 3: hierarchy -top <top-module-name>

(set hierarchy to top module without .v extension)

Step 4: write_rtilil

Step 5: proc; opt

Step 6: show \<module-name>

(\<module-name> is required when there are multiple instances)
```

Direct Synthesis

```
yosys -p "read_verilog counter.v; synth; show"
```

Generating a Netlist

To write a synthesized netlist:

```
yosys -p "read_verilog counter.v; synth; write_verilog counter_netlist.v"
```

1 Flag Explanation

Explanation:

- `read_verilog` loads the Verilog source.
- `write_rtlil` write immediate rtl
- `proc` process translation
- `opt` simple optimization
- `synth` runs generic synthesis.
- `show` opens a schematic viewer.
- `-sv` This is the crucial option. By default, Yosys assumes the input is standard Verilog-2005. Adding -sv tells the Verilog frontend to parse the file using the SystemVerilog syntax and features