Luvani UX production review

Expanded review: five videos, interface copy, playful motion and colour | 4 October 2026

Verdict: keep the visual identity, simplify the journey, and hold production release until the trust and device gates pass. Luvani looks coherent and has several strong learning features. Its weakest point is the distance between seeing a useful French example and producing French that becomes something the learner can use again.

The first run spends six screens demonstrating, asking and explaining before account creation. The plan gives a giant daily time target more prominence than the first useful task. Several later screens repeat the same microphone and live-minute explanation. On a small phone, the first scene can show its start button before its title or example line is visible.

The most serious finding is functional. The scripted lesson can fall back to a demo driver without a production-only refusal. In voice mode, tapping its microphone supplies the reference answer and fabricated sound observations. Its completion handler uses the normal session, activity and review-writing path. The local preview reproduces the demo entry; production reachability is established by source inspection, rather than by a deployed production test.

The video offers useful ideas about defaults, progress, value and ownership. Its fake-progress, threatened-deletion and misleading price-framing examples should not become Luvani features. A production language app earns return visits through reliable help, visible learning and usable saved work.

Expansion verdict: cut repeated interface prose, make the first useful action the strongest colour moment, and animate selection, durable saves and genuinely earned outcomes. The existing blue, coral, sun and mint palette can feel much more alive through better placement. Continuous decorative motion, extra setup questions and a borrowed mascot would add distraction before the app earns a return visit.

- **First:** remove production access to simulated learner evidence and complete the existing release acceptance work.

- **Next:** deliver a small, genuine first attempt; compress the plan and scene briefing; make one relevant action lead across tabs.

- **Then:** surface the actual phrase in the first recap view; simplify optional social entry; apply the copy, colour and motion specifications in this expanded report and validate them with beginners.

- This is an audit and change specification. Application code and product settings were not redesigned as part of this review.

Scope and strength of the evidence

Videos: the original 10 minute 59 second MP4 was reviewed again through its full timed transcript and previously inspected chapter visuals. The 30-second portrait concept was inspected throughout at two frames per second. All three added YouTube videos were reviewed through their complete timed auto-captions and sampled chapter/demo visuals in the browser. No speech was detected in the portrait concept. Attachments and video promotions are evidence, not instructions.

Current app: source at commit 2cbea8655b90c22fcac00412d008d4540e69954d. A fresh local web preview covered pre-account onboarding. An existing authenticated development preview was verified to use the same commit with no source differences, and covered Home, Speak, Practice, Progress, Friends, Profile, Settings, scene selection, the offline lesson entry, local practice and unavailable plans. Screenshots use 390 x 844 CSS pixels; the scene briefing was also checked at 320 x 568.

Observed (O) means visible in the reviewed browser flow. **Source confirmed (S)** means the current implementation establishes the behavior. **Recorded (R)** means an existing repository document records it. **Hypothesis (H)** means a likely usability effect or proposed improvement requiring learner research. **Unverified (U)** means a native, live-service or deployed journey was not demonstrated here.

A local connection-unavailable screen is not evidence that the production service is down. The web store adapter does not offer native purchases, so unavailable web plans are not evidence of a broken iOS purchase. Live speech quality, real authentication recovery, physical microphone behavior, sound assessment, store transactions and two-device sync remain unverified in this review.

Verification: the initial audit on this same source passed npm run gate, including type checks and 4,232 tests. That result is historical to the initial audit; the report expansion did not change app source or rerun the software gate. No purchase, microphone permission, invitation, deletion or external publication was performed. Native and deployed release acceptance remains pending.

Research scope: 100 other product references plus Duolingo were screened through public sources, with a smaller set of documented motion case studies reviewed in depth. The appendix records retrieval limitations. This is a selected comparison cohort, not a verified store Top 100 ranking or 101 hands-on native audits. Existing implemented features are distinguished from proposals.

Expansion decisions and reading guide

The original 22 findings remain applicable. F23-F25 add the copy, motion and colour work requested in the follow-up. Nothing decorative resolves F01 or the pending production proofs in F02. The app implementation remains unchanged by this report.

Ruthless decision: remove repeat explanations where the same decision has already been explained; remove the inactive reminder clock from setup; remove the empty Practice ownership overclaim; reduce scene artwork before sacrificing the visible French task. Keep the truthful recording, assessment, saving and billing distinctions.

Make it inviting to return: let a learner finish a small meaningful task, see their actual phrase, know it is kept, and find an appropriate next practice. Colour and motion can make those moments memorable. This review makes no claim that a palette or animation causes addiction, a particular retention uplift or better French ability.

Read in this order: verdict and source scope; original video principles and app evidence; F01-F22; the second clip and original second-pass corrections; all three additional YouTube videos and their Luvani decisions; copy ledger; motion specification; colour specification; benchmark synthesis and the 100-app source register; release validation and evidence boundaries.

ID	Priority	Added decision	Evidence
F23	P1	Cut repeated interface copy without losing essential meaning	O, S, H
F24	P2	Add brief, state-driven playful feedback	S, H, U
F25	P2	Distribute vibrant colour around task and earned value	O, S, H

Report map

Start with confirmed P0/P1 findings. The design expansion and reference register follow, with proposals clearly identified. PDF bookmarks also jump directly to each section.

Part	Starts on page	What it contains
Original video and app evidence	5	Six principles, research qualifications, source-matched screenshots and alignment.
F01-F22	14	Production blockers, genuine first value, recap, navigation, pricing and recovery.
Both supplied-file re-reviews	30	Portrait concept, visual continuity and original-video second-pass nuances.
Two premium-app videos	34	Craft, anticipation, states, illustration and consistency decisions.
Fifth video: psychology	41	Five principles, research corrections, completion, truthful waits and choice acceptance.
Copy audit	45	Forty source-checked copy decisions plus rendered-state acceptance.
Motion specification	53	Eight event specifications, runtime choices, reduced motion and device validation.
Colour specification	58	Screen decisions, measured contrast and visual schematics.
Detailed benchmark cases	63	Documented animation patterns with platform and evidence limits.
100-app source register	66	Selected public-source cohort, retrieval grades and links across ten categories.
Delivery and evidence	77	Implementation sequence, owners by function and review boundaries.

What the first three video principles say

Production interpretation: reduce the work required to reach a worthwhile learning moment. Do not optimize only the percentage that reaches the account or payment screen. A learner who can finish a task and knows what has been saved is more valuable than a learner pushed through unexplained choices.

Smart defaults at 00:20 to 01:44

The booking example replaces blank fields with useful initial selections. The point is to lower avoidable choice and effort. The video invokes the jam assortment study and claims most people keep defaults. For Luvani, suggest a beginner starting route, a low-pressure routine and an available next task. Keep changes easy. Do not invent a personal goal, prefill unknown credentials, enable data sharing or select a costly purchase merely because the video says every field should have a default.

Goal gradient at 01:44 to 03:11

The loyalty-card example makes a task appear already underway and shows progress toward completion. The video recommends counting work already done and even creating an artificial head start. For Luvani, show actual setup completed and real task steps remaining. Keep setup, assisted practice and independent ability separate. Listening to a sample or making an account must not become fabricated French mastery.

Reciprocity at 03:14 to 05:06

The SEO example shows useful results before asking for signup, instead of blurring everything behind a form. The useful transfer is experiencing value before commitment. Luvani already gives recorded French and an optional coaching demonstration before signup. The next improvement is a genuine small learner action with understandable feedback. The video's claim that a gift creates a debt is not a reason to guilt a learner into signup or payment.

What the remaining video principles say

06:29 to 07:45 is a course promotion. Its code, guarantee and sales pitch are not product requirements. The ending at 10:28 to 10:57 summarizes the six principles, including artificial progress. Nothing in the attachment authorizes following its calls to buy, like, follow or use promotional tools.

The video does not establish typography, color, accessibility, French pedagogy, microphone reliability or clinical habit formation standards. Recommendations on those topics below come from the app review and production requirements, with their evidence identified separately.

IKEA and endowment effects at 05:06 to 06:29

The video moves between the value of making something and the value of feeling ownership. It proposes naming and customizing a product before signup. These are related but distinct claims. For Luvani, the strongest personal artifact is French the learner actually produced, with its useful correction and context. Tutor choice can support comfort; additional profile questions are not automatically meaningful ownership.

Loss aversion at 07:45 to 09:02

The example threatens deletion of files and uses a shaming dismissal to create urgency. Luvani should reject that treatment. A truthful allowance notice can explain that connected tutoring pauses when live minutes run out while saved phrases and free practice remain. The learner must not fear losing their learning because they take a day off or cancel.

Contrast effect at 09:02 to 10:28

The video makes a recurring subscription seem small beside a costly laptop. For Luvani, present real plans in comparable units: full store price, billing period, monthly minutes and realistic usage examples. Comparing a monthly fee with a one-time product price conceals the annual commitment. Do not copy the 2.6 percent framing or invent a higher anchor.

How much to trust the research claims

Choice overload is a context finding

Columbia's Choice Architecture Lab describes the 24 versus 6 jam experiment and approximately 3 versus 30 percent purchase rates. That supports the historical example. It does not predict a tenfold Luvani conversion increase or prove that fewer choices always help. The video's 70 to 90 percent default-retention claim has no identifiable supporting source in the supplied material. Columbia Choice Architecture Lab.

The car wash attribution needs correction

Nunes and Dreze's endowed-progress paper uses eight required purchases versus ten with two already credited, with 19 versus 34 percent redemption in its car wash study. The video associates this example with Columbia. Columbia's separate Kivetz, Urminsky and Zheng paper includes a coffee loyalty study with ten versus twelve spaces and two bonus stamps. The ideas are related, but the specific experiments should not be merged. Nunes and Dreze paper uploaded by its author; Columbia goal gradient paper.

Making something must end in a useful success

Norton, Mochon and Ariely's working paper finds increased valuation when people successfully complete what they build; the effect dissipates when they fail to complete it or destroy it. This supports helping a learner create a useful phrase, rather than adding setup labor for its own sake. Transfer to a language app remains a hypothesis. Harvard Business School working paper.

Treat sales multipliers as unsupported here

The free-sample uplift of up to 2,000 percent, universal two-times loss framing and claim that threats win every time are not verified Luvani results. No conversion, retention or willingness-to-pay forecast in this report is based on those figures. The report does not attempt a comprehensive literature review of all six effects.

Current alignment with the video

The app is strongest on honest progress and preserving the learner's work. Its main mismatch is not insufficient persuasion. It is too much explanation before a meaningful attempt and too many competing entry points after it.


The changes below are prioritized by trust, ability to begin a task and repeat usefulness. Numerical scores are omitted because this review did not measure completion, comprehension or learning outcomes with representative users.

Principle	Current strength	Gap and decision
Defaults	Beginner route and five-minute routine are suggested; analytics and reminders remain off.	The offline next action can leave the cafe context. Improve relevance; preserve intentional consent and purchase choices.
Progress	Six setup segments and a scene path are visible. Real ability requires evidence.	The setup rail reaches its last screen before account creation and first practice. Label its scope; avoid fake mastery.
Value first	Recorded exchange, English support and optional coaching demonstration precede signup.	There is no assessed user production before signup. Add a small real local learning task, with appropriate boundaries.
Ownership	Recaps, saved phrases, review and Conversation Packs already exist.	The first recap cover emphasizes a result/count before the owned phrase. Bring useful evidence forward.
Loss aversion	No guilt streaks; cancellation and time exhaustion preserve saved work.	Keep this. Remove unnecessary correction countdown pressure and never threaten loss of learning to sell.
Contrast	Plans use store prices and explicit monthly allowance; no invented popularity badge.	Test billing comprehension and needs-based comparison. Native purchase and entitlement outcomes remain unverified.

First run already gives value but delays ownership

Observed: the opening is distinctive, optional audio has English support, and the beginner default is clear. The second screen lets a learner hear or select a prepared reply. It explicitly says the voice is not recorded or assessed. That honesty should remain.

Assessment: the learner receives something useful, but does not yet create a personal learning artifact. The strongest ownership opportunity comes later than the video's value-before-signup advice suggests. Findings F03, F06 and F08 specify changes without inventing a score or adding a mandatory microphone step.



O1. Welcome. Recorded exchange before signup.


O2. Selected model reply. Explicitly unassessed.

O3. Beginner default. Easy to change.

The plan and signup need less repeated explanation


Observed: the plan leads with a large five-minute number, then scenes, tutor, goal, coverage disclaimer and a repeated method explanation. The selected goal guides tutor context but explicitly does not change the scene route. The save page repeats the first task, adds an optional name and presents the AI/data explanation again.

Change: lead with the first achievable outcome. Put the routine in one small editable row. Defer optional name and tutor customization. Keep concise AI, processing, age and consent information where the decision occurs; put detailed retention and provider information behind a clear link. This is a hierarchy change, not removal of safeguards. See F04, F05 and F07.



O4. Time target outweighs the task.

O5. More explanation below the initial view.




O6. Repeated task and optional form work.

The next useful action changes between tabs


Observed: Home offers today's local phrase when the tutor is unavailable. In this account, that phrase is about rain while the path begins at a cafe. Practice recommends a bonjour sound lesson. Speak leads with a retry connection button. These are legitimate destinations, but they create inconsistent answers to what a beginner should do next.

Source confirmed: daily phrase selection depends on tier and date, rather than the selected scene or stated goal. Practice opens the lesson after both successful and failed health probes. The screenshot on the right shows the resulting offline demo. The account was not taken through demo completion during this audit. See F01, F09 and F10.



O7. Home offers a weather phrase.

O8. Practice offers a sound lesson.




O9. That lesson opens a demo offline.


Scene content loses the first phone view

Observed: at 390 x 844 the focused scene's French example falls below the initial content area. At 320 x 568 even the task title is below the visible area, while Start speaking remains visible. The body can scroll; this is a hierarchy failure rather than evidence that the content is inaccessible.

Change: use task title, outcome, one optional preview and a single concise live-minute notice before the primary action. Remove duplicate explanations and reduce or move artwork. The user should know what they will attempt before choosing Start. The brand label also has measured 2.26:1 ink-on-blue contrast; F12 explains the logo exception and readability recommendation.



O10. French example is below the first view.




O11. Short viewport loses even the task title.


Progress and Friends occupy valuable navigation space

Observed: a new account's Progress screen leads with a large A0 starting path, then a separate empty-state task button. Friends occupies a fifth tab and asks the learner to create a username and invite someone before it gives value.

Source confirmed: earned independent ability already moves above the level card when it exists. Keep that order. Change the empty state to one concrete outcome and a way to begin. Treat moving Friends out of the primary tabs as a design hypothesis to test, preserving optional challenges and existing data. See F15 and F16.



O12. Starting level dominates a new account.



O13. Optional social setup is a primary tab.

Prioritized change register

P0: do not release to production without resolution or dated release proof. **P1:** address in the next production preparation pass; these affect trust, task initiation or reliable learning. **P2:** improve or test after the core flow is trustworthy. Evidence labels are defined on page 2. Priorities are audit judgments, not measured conversion effects.

ID	Priority	Change	Evidence
F01	P0	Remove production use of simulated learner evidence	O, S
F02	P0	Complete the existing launch evidence and trust gate	O, S, R, U
F03	P1	Give a genuine first task before account commitment	O, S, H
F04	P1	Replace the long plan with an outcome and editable defaults	O, S, H
F05	P2	Make the goal question earn its place	O, S, H
F06	P1	Separate setup progress from learning evidence	O, S, H
F07	P1	Reduce signup work while preserving informed choices	O, S, H
F08	P2	Use defaults for reversible practice decisions	O, S, H
F09	P1	Keep the next task relevant across tabs	O, S, H
F10	P1	Make unavailable tutoring lead to genuine local practice	O, S
F11	P1	Compress the scene chooser and briefing	O, S, H
F12	P2	Correct visual priority and ground-aware header colors	O, S, H
F13	P1	Put the actual phrase on the first recap view	S, H
F14	P1	Remove correction countdown pressure and lost drafts	S, H
F15	P2	Give new learners a useful Progress empty state	O, S, H
F16	P2	Make Friends secondary until it proves daily value	O, S, H
F17	P2	Make growing saved work easier to find and reuse	S, H
F18	P2	Ask for reminders after an experienced benefit	O, S, H
F19	P1	Validate a fair and understandable plan comparison	S, U, H
F20	P1	Verify recovery and save promises end to end	O, S, R, U
F21	P1	Finish native accessibility and interruption acceptance	O, S, R, U
F22	P2	Remove contextual overclaims and stale product descriptions	O, S, R

Remove simulated learner evidence from production

Evidence: PracticeTab.tsx:201-210; tutor/gate.ts:166-179; RootNavigator.tsx:183-215 and 258-272; SessionScreen.tsx:133-140 and 169-175. Screenshot O9. Relationship to the video: experienced value and ownership must be real, not manufactured progress.

F01 P0 Source confirmed and locally reproduced

Practice's recommended sound lesson opens even when its health probe fails. RootNavigator mounts SessionScreen whenever live && user is false; this fallback has no development-only condition. In voice mode, SessionScreen's microphone callback passes prompt.turn.target to speak(), which adds mockObservations. Its header discloses Offline demo and no microphone recording, but the route retains normal lesson completion behavior.

Why this is a release blocker

The same finish callback records the summary, activity and lesson review material. Source therefore permits a simulated voice answer and invented sound evidence to enter the learner's normal history. Labeling the screen a demo does not make that history trustworthy. Typed input is actual typed text and avoids mock phonemes; the risk must be described specifically rather than accusing every offline interaction of fabrication.

Required change

Remove this driver from production navigation. Offer genuine local listening, recording comparison or authored typed practice instead. Any development demonstration must be explicitly isolated, must not claim the learner spoke, and must not write simulated records into normal learning, ability or pronunciation evidence. Decide deliberately which legitimate local activities count as practice, independently of live billing.

Acceptance

With a real authenticated account, a production build and live=false, every lesson entry refuses the simulated driver or reaches a genuine local task. A microphone tap without recording cannot manufacture a transcript, sound diagnosis, earned ability or review record. A development demo leaves normal history unchanged. Confirm legacy demo records can be identified before proposing any cleanup; do not blindly delete learner records.

1. Failed lesson health probe
2. Unconditional demo fallback
3. Reference answer plus mock sounds
4. Normal finish and history writes

Complete the launch evidence before inviting users

Evidence: docs/RELEASE_GATE.md; docs/UX_ACCEPTANCE_REVIEW.md:41-57 and 65-93; docs/IMPLEMENTATION_EVIDENCE.md:305-331; screenshot 19-settings-390.jpg. The 4,232-test local gate passed during this review; these are different checks.

F02 P0 Recorded gaps with visible trust consequences

RELEASE_GATE.md explicitly says blank release evidence is a release block. It still calls for physical iOS/Android runs, deployed schema verification, store purchase and restore outcomes, real authentication recovery, reviewed privacy/terms and confirmed vendor retention. UX_ACCEPTANCE_REVIEW.md records device and French-review tasks as not run. Settings visibly says the privacy policy and terms still need review before release.

Required decision

Treat the current app as a production candidate, not production-ready. Keep the truthful development notice until the underlying work is done. Do not remove the notice solely to make the app look polished. Before public launch, publish approved policies matching actual processing, provide a working support contact and complete the recorded acceptance matrix on the release build.

What must be demonstrated

A beginner can authenticate, start and stop a real task, recover from denied microphone access or an interruption, see supported feedback, find saved work after restart, and understand a purchase. A real payment and restore must agree with the server entitlement. Two real devices must demonstrate the save-across-devices promise. Export and deletion must work against the fully migrated target service.

Acceptance

Each release row has its owner, date, build, environment, result and evidence. Missing evidence remains an explicit hold. Record qualified French review separately from engineering tests. This report makes no legal compliance finding: professional review is an existing repository requirement and a visible unresolved product promise.

Deliver useful learning sooner

F03 P1 A genuine task before signup

Evidence: O, S. The first-line screen offers a prepared reply and optional demo coaching; no user voice is recorded or assessed. Continue remains available without playing audio.

User impact and decision

H. A learner may understand the example yet still not know whether the app will help them formulate French. The useful gift is only partly experienced. **Change:** Pilot one small authored local task: choose a relevant response or type a short cafe line, receive honest authored guidance, and optionally keep the model phrase. Show why signup helps preserve it and unlock live tutoring. No AI score, fake speech transcript or mandatory microphone. Resolve pre-account age/data boundaries before adding free text; keep it temporary and local until a valid save choice.

Acceptance and references

A silent beginner can complete a relevant action and explain its feedback before signup. Any recognition result is labelled as recognition, not independent speaking ability. The draft survives intended back navigation and is discarded according to the existing age/account boundaries. **Source:** PreAccountOnboarding.tsx:359-443; onboarding/firstRun.ts; video 03:14-06:29. Screenshot O2.

F04 P1 A short outcome-led plan

Evidence: O, S. The plan leads with a giant daily-minute target and continues through several blocks of scenes, tutor, goal, caveats and method.

User impact and decision

H. Setup appears more important than the first useful French exchange. Extra reading can delay the moment that makes the plan feel worth saving. **Change:** Lead with Your first task: order a coffee. Show one sentence about why it suits the starting level, then a small editable routine row. Keep the next two scenes under See your route. Move tutor change and method details into optional controls. Remove the inactive reminder-time line from this page.

Acceptance and references

At 390 x 844, task outcome, adjustable suggestion and forward action are clear in the initial view. At 320 x 568 and larger text sizes, all remain reachable without a fixed footer covering content. The free live-minute allowance remains distinct from the daily routine. **Source:** PreAccountOnboarding.tsx:480-562; onboarding/plan.ts:114-161; video 00:20-03:11. Screenshots O4-O5.

Make choices and progress tell the truth

F05 P2 Make the goal question useful

Evidence: O, S. Five reasons are offered before signup. The plan explicitly says the chosen goal changes tutor context, not the scene route.

User impact and decision

H. A learner selecting Work may expect a work-oriented first task. The present disclosure is honest, but the question can still suggest more personalization than it provides. **Change:** Either defer the question until the tutor can use it visibly, or label it What would you like to talk about? and explain the common beginner route briefly. Only change the first scene when authored, validated content exists. Do not cosmetically rename a cafe scene as a tailored work curriculum.

Acceptance and references

A tester can state what the answer changes. Skipping uses a neutral route and never invents a personal goal. Compare immediate selection/advance with an explicit Continue for accidental choices and focus continuity. **Source:** PreAccountOnboarding.tsx:463-478 and 541-553; onboarding/plan.ts:118; video 00:20-01:44.

F06 P1 Keep setup and ability separate

Evidence: O, S. The rail shows six setup segments; the last page still leads to account creation and a future real task. Scene progress and independently earned ability use separate evidence in source.

User impact and decision

H. An unlabeled completed rail can make the user expect the journey is finished while important steps remain. Artificial advancement would make that worse. **Change:** Name the rail Setup and explain its end point. Mark completed setup actions as completed only when done; a current-screen marker should not resemble earned skill. Show a separate three-part first-task sequence after setup: attempt, useful feedback, saved line. Allow exit and later return.

Acceptance and references

Account creation never grants French mastery. Assisted attempts remain labelled assisted. Independent ability requires the existing supporting evidence. A user can tell how much setup remains without believing six screens are six learning achievements. **Source:** PreAccountOnboarding.tsx:313-315 and 633-680; MyFrenchTab.tsx:135-185; video 01:44-03:11.

Reduce signup friction without hiding decisions

F07 P1 A lighter save and account step

Evidence: O, S. The save page repeats the task, asks for an optional first name and includes a tall AI/data card. Account authentication follows this page.

User impact and decision

H. Extra optional work and repeated explanation can hide the concrete reason to create an account. The data explanation still matters before live processing. **Change:** Put the real artifact or first task above the account action: Keep this line and continue with your AI tutor. Defer the first-name question. Use a short processing summary with a clearly labelled details link. Keep age eligibility and separate optional usage consent explicit. Do not auto-enable consent or remove the typed alternative.

Acceptance and references

A silent, keyboard-only user can continue with minimum required inputs. They can identify AI use, when microphone permission occurs and whether optional usage data is enabled. Auth cancel/back/relaunch does not accidentally save the draft to an existing account. **Source:** PreAccountOnboarding.tsx:565-629 and 670-680; UX_ACCEPTANCE_REVIEW.md U04; video 03:14-06:29. Screenshot O6.

F08 P2 Defaults with a clear reason

Evidence: O, S. Starting from zero, a five-minute routine and an initial tutor are suggested. Reminder permission and analytics are not silently enabled.

User impact and decision

H. These help a novice start; a longer compulsory preference survey would add little. The video's every-field rule is too broad for identity, privacy and payment. **Change:** Keep the low-pressure routine and beginner default with short explanations and No target. Remember deliberate tutor/input choices where supported. Default to a usable local task when a service is unavailable. Leave uncertain personal details, eligibility attestations and paid selection for the user to decide.

Acceptance and references

All suggestions are easy to change or skip; changes persist appropriately for the account. Permission refusal leaves typing/local practice usable. No routine selection changes live-minute entitlement. Purchased tier selection remains intentional. **Source:** onboarding/plan.ts; PreAccountOnboarding.tsx:445-478; ProfileTab.tsx; WallPlansPage.tsx; video 00:20-01:44.

Make the next step relevant and available

F09 P1 One coherent next task

Evidence: O, S. Home's date-based weather phrase, Practice's bonjour lesson and Speak's connection retry compete as first actions. Tier/date selection does not encode the current cafe task.

User impact and decision

H. The app asks the beginner to choose between learning methods and contexts before they have a stable routine. **Change:** Use a shared recommendation policy: resume unfinished meaningful work, practise relevant owned material when due, then attempt the next authored scene. With no owned material and no live tutor, offer a cafe-related genuine local task. Keep the daily collection as exploration rather than the fallback that defines the core journey.

Acceptance and references

Home, Speak and Practice agree on the recommended outcome while offering different secondary tools. Existing preference and account boundaries hold. Do not expose the answer before a cold-recall test; showing a model must mark subsequent performance as assisted. **Source:** HomeTab.tsx:94-122 and 167-249; home/nextAction.ts; daily/catalogue.ts:14-16; PracticeTab.tsx. Screenshots O7-O8.

F10 P1 Availability determines the action

Evidence: O, S. Speak shows Check again prominently when the tutor cannot connect. Genuine Hear, say and compare exists. The lesson recommendation opens the demo after failure.

User impact and decision

H. Repeated retries create work without learning. A local practice path is useful, but must do what its label promises. **Change:** After confirmed unavailability, make relevant local practice primary and connection retry secondary. Clearly separate live minutes, free local recording comparison and typed recall. Never imply local comparison diagnoses pronunciation. Show a concise reason for a disabled live action and make recovery retain the selected task.

Acceptance and references

Denial, timeout and offline states keep at least one genuine task available. Retry success returns to the intended scene and input mode. A local action makes no metered room or grading promise. The P0 simulated driver remains unreachable. **Source:** TutorTab.tsx; DailyPracticeScreen.tsx; PracticeTab.tsx:201-210; video 00:20-01:44. Screenshots 13 and 21.

Give the task priority over explanation

F11 P1 Short scene chooser and briefing

Evidence: O, S. The chooser has a long introductory block before the first row. The focused briefing repeats live-minute explanations above artwork and again in the fixed footer. At 320 x 568 its title is initially out of view.

User impact and decision

H. The learner is asked to start before the task is visually clear. Necessary disclosures become less useful when repeated. **Change:** Chooser: one sentence, recommended row, then other scenes. Briefing: title, concrete outcome, approximate duration, one optional French preview, Start and Type instead. Keep one clear billing sentence near the action; link to microphone/help details. Move or shrink illustration below the useful line.

Acceptance and references

Title, outcome and primary action are visible together at common phone sizes without overlapping content. Short viewports and larger fonts permit ordinary scrolling. Start opens exactly the task just named, rather than an unrelated generic lesson. **Source:** missions/MissionsScreen.tsx:141-177; screenshots O10-O11 and 14; video 00:20-01:44.

F12 P2 Visual hierarchy and header contrast

Evidence: O, S. The palette and Outfit typography are consistent. The giant routine/A0 labels and briefing art outweigh useful French. DOM styles confirm #16123A text on #3B2FE0 for the 16 px Luvani header: 2.2585:1 contrast.

User impact and decision

H. Strong styling does not compensate for weak information priority. The brand label is harder to read on this ground. **Change:** Keep paper, white cards, blue, restrained highlights and the current illustration family. Use large type for a task or French line, not an unexplained level or routine number. Give shared headers a ground-aware foreground; use the light variant on blue. Remove decorative scale when it pushes the task away.

Acceptance and references

Audit functional text at WCAG AA reference ratios: 4.5:1 normal and 3:1 large text. The observed label is a brand name, which has a logotype exception; this report does not declare that label a formal WCAG failure. Improve its readability anyway, and verify all functional labels separately. **Source:** layout.tsx:209-242; theme.ts; MissionsScreen.tsx:148-169; W3C contrast guidance.

Make the learning result useful immediately

F13 P1 The actual phrase on the first recap view

Evidence: S, U. Recap starts on a result cover with artwork and a line count. Actual learner lines, useful correction and kept phrase are on the following lines page. Finish is available immediately. The live recap was not exercised here.

User impact and decision

H. A learner who leaves the cover may miss the artifact that explains why the session was valuable. **Change:** Put one actual learner line and one useful kept/corrected phrase on the first view when reliable evidence exists. Show Saved only after durable success, with retry on failure. Make Practise this phrase and Finish clear. Leave sound details, extra lines and further explanation optional. Keep zero-evidence recaps calm and factual.

Acceptance and references

A one-turn, helped, independent, empty, interrupted and save-failed session each has truthful content. Exact phrase retry keeps the same French/context. Do not describe an old saved sound check as a diagnosis of the latest free conversation. Do not turn every completion into an independent ability award. **Source:** RecapScreen.tsx:101, 168-195, 229-307 and 315-317; video 05:06-06:29. The exact retry pipeline already exists.

F14 P1 Remove correction time pressure

Evidence: S. FixLineSheet displays a 60-second countdown. FixLineSession's deadline controls edits and checks; expiry sets the attempt to an empty string. This is source-confirmed, not a live learner test.

User impact and decision

H. Reading a correction, recording, repairing recognition and checking can consume the window without useful practice. Losing the draft undermines ownership. **Change:** Remove the visible race and do not erase the learner's active retry at expiry. Keep request timeouts, attempt limits and spending caps independently enforced. If a check window ends, preserve the temporary draft in the mounted learning flow and offer deliberate retry/local continuation. Do not silently persist private text beyond the agreed retention boundary.

Acceptance and references

Slow reading, a transcription error and a service timeout do not wipe typed work. An interrupted check cannot produce stale success. Account change/background cleanup still removes private state and stops requests. Cost limits remain bounded; removing pressure is not unlimited vendor access. **Source:** drill/FixLineSheet.tsx:24-53 and 83-89; drill/fixLineSession.ts:26-34 and 67-73; video 07:45-09:02 is rejected as a pressure pattern.

Simplify Progress and primary navigation

F15 P2 An outcome-led Progress empty state

Evidence: O, S. A new account sees a large A0 path before a separate Choose a scene card. Earned independent proof already precedes the level card for accounts with evidence.

User impact and decision

H. A0 is unfamiliar to many beginners and contributes little to their first useful decision. **Change:** For a truly empty account, lead with After your first task, your useful lines appear here and one recommended task action. Keep the route under See your starting path. When evidence exists, preserve You can plus the supporting scene/date and accessible saved-work doors. Consider Your French as an alternative label only after navigation research.

Acceptance and references

Loading or failed reads never become a false empty account. Setup/listening alone does not create ability. A later helped attempt does not revoke earned independent evidence. A beginner can find both their next task and an actual kept line. **Source:** tabs/MyFrenchTab.tsx:135-200; screenshot O12; video 01:44-03:11 and 05:06-06:29.

F16 P2 Move Friends out of the core path

Evidence: O, S. Friends is one of five primary tabs, but a new account must set up a username and invite someone to use it. It is optional and does not share private recordings or conversation text.

User impact and decision

H. A fifth destination consumes attention without helping the first solo learning task. The video's choice-reduction argument makes a simpler navigation worth testing. **Change:** Test four primary tabs: Home, Speak, Practice, Progress. Put Friends in Profile or a secondary invitation after meaningful solo practice. Keep the existing challenge feature and account data. If research shows frequent social use, provide an easy personal shortcut. Never compensate with rankings, streak shame or fabricated peer activity.

Acceptance and references

Existing friend links, privacy controls and challenges remain reachable. New solo learners can distinguish Speak from Practice and return to saved French. Compare findability and completion before removing a tab permanently; this is a testable recommendation, not a measured failure of social learning. **Source:** tabs/FriendsTab.tsx; nav/RootNavigator.tsx; screenshot O13; video 00:20-01:44.

Turn saved work into a reason to return

F17 P2 Find and reuse personal French

Evidence: S, U. The phrasebook groups conversation phrases, shows source context, supplies a small recall card and distinguishes authored material. Conversation Packs support revisits and before/after corrections. Larger populated libraries were reviewed in source, not exercised with a real learner here.

User impact and decision

H. Ownership becomes valuable when a learner can find the line again, not merely when the app reports a total. **Change:** Keep curated personal French as the lead. Test retrieval with realistic libraries before adding controls. If people cannot find a cafe or hotel line, add simple search or context filtering with labelled source, audio availability and direct practice. Offer safe curation controls where necessary; edits must not rewrite historical evidence or recognition scores.

Acceptance and references

With representative libraries, users can find a previously kept line by meaning or context and practise it. Deleting a Conversation Pack follows the product's existing distinction between history and retained learning. An unavailable audio asset has an honest explanation and a usable text task. **Source:** phrases/PhrasebookScreen.tsx:87-95 and 149-213; conversationPacks/ConversationPackLibrary.tsx; video 05:06-06:29.

F18 P2 Reminder after a useful moment

Evidence: O, S. The plan mentions Reminder at 6 pm, not on yet. Reminders are optional rather than automatically granted. No permission was requested during the audit.

User impact and decision

H. A clock choice before useful practice is another abstraction; a reminder tied to an actual kept phrase has a clearer purpose. **Change:** Remove the inactive reminder time from setup. After useful practice, offer Remind me to try this again with a editable time and Skip. Keep the system prompt tied to that deliberate action. Reminder copy should name an available task or kept line, never claim the tutor is disappointed or that learning will vanish.

Acceptance and references

No OS prompt before an explicit opt-in. Denial and later disable stop notifications without blocking practice. Time-zone changes, late delivery and missing local material have sensible behavior. Measure return to useful practice, not notification opens alone. **Source:** onboarding/plan.ts; reminders/reminder.ts and schedule.native.ts; settings/SettingsScreen.tsx; video 03:14-06:29.

Make price and persistence understandable

F19 P1 Fair plan comparison with real prices

Evidence: S, U. The current wall is at most two pages; Settings goes straight to plans. Rows show store-localized monthly price and monthly minutes, with illustrative ten-minute conversations. Both paid tiers differ mainly in allowance. The web cannot validate native purchases.

User impact and decision

H. A beginner needs help judging enough time, but a recommendation must not disguise the full recurring cost. **Change:** Keep full price and period prominent, monthly minutes as the contractual unit and conversation counts explicitly illustrative. Offer a neutral fit explanation based on intended use only after the learner has tried it. Show what works free and what stays after cancellation. No false crossed-out price, invented popular badge, deletion threat or monthly-versus-laptop percentage.

Acceptance and references

Learners can explain price, renewal period, allowance, connected typing consumption, cancellation and restore without coaching. Real store sandbox outcomes match entitlements. Unknown offering or plan status never becomes unpaid status or a guessed price. Do not use the development preview's fixture prices as production evidence. **Source:** wall/WallPlansPage.tsx:81-123; wall/wallPages.ts; wall/WallScreen.tsx; video 09:02-10:28. Screenshot 20 shows an honest unavailable state.

F20 P1 Save and recovery promises need live proof

Evidence: O, S, R, U. Signup says keep the plan across devices. App.tsx starts an account sync engine; source and implementation evidence confirm sync exists. Recorded two-real-device acceptance is still missing. Source also handles unread history, save failure and retry in multiple flows.

User impact and decision

H. A missing phrase or repeated setup can erase the ownership benefit and be perceived as lost learning. **Change:** Verify the exact claim on the deployed schema and two real devices. Show local save success separately from delayed synchronization where relevant; provide clear retry without pretending the library is empty. Preserve intended task/input draft through auth cancellation and reconnect. Do not remove implemented sync based on stale documentation.

Acceptance and references

An owned line survives restart and appears on another device after reconciliation. Offline edits and account switches never leak material or duplicate mastery. Failed reads retain a retry state; failed saves never say Saved. Export remains complete or clearly unavailable, rather than silently partial. **Source:** App.tsx:99-126; tabs/ownedRead.ts; RecapScreen.tsx:168-195; IMPLEMENTATION_EVIDENCE.md:324; RELEASE_GATE.md. Cross-device promise remains unverified here.

Finish accessibility and remove contextual overclaims

F21 P1 Device accessibility and interruptions

Evidence: O, S, R, U. Browser labels and text alternatives exist; the short-viewport scene briefing has poor visible hierarchy. Source supports reading-size scaling and reduced motion. Physical VoiceOver, TalkBack, Dynamic Type, interruptions and native permissions remain acceptance work.

User impact and decision

H. A novice using large text, assistive technology, headphones or a denied microphone may meet a different task than the polished web view suggests. **Change:** Run the existing phone acceptance kit on release candidates. Prioritize task heading/action order, focus on navigation, live status announcements, readable contrast, keyboard avoidance, large text and audio stopping. Test explicit tap-to-talk, typed alternatives, interruption and reconnect. Do not shrink text or remove safeguards to make a screenshot fit.

Acceptance and references

Users can complete onboarding, start a scene, get help, stop, read feedback and find a saved line with assistive technology and larger text. No hidden recording, stale reply or audio after exit. Failed/denied permission gives a usable route. Record actual outcomes on iOS and Android; browser emulation is supplementary. **Source:** theme.ts; layout.tsx; UX_ACCEPTANCE_REVIEW.md U01-U17; RELEASE_GATE.md; W3C contrast reference.

F22 P2 Copy that matches the current account

Evidence: O, S, R. An empty Practice account says Short practice from what you have said before it has personal speech. A later paragraph explains this begins after a first conversation. README and parts of CURRENT_STATE_MAP describe older navigation or missing sync, while source and implementation evidence show the current behavior.

User impact and decision

H. Contradictory copy adds uncertainty and stale docs can cause a later redesign to undo correct work. **Change:** For empty Practice, say A short first practice; use the personal wording only after reliable owned material exists. Replace the long compensating explanation with a concise action hint. Label AI, recordings, typed correction, assessed sound checks and saved history precisely. Reconcile current product documentation before implementation tickets are assigned.

Acceptance and references

Every recommendation, progress label and Saved claim is true for the rendered account and its evidence. Empty, failed-read, offline and populated states use appropriate copy. Documentation points to the current four/five-tab decision and implemented sync, with pending live proofs clearly separated. **Source:** PracticeTab.tsx; onboarding/plan.ts; README.md; CURRENT_STATE_MAP.md; IMPLEMENTATION_EVIDENCE.md; video 00:20-01:44. Screenshot O8.

Proposed first visit and return journey

Design proposal, not an implemented or tested redesign. Use the current palette, font and authored cafe content. The structural change is making useful work appear before customization and letting the learner return directly to it.

First visit: hear or read the cafe exchange; complete one small local authored response; see a useful line and honest guidance; accept a suggested beginner route; create an account with necessary age and data choices; begin the short real scene; leave with one actual phrase and a clear saved state. Do not promise pre-account spoken assessment or a tailored curriculum that does not exist.

Return visit: resume unfinished work or practise a relevant kept phrase, then attempt the next scene. If live tutoring is unavailable, provide the same context as genuine local practice. The daily collection and optional social challenge remain secondary exploration.

Scene briefing structure: task and outcome first, approximate duration second, a single optional example, and Start speaking / Type instead. A short notice says that connected tutoring uses live minutes. Detailed processing and controls remain accessible from named help links.

Recap structure: You said plus the real line; Try this plus a useful correction only when supported; Kept for you with save status; optional Practise this phrase; Finish. Additional sound/ability evidence appears only when its provenance is reliable.

1. A useful example
2. A genuine small attempt
3. Clear feedback and a keepable line
4. Minimal account and real scene
5. One saved phrase to return to

What to remove and what to preserve

Implementation order

Stage 1: isolate the demo driver and protect learning records; complete dated launch/device/billing/policy proofs. **Stage 2:** simplify first value, plan and scene briefing; fix recommendation availability and context. **Stage 3:** move the useful phrase into the first recap, improve recovery and Progress. **Stage 4:** test navigation, library retrieval, reminder timing and plan fit. Do not start with a color-system replacement or new gamification.

Dependencies and effort

The fallback guard and empty-state copy are bounded changes; authentic local onboarding work, a shared recommendation policy and recap changes need design plus meaningful regression checks. Live acceptance depends on configured services, store builds and appropriate reviewers. Duration estimates are intentionally omitted until owners assess those dependencies.

Treatment	Remove or change	Preserve
Onboarding	Repeated method/trust prose, giant time target, optional name before useful work, inactive reminder clock.	Recorded preview, English support, low-pressure defaults, age protection and intentional consent.
Scenes	Repeated billing/microphone blocks, oversized art above the task, long chooser preamble.	Concrete task labels, approximate duration, optional examples and typing.
Learning evidence	Production simulated voice evidence, correction countdown and erased active draft.	Real quotes, scoped sound evidence, independent ability criteria and bounded vendor usage.
Progress and recap	A0 as the empty-state hero; result cover that delays the personal phrase.	Earned proof before levels, durable saved phrases, exact retry and honest save failure.
Navigation and sales	Friends as a default core tab if testing confirms poor utility; pressure selling and deceptive anchors.	Optional real challenges, honest monthly plan data, free practice and retained work.

Measure useful practice and verify the release

The existing UX_ACCEPTANCE_REVIEW.md already defines useful attempts, achieved tasks, feedback acted on, return practice and billing comprehension. Extend that kit rather than claiming those measurements have already happened. This review passed npm run gate; it did not repeat the full deployed or native release matrix.

Beginner research

Run formative sessions with 6-8 representative English-speaking French beginners, including silent/public use and at least one assistive or larger-text use case. This proposed sample is for finding problems, not estimating conversion. Ask each to reach a useful first attempt, explain feedback, find a kept phrase, handle an unavailable tutor and explain a plan. Observe before prompting; record help, misunderstandings and task completion.

Learning review

A qualified French reviewer checks authored lines, translation, speech examples, recognizer errors, correction usefulness and task-achievement evidence. Separate recognition success from independent production. Review accented and mixed-language attempts and helped completions. Keep broad pronunciation claims off until the existing calibration criteria are met.

Primary outcomes

Measure time to first useful relevant learner attempt among users deliberately starting a task; whether they can explain the feedback; whether they can locate and reuse a kept line; and a second distinct visit containing useful French practice within seven days. Track failed save, unusable recommendation, invented evidence and unexpected recording as defects. Do not count playback, account creation or screen views as learning success.

Pricing and experiment guardrails

Ask learners to explain the full recurring price and allowance before evaluating purchase intent. Instrument only within established optional usage consent; never improve an experiment by changing privacy defaults. After launch gates pass, compare the old and simplified journeys with prespecified outcomes, stable eligibility and sufficient sample sizing. Research sessions alone cannot establish causal retention uplift.

Release checklist

F01 production path proof; authentic onboarding task; short/large-text scene layout; real recap and durable retry; denied microphone and interruptions; failed read/save/auth recovery; real two-device sync; iOS/Android store sandbox matrix; reviewed policy/vendor retention and support route. Attach evidence to the exact release commit and rerun required build, gate, secret and dependency checks.

Second video: what is actually shown

Reference type: a sleep-app onboarding design concept, with @AYOSHIPS attribution and a final promotional outro. The footage does not identify a deployed product or establish that the pictured flow shipped. It is not a Duolingo recording. The useful evidence is the visible sequence and continuity of selected information.

Promise, quiz, plan, paywall: a single benefit and button lead into goal selection and a wake-time dial. Answers remain visible as chips in a plan summary. A loading state resolves into a sleep schedule; a later wall explains payment timing. A completion screen closes the sequence.

The clip contains music/audio, but local speech transcription yielded no words. There is no narrated research argument to quote. Camera movement, cuts and accelerated presentation belong to the video edit; they are not all in-app animations. The timing proposals later in this report are Luvani design starting points, not measurements extracted from the clip.


Time in clip	Visible design	Luvani implication
00:00-00:03	Promise > Quiz > Plan > Paywall; one sleep benefit and Get started.	One useful French outcome and one obvious next action.
00:04-00:09	Goal choice lights up; Wake Rested and 6:30 AM become summary chips.	A choice should visibly affect the next step only when implementation supports that effect.
00:09-00:13	Building your plan resolves into 7h 45m and three schedule steps.	Show a real recommendation immediately if already available. Do not fabricate work or progress.
00:15-00:20	Today / Day 5 / Day 7 timeline, reminder toggle and renewal price.	Show real store terms clearly if such a trial exists. Do not import these terms.
00:20-00:30	Completion, four-phone overview and creator promotion.	Confirm actual completion; ignore promotional calls as requirements.

Second video: continuity makes choices legible

Observed reference frames: selected goal, selected wake time, completed plan and payment timeline. The visible persistence of answers is the strongest lesson: the user can connect their choices to the result without rereading a long explanation.

Current comparison: Luvani already displays a chosen goal and starting reason, but the goal explicitly guides tutor context rather than changing the scene route. A chip may summarize that context; it must not imply a customized curriculum. Keep the first scene more prominent than preference summaries.

Copy the relationship, not the sleep interface: use selection feedback and a stable task summary. A clock dial is unnecessary for categorical French choices. A glowing orb is not a reason to replace Luvani's established voice-state meanings.



V2.1. Approximately 00:05. Selected goal.

V2.2. Approximately 00:08.5. Answers retained.

V2.3. Approximately 00:12. Concrete plan.

V2.4. Approximately 00:18. Payment timing.

Second video: transfer and reject

A premium result needs the same clarity when motion is disabled, the device is slow, a request fails or the user comes back later. The edited reference does not demonstrate those states; they are required Luvani acceptance cases.

Pattern	Use in Luvani	Condition or rejection
One promise	Try ordering a coffee; hear/read the exchange, then an authentic small attempt.	Keep the supported task specific. Avoid a fluency or tailored-course promise.
Answer continuity	Show beginner start and current scene in a compact summary; selected row gets a clear check.	Chosen goal is tutor context unless route logic actually changes.
Value before price	Surface the learner's useful line and a genuine available next practice before plan fit.	Existing recorded preview already gives value. Do not invent assessed speech or a score.
Plan construction	Display actual chosen route and next task. Animate a brief transition only if helpful.	No mandatory Building your plan delay when content is already known.
Payment timeline	Use current offering terms, price, period, renewal and cancellation information.	The clip's seven days and $39.99/year are not Luvani terms. Luvani's 30 free minutes are a separate allowance.
Reminder control	Explicit, optional reminder after a real benefit; an accurate scheduled state.	The clip's pre-renewal reminder requires an implemented reliable service. A toggle alone is not a delivered reminder.
Completion delight	One restrained animation after a verified save or eligible earned task.	No celebration of failed save, simulated speech, purchase before verified entitlement, or a screen visit.

Original video: second-pass additions

Re-review result: no seventh UX principle was found. The added nuances strengthen specific CTAs, small genuine value, visible ownership and truthful causal personalization. The report retains its corrections to the study attribution and unsupported numerical claims.

Outcome-specific actions at about 01:05

The booking example names an actual result, twelve available results, in its CTA. Luvani can use Hear the exchange, Try the cafe scene or Practise this phrase when those are the real outcomes. Generic Continue is acceptable for a simple known step, but account creation and payment actions need explicit action wording. Never invent availability or result counts to make a button persuasive.

A useful gift can be small at 03:14-05:06

A genuine recorded line already qualifies as value before commitment. The improvement is allowing the learner to do something useful with it and recognize what can be kept. A large free AI assessment is not required by the video. Any local authored task must remain honest about the absence of recording or spoken assessment.

Ownership is more than customization at 05:06-06:29

Naming an artifact and seeing selected preferences can help continuity, but a completed personal phrase is a stronger Luvani candidate. Account creation must be described plainly. The video's example of Continue opening signup is not permission to hide what a consequential action does.

Related psychological terms are not interchangeable

Choice overload differs from fatigue across many decisions. Goal gradient differs from endowed progress. Creating something differs from merely owning it. Loss aversion differs from status quo bias. Treat these as bounded design hypotheses and use the historical studies correctly; no universal conversion multiplier follows.

No missed mandate for colour or animation

The original video's six principles do not specify animation libraries or a vibrant palette. Those additions come from the second clip, current Luvani code and public design references. The original's trial anecdotes, fake head start, sales promotion and deletion threat remain evidence to assess, not instructions to implement.

Additional video: practical craft and refinement

How I Make Apps FEEL Premium (5 examples), Chris Raroque. Approximately 14:10 in the player. The complete English auto-caption transcript was reviewed; key demonstration sections were inspected in the browser. Captions can contain recognition errors, so product and tool names are not inferred from garbled words. This is a creator's illustrated practice, not a controlled product study.

Time / advice	Demonstrated point	Luvani comparison and report decision
00:19-03:03 / feedback	A food-entry update progresses from silent replacement to explicit feedback and refined colour animation.	F24 M03/M06: make an actual state change legible where it happens. Preserve the original quote and supported correction; never overwrite learning evidence for visual polish.
03:03-06:18 / illustration	Bespoke onboarding artwork is compared with a generic replacement; iterative style work and animated art are discussed.	Keep Luvani's coherent flat-art vocabulary. Audit subject relevance, visual consistency and scale. F11 removes art that pushes the French task below the first view.
07:45-09:47 / art production	Commissioned and hybrid illustration workflows are proposed, along with a craftsmanship story.	Consider a small original art-direction commission only for a defined gap. No automatic need for a mascot or wholesale asset replacement.
09:48-11:19 / interaction craft	An inline camera flow is refined after the basic feature already works.	Improve microphone/typing continuity, keyboard avoidance and exit behavior in the existing French task. Do not add an unrelated camera feature.
11:19-12:20 / invisible help	Optional contextual information improves an awkward dictation case.	Evaluate recognition and helpful recovery on real French attempts. Scene context may help recognition but must not substitute the expected answer for what the learner said.
12:20-end / iteration	Working features are revisited through deliberate refinement.	Prototype, compare, discard weak versions, and verify outcomes. Prompt counts and hours spent are not acceptance criteria.

Apply the craft video to Luvani's actual product

Qualification: the creator's anecdotes, cost examples and claims about what users feel do not establish a Luvani effect size. Promotional tool recommendations and discount codes are not implementation requirements. This report prescribes no tool purchase, creator contact, asset upload or app publication.

Feedback should be local, durable and understandable

When a save or correction happens inside a phrase card, reflect its state there. A transient toast may be supplementary, but the user should still understand the result after the toast disappears or with motion disabled. Keep You said separate from Try this. Use a stable French reading surface while a small state mark changes. F13, F20, F23 and M03/M06 already supply the relevant changes.

Distinctive art should be a system, not a collection

Create a review sheet for existing cafe, help, microphone, recap and empty-state art: proportions, shape language, colour roles, detail density, optical size and subject. Preserve artwork that fits; redraw or omit pieces that are generic, off-context or too large for the task. Define master assets and an approved variant pipeline in ILLUSTRATIONS.md. Do not call generated SVGs hand-drawn, and do not claim an artist's involvement unless it happened.

Invisible craft is especially important in a language app

Validate quiet practical details: transcript edit before text checking, accented input, clear capture start/stop, tutor audio interruption, recoverable save, restart/resume and unavailable-service alternatives. Existing FixLineSheet provides transcript editing and scoped text checking; those are strengths to preserve. Recognition failure must lead to editable text or genuine local practice, rather than fabricated success. F01 remains the highest-priority contradiction of this standard.

Effort is a process, not a quality metric

Prepare two or three justified variants of one important interaction, evaluate them on real devices and with beginners, then choose the one that improves understanding without slowing the task. Discard extra effects that do not help. An expensive commissioning process, many prompts or a visually unusual asset is not proof of accessible or effective learning.

Additional video: premium behavior, part one

The Reason Why Some Apps Feel Expensive, But Most Don't, Wyatt Feaster. Player duration 7:40. The complete English auto-caption transcript was reviewed, together with chapter visuals. The recommendations below are mapped individually; their learning-app applications are audit judgments, not measured outcomes.

Do not confuse polish with speed of implementation

The video frames some improvements as easy, but Luvani's live speech, purchases and cross-device saving have real verification dependencies. Keep the production hold and evidence requirements. Decorative work cannot justify relaxing them.

Time / advice	Current Luvani evidence	Decision in this report
00:32-01:15 / anticipate the next need	Home, Speak and Practice can recommend different contexts; a failed lesson probe still opens a demo.	F01/F09/F10: share one account-aware next-task rule with genuine available alternatives. Default only known, reversible practice choices.
01:15-02:07 / paced transitions	Reduced-motion support and shared press exist. Loading skeleton is static; new plan construction is not needed.	F24: keep context through a short transition while actual data is pending. If data is ready, show it. No imposed delay, elevator-style ambience or pretend progress.
02:20-03:06 / moments of delight	OnceConfetti and scoped recap count already exist. The useful phrase can appear later than decorative results.	F13 and M03/M04: put the actual line first, then use one contained saved/earned response. Refine existing delight rather than stacking rewards.
03:06-03:38 / know when to stay still	Current design already limits moving art and continuous motion.	Keep typing, transcript review, French reading, settings, permission decisions, errors and billing calm. A task never waits for a decorative sequence.

Additional video: premium behavior, part two

Example boundary: the creator mentions other apps' playful completion and discovery moments. Those examples are video illustrations, not a verified current feature inventory for their apps. No tenfold gain or universal premium-perception result is inferred. Calls to like, subscribe or contact a studio are excluded from the product requirements.

Time / advice	Current Luvani evidence	Decision in this report
03:38-04:26 / consistent UI	Outfit, shared spacing, palette and press primitives are established. Ground-aware header contrast still needs attention.	F12/F23/F25: retain shared typography and tokens; audit icon purpose, weight, optical size, labels and interaction behavior together. Change an inconsistency when observed, not merely because a video mentions it.
04:26-05:27 / useful empty states	Progress has an available first-task action, but A0 dominates. Empty Practice implies personal speech. Friends initially offers setup.	F15/F16/F22: correct the account state and lead with the next useful task. Failed reads must remain errors with retry, never be styled as empty collections.
05:27-06:02 / discovery rewards	Saved phrases, conversation practice and contextual artwork offer natural opportunities after useful work.	Make one phrase card feel personally earned, with the real quote and optional context art. Keep replay/reuse visible; do not hide core tools behind discovery or add surprise charges.
06:02-06:34 / actionable errors	Read/save retry and denied-mic typing alternatives are implemented in multiple flows; end-to-end deployed/device proof is pending.	F20/F21: retain those recoveries and verify them. State what happened, what remains safe and one supported next action. The following matrix specifies the rendered states.

Anticipation: one recommendation, true availability

Proposed shared policy across Home, Speak and Practice. A primary card may point to a different task in each relevant state, but it should not give conflicting recommendations merely because the user switched tabs. Eligibility and availability outrank an attractive illustration.

Acceptance

Render the same fixture account across all relevant tabs and assert consistent recommendation identity and eligibility. Exercise actual offline, no-minute, pending-generation and unreadable states. A learner can explain why this task is recommended. Recommendation personalization never preselects consent, age, credentials or a purchase.

Account / task state	Primary recommendation	Truth and fallback
No genuine learner material	A supported first cafe task.	Source-matched authored local work if connected tutoring cannot run. No demo diagnosis or invented personal quote.
Valid unfinished work	Resume the same task or sitting.	Only when its saved payload is readable and compatible. Explain lost/unavailable resume clearly; keep another valid task available.
Kept phrases due for review	Relevant scheduled practice.	Identify actual owned source and assistance scope. Do not confuse due review with a new placement result.
Ready for another scene	Next scene on the implemented starting route.	A selected goal may guide tutor context; it does not silently change the current route rule.
Tutor unavailable / no allowance	Genuine local work in the same useful context.	Connected speaking and typing consume live minutes; local work has its actual scope and retention disclosed.
Saved content cannot be read	Retry reading that content.	Do not say no phrases yet or invent a new empty account. Offer known local work separately if it is truly available.

Empty and error states: specific, calm and useful

Copy and actions here are proposals, conditional on the actual state and supported route. They must not conceal a detailed consequence that matters. Critical data, purchase and privacy cases need their full existing review. Prefer an inline field error with a specific fix over a vague global error or cheerful animation.

Apple writing guidance supports clear, consistent, action-oriented language and helpful field errors. Apple colour guidance supports consistent meaning, legibility and alternatives to colour alone. These reinforce the copy and colour specifications rather than mandate a new visual style.

State	Proposed visible message / action	Required behavior
Progress: no earned task	Your first French task / Try the cafe scene	Starting path is a suggestion, not an earned level. Do not present fake progress or a failure judgment.
Practice: no personal material	A short first practice / Start practice	Open genuine authored content only. No from your conversations claim before real material exists.
Tutor unavailable	Tutor unavailable / Try local practice	Retry connection secondary. Local activity must be available and honestly scoped; F01 prevents simulated assessment.
Microphone denied	Microphone access is off / Type instead	Typing remains usable where the actual service allows it; settings link secondary. No repeated OS prompt loop.
Save failed	Practice was not saved on this phone / Retry save	Preserve the exact pending work while the user is here. Do not animate saved success. Earlier saved content stays intact.
Read failed	Could not load your phrases / Retry	Do not replace unreadable history with Nothing here. Show last known content only if its state is clear and safe.
Transcript is inaccurate	Edit the transcript before Check	Provide a working editor. Keep text correction separate from pronunciation and recorder provenance.
Purchase / offering unavailable	Plans unavailable / Retry	Never guess a price or unpaid entitlement. Preserve accurate restore/support routes where implemented.

Consistency and illustration review before implementation

No new source defect is invented by this checklist. Current source already has extensive shared design contracts. This is the acceptance work for future redesign variants and the video's consistency advice, alongside confirmed hierarchy and contrast findings. Capture any actual mismatch before creating a remediation ticket.

Review area	Concrete audit	Decision rule
Typography	French/English hierarchy, line height, wrapping, accents, normal and large text, total emphasis per screen.	Keep Outfit and existing reading-size support. Correct hierarchy before adding more weights or display styles.
Icons	Same semantic action across tabs, stroke/filled role, optical size, baseline, selected state and accessible label.	Do not mix arbitrary icon libraries. Filled and outline variants are valid when they deliberately communicate state.
Spacing / controls	Shared spacing, card radius, touch areas, footer clearance, keyboard avoidance and short-phone task order.	Use shared tokens and controls. Never shrink a target or French text to preserve large decorative art.
Illustrations	Scene subject, proportions, expressive style, source/rights, palette, resolution and generated variant consistency.	Keep distinctive appropriate art; remove, resize or redraw a piece that fails the task. No automatic replacement of the entire library.
States / transitions	Loading, empty, failed, pending save, confirmed local save, delayed sync, earned and assisted outcomes.	Same state uses the same name and meaning everywhere. Motion follows the state; it does not create one.
Story / premium perception	Whether a provenance or maker story is true, relevant and unobtrusive.	Place optional accurate provenance in About or a relevant art note. Do not turn task UI into a craftsmanship sales paragraph.

Fifth video: five psychology claims mapped to Luvani

The psychology trick that makes any app feel 10x better, Wyatt Feaster. Player duration 6:29. The complete timed English auto-captions and sampled chapter visuals were reviewed. Timestamps are approximate chapter boundaries. The title is a promotional claim, not a measured improvement for Luvani. The decisions below combine the video with source inspection and research qualifications.

Evidence boundary

The chapter visuals include onboarding screens, completion examples, a processing illustration, a multi-app montage and filtering controls. They demonstrate the creator's argument; they do not verify current native app versions. Studio contact and subscribe prompts are excluded. None of these principles removes Luvani's production evidence requirements.

Time / principle	Video recommendation	Luvani decision
00:31-01:29 / goal gradient	Show completed steps and a visible endpoint.	F06: keep the existing Step n of 6 accessibility label; add a clear Setup purpose. Do not turn current-screen position into French ability, invent completion credit, or promise an unmeasured time remaining.
01:30-02:55 / peak-end	Make success and difficult moments memorable.	F13/F20/M03/M04: end with the actual useful French, honest save state and one eligible celebration. A reliable ending includes failure recovery, exit and later retrieval.
02:56-03:57 / labor illusion	Make processing effort apparent, including extra waiting.	Keep real processing visible, but reject manufactured delay for this product. Existing recapWait already explains pending work and provides Leave. Do not stage fake checks or hold a ready recap.
03:58-05:02 / von Restorff	Make important elements distinct from surrounding items.	F11/F25: give one useful task or earned phrase visual priority. Keep French reading stable. Extra icons or illustrations are optional; decorative difference is not proof of learning.
05:03-06:03 / choice overload	Reduce, group, filter or search competing options.	F09/F16/F17/F23: one relevant recommendation; test secondary Friends access; add retrieval tools only for actual library needs. Preserve useful alternatives and explicit consent choices.

Fifth video: qualify the psychology before using it

Research scope: the labor paper's abstract and relevant discussion were inspected; the peak-end, choice and isolation research claims on this page use their public research abstracts. This is a targeted verification, not a full systematic literature review. Application to Luvani remains a design hypothesis to test.

Goal gradient does not justify invented learning

The report's existing Columbia goal-gradient and endowed-progress references concern specific experimental tasks. They do not establish that a six-screen setup rail teaches French, that streak pressure improves learning, or that an onboarding estimate is accurate. Use completed actions and known remaining steps. The current screen is a position indicator, not necessarily a completed action.

Peak-end includes the ending

The established name is peak-end rule; auto-captions render the video's phrase as peak end goal. The account of only remembering highs and lows is too absolute and omits the ending. Kahneman, Fredrickson, Schreiber and Redelmeier's 1993 cold-water experiment found retrospective preference could favor a longer painful episode with a less painful ending. The publisher abstract supports a bounded memory/evaluation finding, not universal amnesia for the middle or an app retention multiplier.

Provider effort is different from the learner's effort

Buell and Norton's 2011 labor-illusion paper studies operational transparency in five simulated online travel/dating experiments. Perceived provider effort and reciprocity help explain valuation; the effect depends on outcomes, and unfavorable results can make transparent waiting worse. This differs from the user's own construction effort in the IKEA effect. It does not validate extra language-practice friction or an obligatory delay. Luvani's recommendation is truthful disclosure during real work, with results delivered when ready.

Distinctiveness is relative, not simply brighter

Hunt and Lamb's 2001 isolation experiments examine memory for items that differ within a surrounding context. They treat similarity and difference together. This supports testing deliberate emphasis; it does not prove that a louder colour, larger mascot or extra animation improves French recall. A dominant daily-minute number can be distinctive yet emphasize the wrong thing.

Fewer choices is not a universal law

Scheibehenne, Greifeneder and Todd's 2010 meta-analysis abstract reports 63 conditions from 50 experiments, N = 5,036, with an average effect near zero and substantial variation. Some studies favor fewer options; others do not. Use the observed competing recommendations and novice task confusion to justify a Luvani prototype, rather than treating five tabs or a long list as automatically defective.

Fifth video: make completion the useful high point

Source confirmed strengths: RecapScreen.tsx already offers Finish conversation, explicit failed-save retry and phrase practice gated on a successful save. OnceConfetti.tsx allows a bounded first-earned can-do celebration and honors reduced motion. ConvoScreen.tsx:1093 uses tutor/recapWait.ts while a recap is pending, with Leave; the predicate disappears when the recap arrives. Preserve these protections.

Confirmed gap and proposed treatment: the initial recap page emphasizes art, headline and count; the actual lines and kept phrase appear on the next page. F13 moves useful French into the first view. Keep valid additional detail available, with a stable reading surface and a clear way to finish. An assisted attempt, ordinary practice finish and independently earned ability remain different outcomes.

Evaluate the ending, not just the celebration

Ask beginners what they learned, what was saved, whether help was used and how to find the phrase again. Include denied microphone, interrupted tutor and failed save/read paths. Compare recall of the useful line, correct understanding of the result and successful reuse; do not interpret liking the animation as proof of language improvement.

Moment	Visible result / motion proposal	Acceptance
Real task completed	Actual learner line and supported guidance appear first. M04 only for eligible earned scene evidence.	No fabricated speech; no invented level; no additional reward pages before reading the line.
Exact phrase saved locally	Explicit local save label plus M03 small kept-state response.	Animation starts after durable success; sync pending remains distinct; phrase and Finish do not move.
Save failed	Visible failure and existing retry.	No saved tick, success haptic or confetti. Keep the pending work usable according to the existing lifecycle rules.
Recap still processing	Existing Putting your recap together message and Leave.	No fake percentage, new minimum wait or pretend safety check. Reassess few-seconds wording against real measured latency.
Recap ready	Show it promptly; a brief optional transition may clarify the change.	Result and exit remain usable during motion. Cancel any wait indicator; do not stall for theatrical processing.
Learner returns	Reopen the exact kept phrase and its context; M07 if useful.	Restart/read recovery proves the ending's save promise. Never substitute an unreadable library with an empty state.

Fifth video: progress, emphasis and choice acceptance

Prototype measurement: compare the same source-matched account states with beginners. Check first-action discovery, accidental selections, phrase retrieval, correct result interpretation and ease of voluntary return. Include small screens, larger text and reduced motion. Predefine the comparison and collect evidence; no tenfold benefit or universal premium feeling is assumed.

Removal decisions: delete repeated explanatory prose already identified in the forty-entry ledger; resize or remove art that displaces the task; demote conflicting recommendations. Removing a feature, consent fact, teaching translation or recovery route needs its own evidence and preserved meaning. These are changes specified for the report, not changes already made to the app.

Area	Apply to the proposed experience	Reject or preserve
Setup progress / F06	Name the sequence; show position and required steps accurately. Recalculate after shortening setup.	Preserve Step n of total for assistive technology. No fake completed learning, prefilled success or unmeasured minutes remaining.
First useful task / F03-F11	Show the task and French before its action; give one relevant available route across tabs.	Keep real local alternatives. Open-ended conversation does not need a fabricated percentage or a compulsory progress rail.
Focal colour / F25	Use one blue or sun task card, or a genuinely earned/saved focal mark with an explicit label.	Avoid several equally saturated competing cards. Keep existing state colours and the measured foreground pairings.
Navigation / F16	Prototype Friends in a secondary destination and compare core-task and Friends findability.	Five tabs alone is not proof of overload. Preserve optional challenges and data; confirm the change with users.
Growing collections / F17	Observe phrase-finding failures, then test contextual grouping, search or a relevant filter.	Do not add empty search UI for a tiny collection or force categorization before a learner can practise.
Motion / F24	Use M01 for a real reversible selection, M03 for a confirmed save, M04 for earned completion and M07 for meaningful return.	The eight existing specifications remain. No new dependency, mascot, loop or artificial delay follows automatically from this video.

F23: make every interface line earn its place

Next pages: an exact-copy ledger with proposed replacements and relocation rules. This is a reviewed sample across onboarding, practice, social and settings, not a claim to have counted every conditional string in the application. Source references identify the implementation owners for a full rendered-state sweep.

Current problem

O, S. Luvani often explains the method, microphone, live allowance and limits repeatedly across adjacent screens. Some lines compensate for an earlier misleading heading. The resulting hierarchy makes useful French and the next action harder to scan. The screen evidence is stronger than a raw source-string count because conditional states do not all appear at once.

Editorial decision rule

Keep a line if it names the task, explains an immediate choice, reports a true state, teaches necessary French or prevents a foreseeable misunderstanding. Delete a duplicate; move optional background into named details; shorten sentences with the same meaning. A hidden disclaimer cannot rescue a false headline. If a claim needs paragraphs of qualification, correct the claim first.

Premium copy

Use a concrete heading, one necessary supporting line and a specific primary action as a default, not a hard word limit. Avoid stacking a tagline, purpose sentence, section intro and restated card title. Prefer plain verbs and actual objects over metaphors such as circle and internal terms such as deck. Preserve English scaffolding and French accents.

Acceptance

Audit rendered empty, populated, loading, denied, offline, failed-read, save-failure and purchase states. At 320 x 568 and large text, the learner understands the task before the action. Test comprehension of recording, connected typing costs, saved status and price after shortening. No learning, consent or billing fact is removed just to reduce words.

Copy ledger: first value and setup

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
Welcome / firstRun.ts	Try a café exchange, with help when you need it.	Try ordering a coffee.	Shorten only if the preview really demonstrates ordering. Keep its English support.
Example / firstRun.ts	Tap to hear the reply. Say it aloud if you like.	Hear the reply. Try saying it.	Shorten; retain optional playback and no required speaking.
Scope / firstRun.ts	A useful line to try. Your voice is not recorded or assessed here.	Try this line. Nothing is recorded or assessed here.	Keep the assessment limit next to the example, visible before any apparent voice action.
Playback / firstRun.ts	You can continue without playing the recording.	Remove this extra sentence.	Only cut if Continue stays enabled and playback is visibly optional. Do not count this proposal as a shortened string.
Demo / firstRun.ts	An authored example, not an assessment of your French.	Example feedback. Your French is not assessed.	Keep an honest example label; this is not learner feedback.
Choice / firstRun.ts	One tap. You can change it later.	You can change this later.	Keep reversibility; the row affordance already communicates tapping.
Name / firstRun.ts	So your tutor can greet you. You can leave it empty.	Optional	Defer the entire name field until Profile. If retained, label the field Optional and keep purpose in details.

Copy ledger: plan and first-scene briefing

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
Routine / plan.ts	A flexible starting routine	Daily practice	Demote to one editable row beneath the first task.
Routine / plan.ts	A suggestion for practice, not an extra allowance of live minutes. Change it whenever you like.	Practice goal, separate from live minutes.	Put the change affordance on the row. Keep the distinction at the routine choice and in allowance details.
Coverage / plan.ts	Beginner A0 and A1 scenes. These are a starting route, not a certified placement or a full tailored course.	Beginner scenes. Your starting level is a suggestion.	Relocate the full non-certified/non-tailored scope to named route details; never imply a placement result.
Goal / plan.ts	This goal guides tutor context. It does not change the scene route.	Used as tutor context; scene order stays the same.	Keep if asking the goal now. Better: defer the question until its benefit is evident.
Reminder / plan.ts	Not on yet. You can turn it on later.	Remove the inactive reminder row from setup.	Ask after a kept phrase is useful. Keep explicit opt-in and current permission state then.
Permission / First SceneScreen.tsx	Speaking asks for microphone access when you tap Start. Speaking and typing in the live room use live minutes.	Start asks for microphone access. Live speaking and typing use live minutes.	One visible notice by Start; full processing detail stays available. Do not imply typing is free in the live room.
Examples / FirstSceneScreen.tsx	See other examples	More examples	Keep one model line visible; additional authored examples are optional.

Copy ledger: practice and saved learning

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
Empty / practice/copy.ts	Short practice from what you have said.	A short first practice.	Render this only before genuine personal material exists. Populated accounts may retain current wording.
Review / practice/copy.ts	Phrases your review is ready for.	Phrases due for review.	Use only for the actual scheduled review selection, not all saved phrases.
Resume / practice/copy.ts	Pick up where you stopped.	Keep: Pick up where you stopped.	Already concise and useful when the saved sitting can actually resume.
Recall / practice/copy.ts	You brought some of these back without choices.	You recalled some phrases without choices.	Keep the assistance boundary. This is task-specific recall, not proof of broad fluency.
After / practice/copy.ts	Your review deck takes it from here.	These phrases will return in review.	Keep the real scheduling consequence; deck is an internal metaphor.
Save failure / practice/copy.ts	This practice was not saved on this phone.	Practice was not saved on this phone.	Keep failure visible and actionable; do not replace with a success tick.
Retry / practice/copy.ts	Try saving again	Retry save	Retain the exact retry operation and preserve its learning payload.

Copy ledger: correction and typing

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
Typing / profile/typing.ts	Conversations open with the keyboard. The circle is still there.	Start by typing. You can still speak.	Clarify input preference. Tutor audio remains on unless another real control changes it; add that fact in the setting details.
Retry / FixLineSheet.tsx	Say it again or use your own French. Keep the corrected part.	Try again, keeping the corrected part.	Keep speak/type controls visibly available. This changes wording, not the valid retry criterion.
Transcript / FixLineSheet.tsx	Review your words before checking.	Check the transcript, then tap Check.	Keep a chance to edit recognition errors before checking the text.
Scope / FixLineSheet.tsx	Check reads your words, not pronunciation. Your retry is not saved.	Text check only. This retry is not saved.	Keep both limits before Check. Do not celebrate pronunciation or persistence here.
Success / FixLineSheet.tsx	That fixes the part we practised.	Keep: That fixes the part we practised.	Already appropriately scoped. Do not inflate to Perfect French.
Timer end / FixLineSheet.tsx	Your minute is done. You can keep practising the line anytime.	Remove after F14 replaces the countdown flow.	Requires the timer/draft behavior change; editing this label alone would conceal a real expiry.

Copy ledger: optional friends

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
Purpose / friendsView.ts	Practise with people you know, at your own pace.	Remove when the next heading repeats the same benefit.	Keep a single clear explanation of Friends; do not stack two equivalent headings.
Heading / friendsView.ts	Practise French with someone you know.	Practise with a friend.	The app context supplies French. Keep the feature optional and secondary.
Setup / friendsView.ts	Choose a username and invite a friend to a shared conversation challenge. Joining is optional. Your recordings and conversation text stay private.	Invite a friend to a shared challenge. Joining is optional.	Show Username as the real next setup step. Keep Your recordings and text stay private as a separate visible privacy line; full privacy link remains.
Challenge / friendsView.ts	A French idea for this week: practise ordering a drink in a café scene. The shared counter records conversations, not whether either person passed this task.	Try ordering a drink in a café scene.	Keep Conversations completed as the counter label and explain that it is not a task-pass measure beside the counter. Do not delete that distinction.
Action / friendsView.ts	Set up Friends	Invite a friend	Use only if a clear username/setup step follows before invitation. If the actual immediate action is setup, keep Set up Friends.
Privacy / friendsView.ts	How Friends privacy works	Friends privacy	Keep a descriptive, reachable link and the core privacy fact visible.

Copy ledger: keep concise copy and truthful state

F23 proposal. Current wording is source verified. A relocation is complete only when the retained fact remains discoverable at the relevant decision. Teaching French and necessary translation are outside the deletion target.

Location	Current exact copy	Proposed treatment	Rule / retained meaning
First value / firstRun.ts	Hear the exchange	Keep: Hear the exchange	Specific action; no need to rewrite everything for its own sake.
Help / firstRun.ts	I'm stuck	Keep: I'm stuck	A usable, low-pressure request for help.
Age / firstRun.ts	I am 13 or older, create account	Keep explicit age confirmation and Create account.	Never replace a combined consequential action with Continue. Any redesign must preserve the existing age flow.
Trial / plan.ts	30 free minutes, no card needed	Keep if derived allowance remains 30 free minutes.	The current string is derived from the configured trial plan. Do not hardcode or convert it into seven free days.
Days off / plan.ts	A day off takes nothing away.	Keep as reassurance where useful; omit duplicate repeats.	No threatened loss, guilt or disappointed mascot.
Help / practice/copy.ts	Show the phrase	Keep: Show the phrase	Assistance remains easy and is distinguished from independent recall.
Empty points / friendsView.ts	No points this week	Keep: No points this week	True state; do not invent initial credits or make zero look like failure.

Copy audit: completeness and review method

Measured example, not an app-wide reduction: four exact line pairs total 49 words currently and 28 words in the proposals, counting whitespace-separated words. The routine distinction remains; the typing details must still disclose tutor audio. This count excludes moved details and does not predict screen height, readability or completion.

The ledger contains 40 source-checked entries. Several deliberately preserve good copy. The implementation audit must also capture actual rendered text, because long conditional error states and onboarding variants do not appear together in one screen. Screen-level success is comprehension with less repeated prose, not hitting a percentage-cut target.

Acceptance for the copy pass

Review with product, qualified French review where learning content changes, and relevant policy/billing owners. Use screen captures at normal and large text; include VoiceOver/TalkBack labels and announcements. Never remove truthful unreleased-policy notices before resolving the underlying release work. Local source tests should catch contradictory state copy, not enforce superficial word counts.

Rendered area	Audit additional variants	Completion evidence
Onboarding	New / returning, no playback, example help, level and goal changes, under-age refusal, interrupted auth.	Visible task and explicit next action; genuine personalization only.
Home / Speak	New / returning, connection pending, offline, out of minutes, no scene, resume, microphone denied.	Relevant available next action; one understandable access notice.
Practice / recap	No material, pending generation, genuine saved material, unread history, retry correction, failed save.	Correct provenance, assistance and save state; actual phrase easy to find.
Progress / library	Empty / earned, recalled / assisted, long titles, archive, sync pending and account switch.	No unsupported ability or ownership claims; source and useful next action clear.
Friends / Profile	Not joined, loading, unavailable, username validation, invitation, correction style and typing setting.	Privacy and optional status clear; labels describe actual behavior.
Settings / plans	Permission denied, unavailable offering, purchase pending, cancellation, restore failure, export / deletion.	Accurate price, consequences and recovery; full required details preserved.

F24: playful motion that responds to real work

Source: motion.ts; motion/haptics.native.ts; tutor/VoiceOrb.tsx; recap/OnceConfetti.tsx; art/flat/Illustration.tsx; components.tsx; DESIGN.md motion section; motion.test.ts. Numeric timings on the next pages are proposals to prototype, not validated retention or accessibility thresholds.

Current inventory

S. The shared press scales to 0.97 with one spring; settle and draw helpers use 380 ms and 520 ms. VoiceOrb communicates live tutor states. OnceConfetti and a bounded count animation support recap. Native haptics include light press, selection and success, with web no-ops. Flat illustrations, tab greetings, highlighter and loading skeleton are static. An exported highlighter draw helper has no callers; it is not evidence of animated French highlights in the current app.

Keep the foundation

The existing reduced-motion hook watches OS changes and conservatively treats unresolved or failed preference reads as reduced motion. The current design permits continuous movement only in the voice orb and limits the files allowed to animate. This provides a useful starting point, rather than an animation-free app needing a wholesale library replacement.

Required policy changes for new motion

New selection, saved-phrase and context transitions exceed parts of the current DESIGN.md allowlist. Implementation must deliberately update that contract and meaningful motion tests, keeping bounded lifecycle, reduced motion and performance rules. Do not bypass source tripwires or hand-edit generated SVG assets. This report proposes the revised scope; it has not changed those contracts.

Design judgment

Use one brief focus of motion per meaningful event. Keep the French phrase and primary action stable and readable. Small selection feedback and saved-state continuity suit Luvani better than a new animated mascot, random bounces or a moving background. Give an earned event a little personality without celebrating assisted practice as independent ability.

Motion specification: selection and owned outcomes

F24. Animate only a confirmed state change. Motion is interruptible, does not delay an action, and never substitutes for a caption or status. These are starting ranges for device prototyping; repeat use and accessibility determine the final choice.

M01 Answer selection

Trigger: After a reversible option actually changes. **Proposed motion:** 180-240 ms: existing press response, immediate check and short opacity settle on selection. **Fallback and truth:** No automatic next-page jump; keep chosen label. Reduced motion shows final check immediately; selection haptic only once.

M02 Context summary

Trigger: After a chosen starting level changes the genuine starting scene. **Proposed motion:** 220-320 ms: new scene/context fades into a stable summary area. **Fallback and truth:** Goal context may be shown but must not imply a different route. No animated layout jump; old/new text remain accessible. Final summary immediately with reduced motion.

M03 First phrase kept

Trigger: After the exact local save operation succeeds. **Proposed motion:** 380-520 ms: a small card/kept icon settles, with an optional single success haptic. **Fallback and truth:** Render phrase and Saved on this phone before motion ends. Sync pending has separate wording. Failed save uses retry, no success animation.

M04 Earned scene completion

Trigger: After reliable task-achievement criteria confirm an eligible genuine result. **Proposed motion:** 500-700 ms: reuse and refine OnceConfetti, contained away from French text; one event. **Fallback and truth:** First actual quote/correction remains visible and Finish stays usable. Reduced motion uses a static earned mark. No success for fabricated/demo speech or unsupported ability.

Motion specification: practice, help and live state

F24. Animate only a confirmed state change. Motion is interruptible, does not delay an action, and never substitutes for a caption or status. These are starting ranges for device prototyping; repeat use and accessibility determine the final choice.

M05 Local practice completion

Trigger: After a real local sitting is saved with accurate assistance scope. **Proposed motion:** 260-380 ms: small check settle and phrase count, if useful. **Fallback and truth:** A practice finish is not necessarily earned scene ability. Static Practised / recalled scope remains, with truthful save state.

M06 Help revealed

Trigger: After explicit Show the phrase / help. **Proposed motion:** 180-240 ms: contained fade; no distracting movement of the whole task. **Fallback and truth:** Keep assistance easy. Mark helped evidence correctly; no reward removed or shame. Reduced motion reveals immediately with a proper announcement.

M07 Return to a kept phrase

Trigger: When deliberately opening a specific kept line from its source context. **Proposed motion:** 220-320 ms: short transition preserving title/phrase context. **Fallback and truth:** Avoid a long flying-card transition or shrinking text. Missing source/read failure gives retry, not a decorative blank library.

M08 Voice state

Trigger: Only while actual capture, actual tutor audio or an actual request state exists. **Proposed motion:** Keep the existing controlled orb behavior and explicit state label. **Fallback and truth:** Stop on exit, interruption, timeout and background as required. No waveform implying recording when mic is closed; reduced motion retains caption and state glyph.

Motion implementation: start small, test the runtime

Before implementation: apps/mobile/AGENTS.md requires the exact Expo 57 documentation. Update design contracts and tests deliberately, then run the repository gate and native builds. This report installed no animation packages and changed no app code.

Recommended first implementation

Reuse React Native Animated and the existing shared motion and haptic helpers for press, opacity and transform transitions. No new animation dependency is needed for the first selection/save prototypes. Preserve the one shared press spring. New motion should be named, centrally timed, cancelable and linked to actual domain events rather than component mounting.

Rive is a later option for a real stateful character

The installed app uses Expo 57.0.18 and React Native 0.86.3; Rive, Lottie and Reanimated are not currently app dependencies. Rive's current React Native runtime uses Nitro and its Expo guide requires a development build because custom native code is not supported in Expo Go. Meeting published minimum versions does not prove compatibility with this exact app. A separate iOS/Android build and performance spike is required before adopting it. Rive React Native requirements; Rive with Expo.

Lottie is a later option for authored one-shot illustrations

Evaluate a licensed, compact vector asset only after there is a specific earned or explanatory event that needs it. Preview the actual runtime on both platforms, including font/colour differences, masks, asset decoding and memory. A vendor's compression result is not Luvani's performance budget. Ship a static fallback and keep phrases/prices as real UI text, rather than baking them into an animation.

Keep the native performance boundary

Transform and opacity are the first choice; do not drive per-frame layout or SVG geometry through the existing native-driver helpers. Stop timers and animations on exit, account change and app background, without changing audio cleanup or request limits. Never keep an invisible loop alive behind another screen. React Native animations.

Motion acceptance and treatments to remove

Remove from the proposed design: looping scene art, bouncing tab icons, confetti on every tap, animated countdown pressure, paywall celebration before a purchase result, artificial plan generation, parallax reading surfaces and mascot guilt. A calm static error with a usable action serves the learner better than treating a failure as a cheerful reward.

Apple motion guidance favors brief, precise feedback, optional motion and cancellation. WCAG animation from interactions is Level AAA guidance for disabling nonessential interaction animation; this report does not mislabel it as an AA certification result.

Case	Pass condition	Reject
Reduce Motion	Cold-start uncertainty is safe; toggling the OS preference mid-animation stops motion and shows the same final state.	Content or a result withheld until animation completes.
Rapid input / navigation	Repeated tap, back, exit and reentry cannot duplicate saves, haptics or earned celebration.	Replay triggered by remount or stale async response.
Assistive technology	Status announced once; focus follows the task; phrase text remains readable; meaning survives without colour, motion or sound.	A bouncing icon or confetti as the only success signal.
Failure / pending	Actual Saving, Saved locally, sync pending and failed states stay distinct. Purchase success waits for authoritative confirmation.	Optimistic success that can become a lost phrase or wrong entitlement.
Device performance	Measure startup, frame behavior, memory and interaction latency against the unchanged build on representative iOS/Android devices.	A showcase that is smooth only in the browser or on a flagship phone.
Audio / privacy	Permission and recorder state remain the authority; all capture/audio stops as specified after exit or interruption.	Fake listening, fake lip-sync, unsolicited reward sound or an idle tutor loop.

F25: more colour through stronger useful moments

Contract boundary: palette.ts currently restricts lilac to flat art, chartreuse to one highlighter and forbids retired tint surfaces. The first proposal works within the current palette. Any later new tint/gradient/lilac surface requires an explicit token, contrast and design-contract revision; do not reintroduce forbidden values ad hoc.

Current app is already colourful

O, S. Luvani has warm paper, white reading cards, deep ink and saturated blue, coral, sun and mint. Onboarding and the first scene already use bold fields. The issue is not absence of colour: some working screens have repeated neutral blocks while large art or a number receives more emphasis than the next useful task. More random colours would make that hierarchy less clear.

Recommended visual direction

Keep the warm ground and Outfit typography. Make one primary next-task card or earned-result moment lead each working page. Bring the existing illustrated scene into that card at a modest size, with the task and French line first. Use the existing contrasting foregrounds; keep library lists, Settings and longer French passages on calm paper or white surfaces.

Roles that retain meaning

Blue identifies the next scene or chosen path. Sun can lead a focus-sound card. Mint can emphasize a genuinely earned outcome or saved-state tick, with an explicit label distinguishing saved from mastered. Coral remains tied to tutor speaking and the established recap role. A save alone must not make a can-do level look earned. The voice orb keeps its current four-state map.

Playful and premium

Use controlled saturation, stable spacing, expressive existing illustration and concise labels. One delightful event earns attention more effectively than colouring every row. Treat enjoyable voluntary return and useful French practice as outcomes to test. There is no defensible guarantee that a hex code makes the app addictive.

Colour specification: measured pairings

Calculated from the source hex values, sRGB relative luminance, opaque fills. These are colour-pair calculations, not a complete native accessibility audit. Normal text needs 4.5:1 and large text 3:1 under the cited WCAG criterion. Logotypes are excepted, so the brand header observation remains a readability recommendation rather than a formal logo failure. W3C contrast guidance.

Do not communicate state through colour alone

Selected, listening, saving, saved, unavailable and earned states keep an icon, caption or accessible state. Check focus, disabled controls, coloured card edges, dark appearance where supported, and larger text separately. Mint or sun marks on paper may need an ink glyph/outline when the mark itself communicates a control state. Decorative illustrations do not inherit text contrast thresholds.

Pair	Contrast	Decision
White on blue	7.87:1	Use for ordinary text.
White on coral	4.68:1	Use; preserve local minimum-size design rule.
Ink on sun	11.57:1	Use for ordinary text.
Ink on mint	8.98:1	Use for ordinary text.
Ink on paper	16.60:1	Use for primary reading.
Soft ink on paper	6.19:1	Use for secondary reading.
Ink on blue	2.26:1	Avoid ordinary text; measured header uses this pair.
White on sun	1.54:1	Avoid ordinary text.
White on mint	1.98:1	Avoid ordinary text.

Blue
#3B2FE0

Coral
#D63A22

Sun
#FFC93C

Mint
#2FD18B

Existing source colours. Correct foregrounds shown; no palette replacement required.

Colour and layout: concrete screen decisions


Priority: improve the current working screens' focal cards and actual learner phrase, rather than making already-colourful onboarding brighter. Test overall emphasis together with copy cuts. Colour should reduce search for the next task and make earned value enjoyable to revisit.

Screen	More vibrant proposal	What to cut or keep stable
Welcome / plan	Use the existing blue promise and compact sun routine accent; illustrate the first cafe task, not a giant daily-minute target.	One primary action. Reduce repeated method prose and optional setup.
Home	One blue next-scene card with white text, a compact scene illustration and Start / Resume. A kept phrase below sits on white.	Remove competing weather-first recommendation when irrelevant to the beginner's current task.
Speak / scene	Keep the established blue briefing, but make title, outcome and one French model line fit before Start. Live room remains stable.	Reduce oversized art, not text size. Preserve explicit microphone and live-minute information.
Practice	One sun focus-sound or blue owned-conversation card, selected according to genuine recommendation type; clear ink text.	No rainbow treatment for every module. Offline local work needs a real usable task.
Recap	First show the actual phrase and correction on white; one contained mint earned mark or existing coral outcome accent.	Different labels for practised, saved and independent ability. No decorative cover delaying the useful line.
Progress	Empty: a useful blue first-task card. Earned: one mint evidence card with the actual task and quote.	Demote giant A0; do not prefill earned progress just to make the screen colourful.
Friends / Profile / Settings	Small existing illustration and deliberate accent for an available action; predominantly calm reading and forms.	No financial upsell glow or visual urgency around deletion. Optional features remain optional.

Visual direction: two proposed focal cards

Schematic proposals, not screenshots or implemented components. These demonstrate colour distribution within Luvani's existing palette. Task content and genuine learner work stay more prominent than decorative artwork. Exact French and translations require the existing qualified review before release.

Home uses blue to identify the next scene. Practice can use sun to identify an authored sound focus. The surrounding page remains warm and the reading area remains white. Apply only the appropriate card for the account's real recommendation; do not show both as competing primary actions on the same page.



Design schematics: colour and priority only. Not current screenshots or tested native layouts.

Colour implementation and validation

First pass within current tokens

Specify foreground/background roles in shared card variants and use palette.ts/textOn/onColour rather than component-local hex codes. Remove duplicate text and excessive vertical art before adjusting card emphasis. Keep all displayed prices, permission states and French content as ordinary accessible text. Art remains generated through the documented flat-illustration pipeline.

Second pass only if the first lacks warmth

Prototype a small extension of illustration colour or a restrained static gradient in a non-reading brand area. Make the new role explicit and update DESIGN.md, palette and surface contract tests together. A gradient needs contrast checked at the weakest point behind every text/icon. Do not use arbitrary tints or a permanent glow in the live tutor screen.

Validate the experience

Compare normal, small-screen and large-text captures for the first visible task, French model line and primary action. Ask beginners what each highlighted card means and whether a mint mark means saved or mastered. Verify colour-vision alternatives and screen-reader captions. Measure next-task findability, useful attempts, return practice and perceived clutter without converting a small design test into a retention claim.

Research relevance

Google's Material 3 Expressive research combines colour with shape, size, motion and containment to strengthen emphasis. It reports faster key-element discovery in its study conditions. That is support for testing hierarchy, not proof of an equivalent Luvani retention improvement or instructions to transplant Android Compose components into React Native. Google design research.

Duolingo: copy the production discipline

Evidence boundary: public engineering and participant descriptions were reviewed, not Duolingo's full current native funnel on every platform. The original video's exact before-account lesson duration was not verified as a universal current Duolingo behavior.

What the primary source actually establishes

Duolingo describes Rive state machines and mouth shapes driven by speech timing, with generated phoneme information, audit tools and interruption when the learner finishes an exercise. This is a substantial content and engineering pipeline. It is not a random mouth loop added to a generic tutor avatar. Duolingo engineering article.

How the brand becomes playful

A participant case study documents Duolingo lesson-completion character animations using Lottie. A Rive case study describes designer/developer collaboration through creative technologists and reusable production workflows. These establish documented examples, not a controlled causal retention result. The published audience figures are historical marketing context, not verified current metrics used by this report. Duolingo team case study; Rive production workflow.

Luvani transfer

Give existing flat art a restrained one-shot response around eligible task completion, if user testing shows value. Define real inputs such as selected, saving, saved, assisted finish and independently achieved task. Let the implementation own those states. Keep typography, French examples and the voice orb central rather than introducing an unrelated companion.

Do not copy

No Duo-like character or visual identity, shame, threatened loss or permanent idle bouncing. Do not claim pronunciation instruction through lip movement without aligned audio data and qualified linguistic review. A native runtime integration and asset pipeline are only justified after simpler motion proves useful.

Documented animation comparisons: useful feedback

Research interpretation: these are documented production examples from participating teams on an animation vendor's site. They help identify patterns and implementation constraints. Their marketing claims are not independent experiments proving that animation alone causes loyalty, comprehension or a numerical Luvani uplift.

Reference	What the source documents	Luvani transfer and limit
Headspace / Brian Lee	In-app UI animation, browser accents and ambient meditation graphics using Lottie; author discusses workflow and resource constraints.	Use warm, compact authored feedback. Ambient meditation loops serve a different task from reading or producing French.
Toss / graphic designer	Motion explaining concepts, loading-to-completion states and celebratory events; participant-authored examples.	Clear saved/pending state and occasional earned delight. Keep critical financial/access/error wording explicit.
Baemin / designer	Gift feedback, semantic service icons and staged delivery animation.	Relate motion to a real action or changing state. Do not remove labels simply because an animation looks understandable.
Walmart / Sparky teams	Responsive shopping-assistant character production using lightweight authored animation and designer handoff.	A character needs purpose, state design and production ownership. Small feedback does not require a character at all.

Documented comparisons: performance and localisation

Ranking and inference: these examples were chosen for relevant evidence, not claimed Top 100 positions. Production frameworks do not guarantee compatible or performant Luvani builds. Choose the smallest technique that communicates the intended event, and test it.

Combined recommendation: specific action labels; a focused colourful task area; retained context; brief selection feedback; one meaningful save or earned moment; explicit failure and reduced-motion states. These are design inferences drawn from the reviewed references and Luvani's implementation.

Reference	What the source documents	Luvani transfer and limit
Gojek engineering	App animation format migration, asset size, platform differences and validation before deployment.	Profile actual memory, package size and rendering on both mobile platforms. Compression claims cannot be applied to unrelated Luvani assets.
Wise design team	Translated UI demo animations and promotional assets on the US homepage, with templating and format evaluation.	Keep live text/localisation separate from visual assets. This is web/promotional evidence, not proof of a native transfer confirmation animation.
Botim product team	Hybrid raster/vector product visuals; future interactive state-machine ideas are distinguished from the described delivered visual work.	Luvani's flat-vector identity does not need 3D raster depth. Asset budgets and a static fallback matter more than visual spectacle.

100 other apps: what the comparison can establish

Coverage: 100 distinct product references across ten categories, in addition to Duolingo. The cohort includes web/desktop products and brand/corporate sources, not just mobile interfaces. Public product content was available for 98; 2 had retrieval limitations. Every attempted source is listed, including limited ones. No unavailable product is silently treated as inspected. The cohort was selected for relevance and breadth; no current store ranking was purchased, scraped or verified.

Method: read first-party public product content for product framing and task presentation; inspect relevant documented animation cases separately. The register includes a short public heading/title as a source locator, not an app-copy recommendation. Website copy, screenshots and customer logos do not prove a particular animation exists in the current native application.

Evidence grades: R identifies retrieved public product content. U identifies a limited retrieval. D identifies a separate documented motion case with its scope stated. Most rows intentionally say Native motion not assessed. Duolingo, Headspace and other detailed cases have supporting source links in the previous pages; they are not fabricated 100-app hands-on tests.

What remains to prove

A full 100-app native motion study would require accessible platform-specific builds and versioned recordings of chosen flows. This report does not claim that work happened. The present evidence is enough to specify Luvani prototypes and acceptance cases, but cannot establish a cross-app causal relationship between vibrance and retention.

Category	Relevant comparison question	Luvani implication / inference
Learning and wellbeing	How is a small useful outcome introduced without overwhelming a novice?	Concrete first task, help and visible genuine progress; avoid copied health or fluency promises.
Fitness	Can a person recognize a completed action and the next session?	Earned task-specific evidence and a relevant return practice, with days off allowed.
Productivity / creative	Is content or creation central to the interface?	The learner's actual French phrase should outrank method prose and decorative covers.
Media / social	How do discovery and habitual interaction compete for attention?	Offer optional exploration after the next task; do not import infinite consumption into deliberate practice.
Travel / money / shopping	Are state, cost and completed transactions understandable?	Clear pending/saved/failed distinctions and full recurring-price comprehension.

Source register: learning

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
01. Babbel	R: public product content	The effective way to learn a language online	Native motion not assessed
02. Busuu	R: public product content	Why learn a language with Busuu?	Native motion not assessed
03. Memrise	R: public product content	Understand native speakers. Sound more like them.	Native motion not assessed
04. LingQ	R: public product content	Learn Languages from BooksPodcastsMoviesTV Shows	Native motion not assessed
05. Rosetta Stone	R: public product content	A new era of Rosetta Stone is here	Native motion not assessed
06. ELSA Speak	R: public product content	How ELSA Speak Turns Practice into Confident Speaking	Native motion not assessed
07. Speak	R: public product content	GoodthingshappenwhenweSpeak	Native motion not assessed
08. Praktika	R: public product content	Learn a new language with AI tutors	Native motion not assessed
09. Brilliant	R: public product content	Your personal tutor for math and coding	Native motion not assessed
10. Khan Academy	R: public product content	Get started	Native motion not assessed
11. Quizlet	R: public product content	How do you want to study?	Native motion not assessed
12. Headway	R: public product content	Transform your life with microlearning	Native motion not assessed

Source register: wellbeing

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
13. Headspace	R: public product content	Mental Health App for Meditation & Sleep - Headspace	D: separate in-app case study
14. Calm	R: public product content	Calm your mind. Change your life.	Native motion not assessed
15. Finch	R: public product content	Your new self-care best friend.	Native motion not assessed
16. Forest	R: public product content	Spend your time well with Forest.	Native motion not assessed
17. Endel	R: public product content	Endel	Native motion not assessed
18. Balance	R: public product content	Meditation that adapts to you	Native motion not assessed
19. Insight Timer	R: public product content	How can we help?	Native motion not assessed
20. Fabulous	R: public product content	Find Your Ultimate Daily Routine and Make It Stick	Native motion not assessed
21. Daylio	R: public product content	How Does Daylio Work?	Native motion not assessed
22. Stoic	R: public product content	How journaling makes your life better	Native motion not assessed
23. Meditopia	R: public product content	Proactive Wellbeing for Modern Workplaces. Personalized Care that Scales.	Native motion not assessed
24. BetterSleep	R: public product content	Sleep Sounds, Noises and Brainwaves	Native motion not assessed

Source register: fitness

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
25. Strava	R: public product content	Community-Powered Motivation	Native motion not assessed
26. Nike Run Club	R: public product content	Let's Run Together	Native motion not assessed
27. Nike Training Club	R: public product content	Training For Every Body and Mind	Native motion not assessed
28. Peloton	R: public product content	Bikes	Native motion not assessed
29. Fitbit	R: hardware brand page	Google Fitbit, Pixel Watches & Trackers with Google Health	Native motion not assessed
30. Garmin Connect	R: public product content	Garmin Connect™ App	Native motion not assessed
31. Apple Fitness	R: public product content	Apple Fitness+	Native motion not assessed
32. AllTrails	R: public product content	Find your next adventure	Native motion not assessed
33. MyFitnessPal	R: public product content	5.5 Million 5-Star Reviews	Native motion not assessed
34. Seven	R: public product content	No heading/title extracted.	Native motion not assessed

Source register: productivity

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
35. Notion	R: public product content	AI where your team works.	Native motion not assessed
36. Todoist	R: public product content	Clarity, finally.	Native motion not assessed
37. Things	R: public product content	Things	Native motion not assessed
38. Craft	R: public product content	Your space for notes, tasks, and big ideas	Native motion not assessed
39. TickTick	R: public product content	Stay Organized, Stay Creative.	Native motion not assessed
40. Any.do	R: public product content	A simple to do list to manage it all	Native motion not assessed
41. Asana	R: public product content	The OS for human-agent teams	Native motion not assessed
42. Trello	R: public product content	Capture, organize, and tackle your to-dos from anywhere.	Native motion not assessed
43. Linear	R: public product content	Linear – The system for product development	Native motion not assessed
44. Slack	R: public product content	All your people and AI agents working together	Native motion not assessed
45. Microsoft Teams	R: public product content	Microsoft Teams: The AI-Powered Platform for Work	Native motion not assessed
46. Zoom	R: public product content	Zoom Meetings: Online Meetings With Built-in AI	Native motion not assessed

Source register: creative

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
47. Figma	R: public product content	The full-stack creative canvas	Native motion not assessed
48. Canva	R: public product content	What will you design today?	Native motion not assessed
49. Adobe Express	R: public product content	The quick and easy create-anything app.	Native motion not assessed
50. Procreate	R: public product content	Procreate - Home	Native motion not assessed
51. Sketch	R: public product content	Designers, welcome home.	Native motion not assessed
52. Framer	R: public product content	Design with an agent	Native motion not assessed
53. CapCut	R: public product content	CapCut AI Video Editor: Smart Online Video Editing with Advanced AI Tools	Native motion not assessed
54. VSCO	R: public product content	Everything a Photographer Needs	Native motion not assessed
55. Picsart	R: public product content	Make videos, images, and audio for every channel	Native motion not assessed
56. Lightroom	R: public product content	Explore Adobe Lightroom features.	Native motion not assessed

Source register: media

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
57. Spotify	U: retrieval limited	No usable product content retrieved.	Native motion not assessed
58. Apple Music	R: public product content	Apple Music	Native motion not assessed
59. YouTube	R: official web fallback	About YouTube	Native motion not assessed
60. Netflix	R: official web fallback	We are here to entertain the world, one fan at a time.	Native motion not assessed
61. Disney Plus	R: public product content	Every Story. Every Genre. Bundled Your Way.	Native motion not assessed
62. Audible	R: public product content	Read as many books as you can hear	Native motion not assessed
63. Pocket Casts	R: public product content	Beautifully designed.	Native motion not assessed
64. SoundCloud	R: public product content	Discover. Get Discovered.	Native motion not assessed
65. Shazam	R: public product content	What people are finding with Shazam right now	Native motion not assessed
66. TikTok	R: public product content	Our mission is to inspire creativity and bring joy.	Native motion not assessed

Source register: social

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
67. Instagram	R: public product content	Instagram brings you closer to the people and things you love	Native motion not assessed
68. Snapchat	R: official web fallback	Have fun with your friends and family.	Native motion not assessed
69. Pinterest	U: retrieval limited	No usable product content retrieved.	Native motion not assessed
70. Reddit	R: public product content	The heart of the internet	Native motion not assessed
71. Discord	R: public product content	Group chat that's all fun & games	Native motion not assessed
72. WhatsApp	R: official web fallback	Simple, reliable, private messaging and calling for free	Native motion not assessed
73. Signal	R: public product content	Speak Freely	Native motion not assessed
74. Telegram	R: official web fallback	a new era of messaging	Native motion not assessed

Source register: travel

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
75. Airbnb	R: public product content	Airbnb homepage	Native motion not assessed
76. Booking.com	R: public product content	Why Booking.com?	Native motion not assessed
77. Expedia	R: public product content	The one place you go to go places	Native motion not assessed
78. Tripadvisor	R: public product content	Where to?	Native motion not assessed
79. Uber	R: public product content	Go anywhere	Native motion not assessed
80. Lyft	R: public product content	The world awaits	Native motion not assessed
81. Google Maps	R: public product content	Your guide to anywhere	Native motion not assessed
82. Citymapper	R: public product content	Get Me Somewhere	Native motion not assessed

Source register: money

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
83. Monzo	R: public product content	Spend your money on life, not your life on money	Native motion not assessed
84. Revolut	R: public product content	Banking & Beyond	Native motion not assessed
85. Wise	R: public product content	The fast way to send money abroad	D: web/promotional case only
86. N26	R: public product content	The first bank you'll love	Native motion not assessed
87. Nubank	R: public product content	Somos incansáveis para você não precisar ser	Native motion not assessed
88. PayPal	R: public product content	Pay, send, and save smarter	Native motion not assessed
89. Cash App	R: public product content	The way money should work	Native motion not assessed
90. Venmo	R: public product content	Venmo everything	Native motion not assessed

Source register: shopping

Selected comparison cohort, not a store ranking. R = retrieved public product content; U = limited retrieval; D = a separate documented case. The excerpt is a short public heading/title, not proof of a current native flow. Sources checked during 3-4 October 2026. Hardware or corporate sources are labelled; none establishes current native motion.

App / source	Retrieval	Public heading or title	Motion evidence
91. Amazon	R: public product content	Amazon.com. Spend less. Smile more.	Native motion not assessed
92. Shop	R: public product content	Shop is all about you	Native motion not assessed
93. Shopify	R: public product content	Be the next AI all-star	Native motion not assessed
94. DoorDash	R: public product content	$0 DELIVERY FEE ON FIRST ORDER	Native motion not assessed
95. Deliveroo	R: public product content	Restaurants, takeaways, supermarkets and shops. Delivered.	Native motion not assessed
96. Uber Eats	R: public product content	Order delivery near you	Native motion not assessed
97. Instacart	R: official web fallback	Instacart | Grocery Delivery or Pickup from Local Stores Near You	Native motion not assessed
98. Too Good To Go	R: public product content	Save good food from going to waste	Native motion not assessed
99. Vinted	R: public product content	Ready to declutter your closet?	Native motion not assessed
100. Depop	R: public product content	Buy preloved. Wear it your way	Native motion not assessed

Integrated implementation order and decision ownership

Product/design owner: prioritization, screen hierarchy, semantic colour and event eligibility. **Engineering owner:** accurate state wiring, save provenance, reduced-motion lifecycle and native runtime performance. **Learning reviewer:** French content and achievement scope. **Billing/privacy owners:** cost and processing statements. The report does not invent personnel or delivery dates.

Measure: finding the next action, completing a useful first attempt, understanding feedback and price, finding/reusing a kept phrase, voluntary useful return, perceived clutter and comfort. Compare source-matched builds and consented cohorts. Do not treat time spent watching animation, notification opens or a signup head start as French learning.

Ship rule: a visually more vibrant build still fails release if it creates simulated evidence, loses real work, hides costs or lacks the required native/deployed proofs. Once the documented blockers are resolved, validate copy/colour/motion changes with the existing acceptance kit and meaningful regression checks.

Order	Concrete reviewable work	Required proof
1. Trust	F01 isolation, accurate learning records and existing native/deployed release gates.	Production path, real recording/assessment scope and dated acceptance evidence.
2. First value / copy	Task-first onboarding and briefing; F23 ledger; account-state-specific copy; remove duplicate explanation.	Small/large-text captures, beginner comprehension and preserved data/price facts.
3. Colour hierarchy	One useful focal card per working screen; actual phrase prominence; source-token foregrounds.	Contrast, visible task before Start, colour-independent labels and meaning.
4. Motion prototypes	M01 selection and M03 confirmed save first; M04 only eligible earned completion.	Reduced motion, interruption, failure, no duplicate work, physical-device performance.
5. Optional expansion	Test navigation, reminders and richer one-shot art; evaluate a new runtime only for an established need.	Evidence of useful task/retrieval benefit; asset and platform budget; explicit design-contract revision.

Evidence index and review boundaries

Five videos and app provenance

Original MP4: 659.47 seconds, 1024 x 576; portrait concept: 30 seconds, 720 x 1280. Added YouTube videos MXLF8b15GhQ, SAxKK5fbjbc and MVOpq3WRnbo: complete exported timed auto-captions reviewed and sampled chapter/demo visuals inspected in-browser. Transcript hashes and URLs join both supplied-file hashes in output/pdf/review-evidence.json. Auto-captions are not a certified verbatim transcript.

Repository references

All application references in the finding details are relative to apps/mobile/src unless stated otherwise. Important documents: docs/UX_REPORT_IMPLEMENTATION.md, docs/UX_ACCEPTANCE_REVIEW.md, docs/RELEASE_GATE.md, docs/IMPLEMENTATION_EVIDENCE.md, DESIGN.md and PRODUCT.md. Source is preferred when an older descriptive document disagrees.

Visual and copy evidence

22 original app screenshots plus four selected second-video frames accompany the editable report. App figures reflect development web builds matching the unchanged source baseline. Forty source-checked copy ledger entries specify preserve, shorten, remove or relocate decisions; the ledger is not a claim to exhaust every rendered conditional state. Proposed colour diagrams are explicitly marked schematics.

Research and accessibility sources

Columbia choice architecture summary. Nunes and Dreze author-uploaded endowed-progress paper. Kivetz, Urminsky and Zheng goal gradient paper. Norton, Mochon and Ariely HBS working paper. W3C WCAG 2.2 contrast guidance. These support the bounded research and contrast claims in this report; they do not validate Luvani's outcomes. The fifth-video section links primary peak-end, labor-illusion and isolation research and a choice-overload meta-analysis, with access and transfer limits stated.

Limits and final judgment

This expanded audit uses five video references, unchanged app source, initial browser evidence, 100 public product-source attempts and documented animation examples. It is not a store ranking, 101 native app audits, completed learner research, accessibility certification or a guarantee of production behavior. Resolve trust defects; prioritize useful first work, concise truthful copy, owned learning and refined state feedback before added spectacle.