Both carried trajectories reconstructed 0xB1

1586.5 seconds | 2,928 forwards | 2,880 updates per lane | effective float64 | one CPU thread


Public finite two-sentence calibration, one raw byte. This is a prerequisite, not a substantive message or reply, uncalibrated arbitrary-prose reliability, concealment, or a causal demonstration of hysteresis.

Step	Exact received sentence	Computed alpha Computed log10 T	Measured bits start 0 / start 1
1	We should review the output after the test finishes.	0.07299785589927693 -0.15395151820007266	1 / 1
2	Let us check the input before running the test.	0.07293697809562831 -0.1535	0 / 0
3	We should review the output after the test finishes.	0.07299785589927693 -0.15395151820007266	1 / 1
4	We should review the output after the test finishes.	0.07299785589927693 -0.15395151820007266	1 / 1
5	Let us check the input before running the test.	0.07293697809562831 -0.1535	0 / 0
6	Let us check the input before running the test.	0.07293697809562831 -0.1535	0 / 0
7	Let us check the input before running the test.	0.07293697809562831 -0.1535	0 / 0
8	We should review the output after the test finishes.	0.07299785589927693 -0.15395151820007266	1 / 1

Each exact sentence was freshly encoded as a float64 mean, then projected by the public two-anchor compiler. Every computed endpoint passed an exact-byte check. Each row applies its endpoint for 120 updates, then H = (0.07293697809562831, -0.15395151820007266) for 240 updates. All 15 subsequent stage boundaries preserve the literal previous terminal state.

Measured bits (most-significant first): 10110001 / 10110001. Raw byte hex: 0xB1 / 0xB1. Checksum: True. This is not an ASCII or UTF-8 message.

Complete carried trajectories



Nearest-point diagnostic: minimum Euclidean distance in all 896 coordinates to each reference cycle's six saved points. This is not the final cycle classifier. Only the plotted log-axis values are floored at 1e-15; saved distances are unchanged.

Final bits come from the independent saved-array recurrence and unique reference-orbit classifier. The plotted distance diagnostic does not supply them. Both starting lanes and every wrong or unresolved final readout are retained.

Execution source: dccac42f48e14a4d893982aed7b953181b8f8ba3
Packet SHA-256: e9d0ad4770ee9fd1fda3ee97b70480c933ebb6927bcd1d60423eb34a1228bd97
Scientific-audit SHA-256: e52aaf4ba452173586f7a419247ea215a00c793e077b9e456b94c3477f2de6b6

Full raw input bindings, independent-review hash, all executed source-file hashes and reproducible output hashes: data.json and receipt.json. Saved-array audit only; no model replay by this report.