

8. Write a menu driven C program to addition subtraction multiplication and division to integers using function

```
#include<stdio.h>
```

```
int add(int, int);
```

```
int subtract(int, int);
```

```
int multiply(int, int);
```

```
float divide(int, int);
```

```
int main()
```

```
{
```

```
    int num1, num2, choice, result;
```

```
    float fresult;
```

```
    printf("Enter first number: ");
```

```
    scanf("%d", &num1);
```

```
printf("Enter second number: ");  
scanf("%d", &num2);
```

```
printf("\nMenu:\n");  
printf("1. Addition\n");  
printf("2. Subtraction\n");  
printf("3. Multiplication\n");  
printf("4. Division\n");  
printf("Enter your choice: ");  
scanf("%d", &choice);
```

```
if(choice == 1)  
{  
    result = add(num1, num2);  
    printf("Result: %d\n", result);  
}  
else if(choice == 2)  
{  
    result = subtract(num1, num2);
```

```
    printf("Result: %d\n", result);
}
else if(choice == 3)
{
    result = multiply(num1, num2);
    printf("Result: %d\n", result);
}
else if(choice == 4)
{
    fresult = divide(num1, num2);
    printf("Result: %.2f\n", fresult);
}
else
{
    printf("Invalid choice\n");
}

return 0;
}
```

```
int add(int a, int b)
```

```
{
```

```
    return a + b;
```

```
}
```

```
int subtract(int a, int b)
```

```
{
```

```
    return a - b;
```

```
}
```

```
int multiply(int a, int b)
```

```
{
```

```
    return a * b;
```

```
}
```

```
float divide(int a, int b)
```

```
{
```

```
    return (float)a / b;
```

```
}
```