

Natively vs Stealth Interview Apps — Stealth Comparison

Seven-way ranking (identity vectors, hardest first to detect) · Where Natively wins · Gaps now closed in code

RANK	APP	ON-DISK IDENTITY	DISPLAY LAYER	BUNDLE ID	NETWORK POSTURE	VERDICT
1	Natively (r1-4)	Real system process alias (corespeechd / audiodg)	Brand display (deliberate split)	Plausible Apple ID (com.apple.corespeechd)	Gated in stealth	Hardest — rename + gating
2	Interview Coder	Neutral rename (systemcontainer)	Same rename	Real brand ID	Unknown	Strong on-disk, ID leaks brand
3	LockedIn AI	Real name	Blank both platforms (U+2800) + LSUIElement + user process.title	Real brand ID (+ malformed)	Cloud-by-design + Duo stream	Widest toolkit, leaky edges
4	Final Round AI	Real name	Real name	Real brand ID	Ungated + fingerprinting	Best runtime service, zero identity work
5	Parakeet AI	Real name (ParakeetAI)	Blank (U+2800, mac only)	Real brand ID	Ungated Sentry	Beats display lists only
6	Cluely	Real name	Real name	Real brand ID	Analytics / update traffic	Runtime toggles only
—	Sensei AI	No binary (web SPA)	N/A	N/A	Web trackers	No stealth story at all

Where Natively wins

- ✓ On-disk disguise, best in class — corespeechd / audiodg, plausible Apple bundle ID, renamed helpers, per-mode process.title.
- ✓ Runtime stealth — content protection on all windows, title guard, dock enforcement loop.
- ✓ Brand / display separation — Dock shows Natively, system sees the alias.
- ✓ All background network gated in stealth — telemetry, updater, calendar, model discovery.
- ★ Detection difficulty: **highest** — matches/exceeds Interview Coder's disguise plus full runtime gating.

Gaps — now closed in code

GAP (SOURCE)	NATIVELY FIX	STATUS
Re-protection backstop loop (Final Round)	electron/utls/stealthProtection.ts — 500ms idempotent loop, show/restore re-apply, all windows	Done
Tooltip capture leak (LockedIn)	src/lib/nativeTooltipGuard.mjs + stealthTooltips.mjs — wired in src/main.tsx	Done
WDA build gating on Windows (LockedIn)	electron/utls/windowsCaptureMode.ts — 19041 threshold via getSystemVersion()	Done
userData path / argv leak (IC pattern)	migrateUserData.ts (atomic rename + receipt) + pinUserData.ts + disguise-name.cjs	Done

Source: REVERSE_ENGINEERING_REPORT_CLUEY_PARAKEET.md (2026-10-03); gap fixes code-verified in-repo. Internal — Competitive Analysis.