


Inventory Wiring Open-Source Visual Packet

A controlled, secure path from SalesMax inventory to
pilotsalesdistribution.com

Architecture • Data controls • API contract • Security • Release gates • Deployment handoff

OPEN-SOURCE MASTERED GAUNTLET v4.0

Deterministic open-source handoff; production still requires repository, hosting and SalesMax runtime access.





Prepared August 3, 2026

Visual edition derived from the verified master gameplan, connected inventory sheets and live website audit.

Controlled publication – never a direct private-sheet connection

The website must consume a buyer-safe public feed through a server-only API.



Source: PSE x SalesMax Inventory Wiring Master Gameplan, Executive Decision and Target Architecture.

Inventory exists in working files - but nothing is explicitly approved for publication

The gap is not a website grid problem; it is a truth, approval and publication-control problem.

0

Products displayed

Public catalog integration is not live.

2

Canonical tracker records

12,700 units represented.

73

Candidate intake rows

Historical / candidate evidence.

33

Normalized title clusters


Title-level audit count only.

0

Publish-approved records

Explicit field does not yet exist.

PSE-SalesMax Inventory Readiness Snapshot — August 3, 2026



73 candidate rows include reply-thread duplicates; 34 is a title-normalized audit count, not verified live inventory. The current canonical tracker has 2 records, 1 marked Ready internally, and no explicit Publish Approved field yet.

Readiness defects

40

rows beyond first in title clusters

15

rows without a usable quantity

73/73

missing proof + live availability timestamp

1

record marked Ready internally

Candidate ≠ sellable inventory

Five defects must be corrected before public inventory can be trusted

Each defect can create stale, misleading or privately exposed inventory.

01 **NOW() is not a sync timestamp**

It proves only spreadsheet recalculation - not supplier confirmation, hub sync, API sync or website release.

02 **Dashboard totals are not status-filtered**

Future Sold, Hold or Archived rows could still be counted in "active" totals.

03 **Internal cost is not public selling price**

The master contains wholesale acquisition cost and market references, not an approved buyer price.

04 **Publication-control fields are missing**

No explicit Publish Approved, public slug, MOQ, public image set, freight enum or availability expiry.

05 **Website claims outrun verified data**


Filters, ratings, free-shipping language and promotional counters are not reliably sourced from inventory.

P0 action: replace blanket claims with feed-backed metrics and product-level freight, availability and inspection terms.

Source: tracker formula audit and live public-site content review, August 3, 2026.

The controlled path from source evidence to public catalog

Nine isolated stages, one publication boundary, and a separate control-and-recovery plane.



Architecture artifact included in the technical handoff packet.

One source of truth at each layer – no competing inventory masters

Candidate rows may enter review, but they never bypass reconciliation or approval.



Source-of-truth hierarchy and deduplication rules from the master gameplan.

Private operational intelligence stays private

The publisher uses a strict allowlist to emit a separate buyer-safe record.




A "Public" tab inside the private workbook is not a sufficient security boundary. Use a separate file or database view.

Public/private field boundary and Google-Sheets file-level authorization principle.

Every condition must pass – one failure blocks the record


“Ready” is an internal review state. “Publish Approved” is a separate explicit owner decision.



Publication boundary rules from the master gameplan and public JSON schema.

Visibility changes automatically as availability ages

Store a per-record expiration timestamp; never infer freshness from a dashboard clock.



Available-to-sell calculation

UNITS ON HAND

-

RESERVED

=

ATS

Phase 1 commercial rule


An RFQ does not decrement inventory. Sales confirms availability, then creates a controlled hold before making a commitment.

NO CHECKOUT YET

Recommended launch freshness policy; thresholds may be tightened for faster-moving deals.

A read-only, schema-validated storefront interface

The API serves only the public feed; internal revalidation is signed and isolated.



Artifacts: `public_inventory_item.schema.json` and `public_inventory_api.openapi.yaml`. OpenAPI is an open standard, not OpenAI.

The storefront becomes a truthful catalog and RFQ engine

Use real fields only; hide unsupported filters, ratings and blanket claims.



APPROVED PRODUCT IMAGE

AVAILABLE

Buyer-safe product title

MOQ 500 • FOB Los Angeles • Last verified 4h ago

Request Quote

Catalog + detail pages

- ✓ Stable slug URLs
- ✓ Search / category / MOQ only from real fields
- ✓ Display last verified, FOB and freight terms

Homepage metrics

- ✓ Published deals
- ✓ Units currently available
- ✓ Categories represented

RFQ integration

- ✓ Prefill Deal ID, title, quantity and source version
- ✓ No inventory decrement in Phase 1
- ✓ Sales creates a confirmed hold

SEO + claims


- ✓ Product / Offer JSON-LD from the same record
- ✓ RFQ items never invent a price
- ✓ Hide ratings and testimonials without evidence

Do not enable cart checkout until inventory holds and order commitment are implemented.

Website catalog, RFQ, homepage metric and structured-data requirements from the master gameplan.

Separate publisher and storefront identities

The storefront receives read-only access to the public feed - nothing else.



Security model aligned with Google Cloud IAM guidance and OWASP API Security controls.


Publish atomically, validate completely, preserve last-known-good

A malformed or empty output must never replace a valid public snapshot.



Six controlled phases with an exit gate at every step

This is execution order, not a speculative calendar estimate.



Delivery phases and exit gates from the implementation-ready master gameplan.

Fifteen acceptance tests grouped into five control pillars

Production is not complete until the live system passes all gates and two clean repeatability runs.



Release threshold: 0 Critical defects • 0 Major defects • rollback proven • two clean runs

Acceptance test matrix AT-01 through AT-15.

Clear ownership keeps inventory accurate after launch

The system needs daily freshness discipline, not only a one-time integration.

Ownership matrix

Source intake + proof	Sales / Receiving
Quantity confirmation	Warehouse
Price, MOQ + freight	Sales leadership
Publish approval	Owner / delegate
Publisher + API	Engineering
Website + RFQ	Engineering / Sales Ops
Freshness exceptions	Sales Ops
Release evidence + rollback	Engineering owner

Operating dashboard KPIs

Canonical active deals	Publish-approved deals
Published deals	Feed/API/site parity
Missing proof	Missing live availability
Stale published records	Duplicates awaiting linkage
API success + latency	Last publish / sync / revalidate
RFQs by Deal ID	ATS variance + holds

Ownership model and ongoing KPI set from the master gameplan.

The packet is ready; production access is the remaining blocker

No deployment claim is valid until the repository, runtime and live release are inspected.

Exact access required

- | | | |
|---|--|---|
| 1 | Website repository or deployment project | Inspect current product model, RFQ persistence and build/deploy path. |
| 2 | Hosting / staging access | Configure server secrets, stage safely and verify rollback. |
| 3 | SalesMax Hub runtime or database read access | Inspect the real canonical data source and existing connector. |
| 4 | Permission to create the separate public feed | Share only with publisher and storefront identities. |
| 5 | Approved product images and public terms | Price/RFQ mode, MOQ, freight, condition and inspection terms. |
| 6 | Launch inventory confirmation | Identify which deals are truly current at launch review. |

STATUS

PACKET

READY

PRODUCTION

NOT DEPLOYED

Next controlled action

Mount repo + runtime → execute Phase 0 discovery and rollback proof.

Current blocker: website repository, SalesMax runtime/database and hosting were not available in-session.

Engineering handoff is ready – completion remains evidence-based

The system is complete only after the live deployment satisfies every release criterion.

Definition of done

- ✓ Every displayed product maps to one approved canonical Deal ID.
- ✓ The public API contains only buyer-safe fields.
- ✓ Sold, stale and withdrawn inventory is removed predictably.
- ✓ Site counters and commercial terms are source-backed.
- ✓ RFQs preserve Deal ID and source version.
- ✓ Feed, API and website counts match.
- ✓ Security, freshness, failure and rollback tests pass.
- ✓ Two clean end-to-end publish runs reproduce the result.
- ✓ The live production site is verified after deployment.

Full packet contents

- | | | |
|----|--------------------------|--|
| 01 | Visual brief | PDF + editable PowerPoint |
| 02 | Master gameplan | Complete implementation specification |
| 03 | Architecture + readiness | Target system and current audit visuals |
| 04 | Schema + OpenAPI | Open standard contract; unrelated to OpenAI |
| 05 | Engineering prompt | Exact engineer / automation handoff |
| 06 | Deployment + rollback | Phase checklist and recovery runbook |
| 07 | Acceptance + field map | AT-01-AT-15 and privacy map |
| 08 | Gate + evidence controls | Rules, fixtures, validator, freshness and release record |
| 09 | Sources + integrity | Research, change log and SHA-256 |

READY FOR ENGINEERING HANDOFF

Final status: open-source visual and technical packet verified; production execution begins with repository/runtime access.

No proprietary AI or hosted LLM in the inventory path

Publication is deterministic, evidence-based and self-hostable.

DECISION

NO LLM REQUIRED

No model sets quantity, availability, price, approval, hold, publication or deployment state.

DETERMINISTIC + AUDITABLE

OpenAPI

Open, vendor-neutral API description standard - unrelated to OpenAI.

Publication

JSON Schema, explicit approvals, source evidence, freshness and privacy allowlist.

Optional future AI

Local and advisory only after separate license/security approval.

Supply chain

OSI-approved licenses, exact pins, immutable digests, SBOM and rollback.

Policy artifacts: no-proprietary-AI policy, OpenAPI clarification, license register and SPDX SBOM.

Production target is self-hostable; the included runnable mode is deliberately single-process

Existing open-source website components may remain after Phase 0 inspection.



Production target: PostgreSQL + Python/FastAPI + Valkey + Caddy + Prometheus/Alertmanager/Perses. Preview services require adapter gates.

Every material change must survive the complete release loop

A polished file is not accepted without behavioral, adversarial, visual and clean-room evidence.



Executable entry point: `OZ_GAUNTLET/run_super_gauntlet.py`

Open-source packet ready for engineering – production remains access-gated

No completion claim is made for the undeployed live website.

138

Automated tests across three suites

Publisher, runnable API, deployment, browser module and policy.

0

Proprietary AI dependencies

No OpenAI SDK, API key, endpoint or hosted LLM.

22

Slides / PDF pages

Editable presentation and rendered executive brief.

BLOCKED

Production completion

Requires repo, host, SalesMax runtime and live acceptance.

Packet release gates

- ✓ Contracts and examples validate
- ✓ Privacy and stale-data mutations fail closed
- ✓ Atomic promotion and rollback pass
- ✓ Open-source license/SBOM controls present
- ✓ No proprietary-AI runtime indicators
- ✓ PDF/PPTX parity and visual QA pass
- ✓ Manifest, SHA-256 and clean-room runs pass

NEXT GATE

PHASE 0

Mount repository and runtime, prove backup/restore and deployment rollback, then run staging and production acceptance.

Packet status and production status are intentionally separate.