

Scan your site now

Scan

☐ Hide results ☒ Follow redirects

Security Report Summary



Site: <http://scanme.nmap.org/> - (Scan again over https)

IP Address: 45.33.32.156

Report Time: 23 Jun 2026 18:32:08 UTC

Headers: ✗ Content-Security-Policy ✗ X-Frame-Options ✗ X-Content-Type-Options ✗ Referrer-Policy
✗ Permissions-Policy

Warning: Grade capped at A, please see warnings below.

Advanced: Ouch, you should work on your security posture immediately.

[Start Now](#)

Missing Headers

Content-Security-Policy

[Content Security Policy](#) is an effective measure to protect your site from XSS attacks. By whitelisting sources of approved content, you can prevent the browser from loading malicious assets.

X-Frame-Options

[X-Frame-Options](#) tells the browser whether you want to allow your site to be framed or not. By preventing a browser from framing your site you can defend against attacks like clickjacking. Recommended value "X-Frame-Options: SAMEORIGIN".

X-Content-Type-Options

[X-Content-Type-Options](#) stops a browser from trying to MIME-sniff the content type and forces it to stick with the declared content-type. The only valid value for this header is "X-Content-Type-Options: nosniff".

Referrer-Policy

[Referrer Policy](#) is a new header that allows a site to control how much information the browser includes with navigations away from a document and should be set by all sites.

Permissions-Policy

[Permissions Policy](#) is a new header that allows a site to control which features and APIs can be used in the browser.

Warnings

Site is using HTTP

This site was served over HTTP and did not redirect to HTTPS.

Raw Headers

HTTP/1.1	200 OK
Date	Tue, 23 Jun 2026 18:32:07 GMT
Server	Apache/2.4.7 (Ubuntu)
Accept-Ranges	bytes
Vary	Accept-Encoding
Content-Encoding	gzip
Content-Length	2068
Content-Type	text/html

Upcoming Headers


Cross-Origin-Embedder-Policy	Cross-Origin Embedder Policy allows a site to prevent assets being loaded that do not grant permission to load them via CORS or CORP.
Cross-Origin-Opener-Policy	Cross-Origin Opener Policy allows a site to opt-in to Cross-Origin Isolation in the browser.
Cross-Origin-Resource-Policy	Cross-Origin Resource Policy allows a resource owner to specify who can load the resource.

Additional Information

Additional Information

Server

This [Server](#) header seems to advertise the software being run on the server but you can remove or change this value.












```
(base) pratyushsinghrathore@Mac ~ % nmap scanme.nmap.org
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-23 23:58 +0530
Nmap scan report for scanme.nmap.org (45.33.32.156)
Host is up (0.30s latency).
Other addresses for scanme.nmap.org (not scanned): 2600:3c01::f03c:91ff:fe18:bb2f
Not shown: 992 closed tcp ports (conn-refused)
PORT      STATE      SERVICE
22/tcp    open       ssh
25/tcp    filtered   smtp
80/tcp    open       http
135/tcp   filtered   msrpc
139/tcp   filtered   netbios-ssn
445/tcp   filtered   microsoft-ds
9929/tcp  open       nping-echo
31337/tcp open       Elite

Nmap done: 1 IP address (1 host up) scanned in 74.92 seconds
(base) pratyushsinghrathore@Mac ~ % █
```