




Roti Making Machine





ABOUT US

Appreciated, reputed, and recognized for manufacturing and supplying a wide range of the premium quality of fully automatic domestic flourmill, commercial flourmill, pulverizer, and food processing machineries, an ISO 9001:2015 certified Patel manufactures was set up in the year 1995 at Rajkot district of Gujarat. The product range offered by us is inclusive of domestic flourmill, commercial flourmill, pulverizers, and food processing machinery. By using cutting-edge machinery and superior grade materials, our engineers and support staff manufacture the offered machines in compliance with the industry and laid norms. Automatic & food processing industries are some of the sectors the offered electric motors find wide applications.

Due to our range production capacity, we have been able to manufacture the offered automatic machines in bulk quantities. For the ease of our valuable customers, the offered automatic machines are delivered within the assured time frame at their end. Total quality management at different stages of production ensures that the premium quality of the offered range is never compromised.

We were established as proprietor and are currently operated under the supervision of our **Managing Director, Mr. Mansukh Korat**. He has helped us in catering to a huge clientele across the nation, owing to their years of experience and profound knowledge of the industry.



OUR MISSION

"To provide good health and affordable kitchen appliances to every family with innovation, quality and services."



OUR VISION

"To become the India's preferred kitchen appliances supply chain applying service quality and innovation to create sustainable growth business and society."



DIRECTOR MESSAGE

"A journey of a thousand miles begins with a single step."

What started as a small 100 sq. ft. manufacturing unit has today grown into **Jagruti Appliances, operating from a modern 35,000 sq. ft. manufacturing facility** and serving customers across India. While we are proud of how far we have come, we believe there are many more milestones to achieve.

Over the years, we have continuously expanded our capabilities while remaining committed to innovation, quality, and customer satisfaction. These values have been the foundation of our growth and the trust we have earned from our customers.

I sincerely thank our customers, partners, and employees for their continued trust and support. Together, we look forward to achieving many more milestones.

"Quality is the Best
Business Plan We Execute"

Mr. Mansukh Patel
Director & Founder,
Patel manufactures.

AUTOMATIC ROTI MAKING MACHINE



300 Roti / Hour | Model : ECO 300

TECHNICAL SPECIFICATION

Production Capacity

300 Nos. / HR

Chapati Size (INCH)

Adjustable 3" To 7"

Chapati Thickness

Adjustable 1 To 2 mm

Chapati Weight

Adjustable 20 To 30 GM

Pressing Technology

Inclined

Electric Supply

230 Volt Single Phase

Electric Load Required

1.5-2.5 KW

Electric Consumption

2* Unit / HR

Gas Connection

LPG or PNG

Gas Consumption

1 KG / HR

Gas Pressure Required

10 - 15 PSI

All Contact Parts & Covers

SS 202

Motor HP

0.5 x 1 Motor

Electrical Wire

RR or Standard Make

Pressing Plate

Ceramic Coating Plate

Motor

Standard Make

Gear Box

Standard Make

Bearing

SKF or Standard Made

Electrical Parts

Schneider

Machine Size

2' 5"(L)x1' 5"(W)x2' 92" (H)ft.

Machine Weight

85 KG



FEATURES



Advance Three Layer Technology



Roti Baking Conveyor SS 304



360 Uniform Chapati Baking



Heating Element 1500 To 2500 Watts



Gas Safety Auto Cut Off Valve System



Machine Movable Yes (4" Castor Wheel)

TECHNICAL SPECIFICATION

Production Capacity

500 Nos. / HR

Chapati Size (INCH)

Adjustable 3" To 8"

Chapati Thickness

Adjustable 1.2 To 4 mm

Chapati Weight

Adjustable 20 To 40 GM

Pressing Technology

Inclined

Electric Supply

230 Volt Single Phase

Electric Load Required

2-5 KW

Electric Consumption

1.6* Unit / HR

Gas Connection

LPG or PNG

Gas Consumption

1.2 KG / HR

Gas Pressure Required

15 PSI

All Contact Parts & Covers

SS 202

Motor HP

0.5 x 1 Motor

Electrical Wire

RR or Standard Make

Pressing Plate

Ceramic Coating Plate

Motor

Standard Make

Gear Box

Standard Make

Bearing

SKF or Standard Make

Electrical Parts

Schneider

Machine Size

4' (L)x2' 2"(W)x4' 8" (H)ft.

Machine Weight

190 KG



FEATURES



Advance Three Layer Technology



Roti Baking Conveyor
SS 304



360 Uniform Chapati Baking



Heating Element
1500 To 2500 Watts



Gas Safety Auto Cut Off Valve System



Machine Movable
Yes (4" Castor Wheel)

AUTOMATIC ROTI MAKING MACHINE



600 Roti / Hour | Model : PREMIUM 600

TECHNICAL SPECIFICATION

Production Capacity

600 Nos. / HR

Chapati Size (INCH)

Adjustable 3" To 8"

Chapati Thickness

Adjustable 1.2 To 5 mm

Chapati Weight

Adjustable 20 To 40 GM

Pressing Technology

Inclined

Electric Supply

230 Volt Single Phase

Electric Load Required

3-5 KW

Electric Consumption

4-5* Unit / HR

Gas Connection

LPG or PNG

Gas Consumption

1.5 KG / HR

Gas Pressure Required

15 PSI

All Contact Parts & Covers

SS 202

Motor HP

0.5 x 1 Motor

Electrical Wire

RR or Standard Make

Pressing Plate

Ceramic Coating Plate

Motor

Crompton

Gear Box

Standard Make

Bearing

SKF or Standard Made

Electrical Parts

Schneider

Machine Size

4' (L)x2' 2"(W)x4' 8" (H)ft.

Machine Weight

300 KG



FEATURES



Advance Three Layer Technology



Roti Baking Conveyor SS 304



360 Uniform Chapati Baking



Heating Element 1500 To 2500 Watts



Gas Safety Auto Cut Off Valve System



Machine Movable Yes (4" Castor Wheel)

TECHNICAL SPECIFICATION

Production Capacity
1000 Nos. / HR

Chapati Size (INCH)
Adjustable 3" To 8"

Chapati Thickness
Adjustable 1.2 To 9 mm

Chapati Weight
Adjustable 20 To 60 GM

Pressing Technology
Inclined

Electric Supply
230 Volt Single Phase

Electric Load Required
6-8 KW

Electric Consumption
4-5* Unit / HR

Gas Connection
LPG or PNG

Gas Consumption
2 KG / HR

Gas Pressure Required
15 PSI

All Contact Parts & Covers
SS 202

Motor HP
0.5 x 2 Motors

Electrical Wire
RR or Standard Make

Pressing Plate
Ceramic Coating Plate

Motor
Crompton

Gear Box
Standard Make

Bearing
SKF or Standard Make

Electrical Parts
Schneider

Machine Size
5' 67"(L)x2' 8"(W)x4' 25" (H)ft.

Machine Weight
450 KG

FEATURES



Advance Three
Layer Technology



Roti Baking Conveyor
SS 304



360 Uniform
Chapati Baking




Heating Element
1500 To 2500 Watts



Gas Safety
Auto Cut Off
Valve System



Machine Movable
Yes (4" Castor Wheel)



AUTOMATIC ROTI MAKING MACHINE



2000 Roti / Hour | Model : PREMIUM 2000

TECHNICAL SPECIFICATION

Production Capacity

2000 Nos. / HR

Chapati Size (INCH)

Adjustable 2" To 9"

Chapati Thickness

Adjustable 1.2 To 9 mm

Chapati Weight

Adjustable 20 To 60 GM

Pressing Technology

Inclined

Electric Supply

220 Volt Single Phase

Electric Load Required

10-15 KW

Electric Consumption

7.5* Unit / HR

Gas Connection

LPG or PNG

Gas Consumption

2-3 KG / HR

Gas Pressure Required

15-30 PSI

All Contact Parts & Covers

SS 304

Motor HP

0.5 x 3 Motors

Electrical Wire

RR or Standard Make

Pressing Plate

Ceramic Coating Plate

Motor

Crompton

Gear Box

Standard Make

Bearing

SKF or Standard Made

Electrical Parts

Schneider

Machine Size

6' 6"(L)x4' 4"(W)x5' 3" (H)ft.

Machine Weight

620 KG



FEATURES



Advance Three Layer Technology



Roti Baking Conveyor SS 304



360 Uniform Chapati Baking



Heating Element 1500 To 2500 Watts



Gas Safety Auto Cut Off Valve System



Electric Safety Emergency Stop Button



Machine Movable Yes (6" Castor Wheel)

500 Roti / Hour | Model : RPM ECO

TECHNICAL SPECIFICATION

Production Capacity
500 Nos. / HR

Electric Consumption
0.25-0.50* Unit / HR

Electric Load Required
2-5 KW

Machine Size
13"(L)x14"(W)x17" (H) INCH

Machine Weight
50 KG

FEATURES



Low Maintenance Design



Push Button Control Panel



Pressing Plate
Ceramic Coating Plate



Electric Supply
230 Volt Single Phase



Chapati Size (INCH)
Adjustable 2" To 8"



Body Material
SS 202 (1.5mm)



Chapati Thickness
Adjustable 1.2 To 5 mm



Low Noise Operation



Gear Box
Standard Make



AUTOMATIC ROTI PRESSING MACHINE

1000 Roti / Hour | Model : RPM PRE

TECHNICAL SPECIFICATION

Production Capacity
1000 Nos. / HR

Electric Consumption
0.50-1.0* Unit / HR

Electric Load Required
6-8 KW

Machine Size
26"(L)x24"(W)x26" (H) INCH

Machine Weight
115 KG

FEATURES



Low Maintenance Design



Push Button Control Panel



Pressing Plate
Ceramic Coating Plate



Electric Supply
230 Volt Single Phase



Chapati Size (INCH)
Adjustable 2" To 8"



Body Material
SS 202 (1.5mm)



Chapati Thickness
Adjustable 1.2 To 5 mm



Low Noise Operation



Gear Box
Standard Make



TECHNICAL SPECIFICATION

MODEL CODE	DK-5	DK-10	DK-15	DK-20	DK-25	DK-30	DK-40
CAPACITY (LTR/KG)	5 KG	10 KG	15 KG	20 KG	25 KG	30 KG	40 KG
ELECTRIC MOTOR	0.5 HP	1 HP	1 HP	1.5 HP	1.5 HP	2 HP	3 HP
AVG. TIME (MINUTES)	3 TO 5 Min	5 TO 7 Min	5 TO 7 Min	7 TO 9 Min	7 TO 9 Min	9 TO 11 Min	10 TO 12 Min
WEIGHT OF MACHINE	52 KG	105 KG	110 KG	130 KG	135 KG	140 KG	150 KG
OVERALL DIMENSION (LxWxH)	29" x 15.5" x 23"	37" x 19" x 37"	44" x 25" x 41"	50" x 28" x 44"	50" x 28" x 44"	48" x 26" x 40"	50" x 27" x 40"
POWER CONSUMPTION (UNIT/HOUR)	0.37 - 0.50	0.75 - 1.0	1.10 - 1.30	1.50 - 1.80	1.50 - 1.80	1.50 - 1.80	2.20 - 2.50

Bowl
SS Food Grade Bowl
Electric supply
230 Volt Single Phase

Gear Box
Rotomotive
All Connect parts & Cover
SS 304 & Mild Steel

Electrical Wire
Polycab or RR Cable
Electrical Part
L & T & Schneider



2000 Ball / Hour | Model : DBC

TECHNICAL SPECIFICATION

Production Capacity
2000 -2200 BALL / HR

Electric Supply
230 Volt Single Phase

Electric motor
0.5 HP

Electric Consumption
0.4* Unit / HR

Motor
Crompton Or Standard Make

Electric Load Required
2 KW

Dough Ball Range
20 GM - 60 GM

Electric Parts
Standard Make

Electrical Wires
Polycab & RR Cable

Tolerance
(±) 2 Gram

Gear Box
Standard Make

Body Material
SS 304

Weight Of Machine
50 KG

Overall Dimension (L X W X H)
26" X 15" X 25" (INCH)



FEATURES



Flexible Output Capacity



Smooth And Precise Dough Ball Cutting



Food Grade Warm For Hygienic Precessing



SS 304 Blade & Metal Body



Compact Structure



"0" Zero Cost Maintenance



Energy Efficient Machine Huge Labor Power Saving



High Efficiency

NEW ARRIVAL

JAGRUTI[®]
Every Home Need...

- Mixer Grinder
- Hand blender
- Juicer Mixer Grinder



OTHER PRODUCT RANGE

- Domestic Flourmill
- Pulverizer
- Gravy Machine
- Vegetable Cutter
- Sugarcane Juicer



More Roties Less Efforts More Business



Mfg. By :

Jagruti Appliances LLP

© Plot No.-9/10/11/13/14/15, Iscon Ind. Area,
Ravki, Rajkot (Gujarat) INDIA

📞 Customer Care : +91 70707 05922

📞 For Trade Inquiry : +91 95123 05922

✉ Info@jagrutiappliances.com

Follow us on :      



AN ISO 9001 : 2015 CERTIFIED COMPANY

QUALITY IN EVERY WAY