

Web Development Practical Programs (1-60)

1. Student Resume

```
<!DOCTYPE html>
<html>
<head>
<title>Resume</title>
</head>
<body>
<h1>Rahul Sharma</h1>
<p>Email: student@gmail.com</p>
<p>Phone: 9876543210</p>
<h2>Education</h2>
<ul>
<li>B.Tech IT</li>
<li>HSC</li>
<li>SSC</li>
</ul>
<h2>Skills</h2>
<ul>
<li>HTML</li>
<li>CSS</li>
<li>JavaScript</li>
</ul>
</body>
</html>
```

2. Image Gallery and Timetable

```
<!DOCTYPE html>
<html>
<head>
<title>Gallery</title>
</head>
<body>
<h1>Image Gallery</h1>


<br><br>
<a href="https://facebook.com">Facebook</a>
<a href="https://instagram.com">Instagram</a>
<table border="1">
<tr>
<th>Day</th>
<th>Subject</th>
</tr>
```

```

<tr>
<td>Monday</td>
<td>WD</td>
</tr>
</table>
</body>
</html>

```

3. Feedback Form

```

<!DOCTYPE html>
<html>
<head>
<title>Feedback Form</title>
</head>
<body>
<form>
Username:<input type="text"><br><br>
Phone:<input type="number"><br><br>
Course:
<select>
<option>B.Tech</option>
<option>BCA</option>
</select><br><br>
Comments:<br>
<textarea></textarea><br><br>
<input type="submit">
</form>
</body>
</html>

```

4. CSS Navigation Menu

```

<!DOCTYPE html>
<html>
<head>
<style>
ul{
list-style:none;
background:black;
padding:10px;
}
li{
display:inline;
margin:20px;
color:white;
}
button{

```

```

background:blue;
color:white;
padding:10px;
}
button:hover{
background:red;
}
</style>
<link rel="stylesheet" href="style.css">
</head>
<body>
<ul>
<li>Home</li>
<li>About</li>
<li>Contact</li>
</ul>
<button style="border-radius:10px">Click</button>
</body>
</html>

```

5. Bootstrap College Homepage

```

<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/
bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-dark bg-dark navbar-expand-lg">
<div class="container-fluid">
<a class="navbar-brand">College</a>
</div>
</nav>
<div class="container mt-4">
<div class="row">
<div class="col-md-4">
<div class="card">
<div class="card-body">
<h3>Course</h3>
<p>Web Development</p>
</div>
</div>
</div>
</div>
</div>
</body>
</html>

```

6. Registration Form Validation

```
<!DOCTYPE html>
<html>
<body>
<form onsubmit="return validate()">
Password:<input type="password" id="pass"><br><br>
Mobile:<input type="text" id="mob"><br><br>
<input type="submit">
</form>
<script>
function validate(){
var p=document.getElementById("pass").value;
var m=document.getElementById("mob").value;
if(p.length<6){
alert("Password too short");
return false;
}
if(m.length!=10){
alert("Invalid mobile");
return false;
}
}
</script>
</body>
</html>
```

7. Background Color Change

```
<!DOCTYPE html>
<html>
<body>
<h1 id="txt">Hello</h1>
<button onclick="change()">Change</button>
<script>
function change(){
document.body.style.background="yellow";
document.getElementById("txt").innerHTML="Welcome";
}
</script>
</body>
</html>
```

8. Mini Calculator

```
<!DOCTYPE html>
<html>
```

```

<body>
<input type="number" id="a">
<input type="number" id="b">
<button onclick="calc('+')">+</button>
<button onclick="calc('-')">-</button>
<p id="ans"></p>
<script>
function calc(op){
var a=parseInt(document.getElementById("a").value);
var b=parseInt(document.getElementById("b").value);
var r;
if(op=='+') r=a+b;
if(op=='-') r=a-b;
document.getElementById("ans").innerHTML=r;
}
</script>
</body>
</html>

```

9. PHP Employee Details

```

<?php
$name="Rahul";
$dept="IT";
echo "Employee Name: $name <br>";
echo "Department: $dept <br>";
echo $_SERVER['SERVER_NAME'];
?>

```

10. PHP Login POST

```

<html>
<body>
<form method="post">
Username:<input type="text" name="u"><br>
Password:<input type="password" name="p"><br>
<input type="submit">
</form>
<?php
if($_POST){
echo "Login Successful";
}
?>
</body>
</html>

```

11. PHP String Operations

```
<?php
$str="Web Development";
echo strtoupper($str)."<br>";
echo strtolower($str)."<br>";
echo str_word_count($str);
?>
```

12. Student Marks Array

```
<?php
$marks=array("Maths"=>90,"Java"=>85,"WD"=>88);
echo "<table border=1>";
foreach($marks as $k=>$v){
echo "<tr><td>$k</td><td>$v</td></tr>";
}
echo "</table>";
?>
```

13. Tourist Place

```
<!DOCTYPE html>
<html>
<body>
<h1>Goa</h1>

<p>Goa is famous for beaches.</p>
</body>
</html>
```

14. Nested List and Table

```
<!DOCTYPE html>
<html>
<body>
<ul>
<li>Languages
<ul>
<li>HTML</li>
<li>CSS</li>
</ul>
</li>
</ul>
<a href="https://w3schools.com">W3Schools</a>
```

```

<table border="1">
<tr><th>Day</th><th>Class</th></tr>
<tr><td>Mon</td><td>WD</td></tr>
</table>
</body>
</html>

```

15. Job Application Form

```

<!DOCTYPE html>
<html>
<body>
<form>
Name:<input type="text"><br><br>
Qualification:<input type="text"><br><br>
Experience:<input type="text"><br><br>
Skills:<textarea></textarea><br><br>
<input type="submit">
</form>
</body>
</html>

```

16. Styled Form Using CSS

```

<!DOCTYPE html>
<html>
<head>
<style>
form{
width:300px;
padding:20px;
background:lightgray;
font-family:Arial;
}
button:hover{
background:green;
color:white;
}
</style>
</head>
<body>
<form>
Name:<input type="text"><br><br>
<button>Submit</button>
</form>
</body>
</html>

```

17. Bootstrap Portfolio

```
<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/
bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-dark bg-dark">
<a class="navbar-brand text-white">Portfolio</a>
</nav>
<div class="container mt-4">
<div class="progress">
<div class="progress-bar" style="width:80%">HTML</div>
</div>
</div>
</body>
</html>
```

18. Signup Form Validation

```
<!DOCTYPE html>
<html>
<body>
<form onsubmit="return check()">
Password:<input type="password" id="p1"><br>
Confirm Password:<input type="password" id="p2"><br>
Age:<input type="number" id="age"><br>
<input type="submit">
</form>
<script>
function check(){
var p1=document.getElementById("p1").value;
var p2=document.getElementById("p2").value;
var age=document.getElementById("age").value;
if(p1!=p2){
alert("Password mismatch");
return false;
}
if(age<18){
alert("Invalid age");
return false;
}
}
</script>
</body>
</html>
```


19. Add Remove List Items

```
<!DOCTYPE html>
<html>
<body>
<ul id="list"></ul>
<button onclick="add()">Add</button>
<button onclick="removeItem()">Remove</button>
<script>
function add(){
var li=document.createElement("li");
li.innerHTML="Item";
document.getElementById("list").appendChild(li);
}
function removeItem(){
var list=document.getElementById("list");
list.removeChild(list.lastElementChild);
}
</script>
</body>
</html>
```

20. Multiplication Table

```
<!DOCTYPE html>
<html>
<body>
<input type="number" id="num">
<button onclick="table()">Show</button>
<p id="ans"></p>
<script>
function table(){
var n=document.getElementById("num").value;
var t="";
for(i=1;i<=10;i++){
t+=n+" x "+i+" = "+(n*i)+"<br>";
}
document.getElementById("ans").innerHTML=t;
}
</script>
</body>
</html>
```

21. Greeting Message

```
<?php
$h=date("H");
```

```

if($h<12)
echo "Good Morning";
else if($h<18)
echo "Good Afternoon";
else
echo "Good Evening";
?>

```

22. Student Registration POST

```

<html>
<body>
<form method="post">
Name:<input type="text" name="n"><br>
Course:<input type="text" name="c"><br>
<input type="submit">
</form>
<?php
if($_POST){
echo $_POST['n'];
echo "<br>";
echo $_POST['c'];
}
?>
</body>
</html>

```

23. PHP String Replace

```

<?php
$str=" Hello World ";
echo str_replace("World","PHP",$str)."<br>";
echo strpos($str,"World")."<br>";
echo trim($str);
?>

```

24. Multidimensional Array

```

<?php
$customer=array(
array("Rahul",22),
array("Rahul",25)
);
foreach($customer as $c){
echo $c[0]." ".$c[1]."<br>";
}

```

```
}  
?>
```

25. Student Profile

```
<!DOCTYPE html>  
<html>  
<body>  
<h1>Student Profile</h1>  
<table border="1">  
<tr><td></td></tr>  
<tr><td>Name</td><td>Rahul</td></tr>  
<tr><td>Education</td><td>B.Tech</td></tr>  
<tr><td>Hobbies</td><td>Reading</td></tr>  
</table>  
</body>  
</html>
```

26. Gallery and Nested Table

```
<!DOCTYPE html>  
<html>  
<body>  
  
  
<br>  
<a href="https://amazon.in">Amazon</a>  
<table border="1">  
<tr><th>Day</th><th>Time</th></tr>  
<tr><td>Mon</td><td>10AM</td></tr>  
</table>  
</body>  
</html>
```

27. Registration Form

```
<!DOCTYPE html>  
<html>  
<body>  
<form>  
Name:<input type="text"><br><br>  
Email:<input type="email"><br><br>  
Password:<input type="password"><br><br>  
Gender:<input type="radio">Male  
<input type="radio">Female<br><br>  
City:
```

```

<select>
<option>Mumbai</option>
<option>Pune</option>
</select><br><br>
Hobbies:<input type="checkbox">Music
<input type="checkbox">Sports<br><br>
<input type="submit">
<input type="reset">
</form>
</body>
</html>

```

28. CSS Styled Webpage

```

<!DOCTYPE html>
<html>
<head>
<style>
nav{
background:black;
padding:10px;
}
a{
color:white;
margin:20px;
}
table{
border-collapse:collapse;
}
button:hover{
background:orange;
}
</style>
</head>
<body>
<nav>
<a href="#">Home</a>
<a href="#">About</a>
</nav>
<table border="1">
<tr><td>WD</td></tr>
</table>
<button>Click</button>
</body>
</html>

```

29. Bootstrap Responsive Webpage

```
<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/
bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-dark bg-dark">
<a class="navbar-brand text-white">Website</a>
</nav>
<div class="container mt-3">
<div class="row">
<div class="col-md-4">
<div class="card">
<div class="card-body">Card 1</div>
</div>
</div>
</div>
</div>
<footer class="bg-dark text-white text-center p-2">Footer</footer>
</body>
</html>
```

30. Form Validation

```
<!DOCTYPE html>
<html>
<body>
<form onsubmit="return validate()">
Email:<input type="text" id="email"><br>
Password:<input type="password" id="pass"><br>
<input type="submit">
</form>
<script>
function validate(){
var e=document.getElementById("email").value;
var p=document.getElementById("pass").value;
if(e=="" || p==""){
alert("Fields required");
return false;
}
if(p.length<6){
alert("Password too short");
return false;
}
}
</script>
```

```
</body>
</html>
```

31. Dynamic Image Change

```
<!DOCTYPE html>
<html>
<body>

<h1 id="txt">Hello</h1>
<button onclick="change()">Change</button>
<script>
function change(){
document.getElementById("img").src="b.jpg";
document.getElementById("txt").innerHTML="Welcome";
}
</script>
</body>
</html>
```

32. Calculator Switch Case

```
<!DOCTYPE html>
<html>
<body>
<script>
function calc(a,b,ch){
switch(ch){
case '+':document.write(a+b);break;
case '-':document.write(a-b);break;
case '*':document.write(a*b);break;
case '/':document.write(a/b);break;
}
}
calc(10,5,'+');
</script>
</body>
</html>
```

33. Welcome Message and Browser Info

```
<?php
echo "Welcome User<br>";
echo date("d/m/Y h:i:s A")."<br>";
```

```
echo $_SERVER['HTTP_USER_AGENT'];  
?>
```

34. Student Details Table

```
<html>  
<body>  
<form method="post">  
Name:<input type="text" name="n"><br>  
Age:<input type="text" name="a"><br>  
<input type="submit">  
</form>  
<?php  
if($_POST){  
echo "<table border=1>";  
echo "<tr><td>".$_POST['n']. "</td><td>".$_POST['a']. "</td></tr>";  
echo "</table>";  
}  
?>  
</body>  
</html>
```

35. String Operations

```
<?php  
$str="Programming";  
echo strrev($str). "<br>";  
echo strtoupper($str). "<br>";  
echo strtolower($str). "<br>";  
echo substr($str,0,5);  
?>
```

36. Marks and Average

```
<?php  
$m=array(80,90,70);  
$total=array_sum($m);  
$avg=$total/count($m);  
echo "Total=".$total. "<br>";  
echo "Average=".$avg;  
?>
```

37. Faculty Profile

```
<!DOCTYPE html>
<html>
<body>
<h1>Faculty Profile</h1>

<p>Professor of IT Department</p>
<ul>
<li>Java</li>
<li>Web Development</li>
</ul>
</body>
</html>
```

38. Product Images and Price Table

```
<!DOCTYPE html>
<html>
<body>

<a href="https://flipkart.com">Flipkart</a>
<table border="1">
<tr><th>Product</th><th>Price</th></tr>
<tr><td>Mobile</td><td>15000</td></tr>
</table>
</body>
</html>
```

39. Admission Form

```
<!DOCTYPE html>
<html>
<body>
<form>
Name:<input type="text"><br>
Email:<input type="email"><br>
Gender:<input type="radio">Male
<input type="radio">Female<br>
Branch:
<select>
<option>IT</option>
<option>CS</option>
</select><br>
<input type="checkbox">Music<br>
<input type="submit">
</form>
```



```
</body>
</html>
```

40. Styled Login Form

```
<!DOCTYPE html>
<html>
<head>
<style>
form{
background:lightblue;
padding:20px;
}
footer{
background:black;
color:white;
text-align:center;
}
</style>
</head>
<body>
<form>
Username:<input type="text"><br><br>
Password:<input type="password"><br><br>
<input type="submit">
</form>
<footer>Footer Section</footer>
</body>
</html>
```

41. Hospital Homepage

```
<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/
bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-dark bg-primary">
<a class="navbar-brand text-white">Hospital</a>
</nav>
<div id="demo" class="carousel slide" data-bs-ride="carousel">
<div class="carousel-inner">
<div class="carousel-item active">

</div>
</div>
```

```

</div>
<div class="container mt-3">
<div class="card">
<div class="card-body">Emergency Service</div>
</div>
</div>
</body>
</html>

```

42. Login Validation

```

<!DOCTYPE html>
<html>
<body>
<form onsubmit="return check()">
Email:<input type="text" id="e"><br>
Password:<input type="password" id="p1"><br>
Confirm Password:<input type="password" id="p2"><br>
<input type="submit">
</form>
<script>
function check(){
var e=document.getElementById("e").value;
var p1=document.getElementById("p1").value;
var p2=document.getElementById("p2").value;
if(e=="" || p1=="") return false;
if(p1!=p2){
alert("Password mismatch");
return false;
}
}
</script>
</body>
</html>

```

43. Dynamic Font and Image

```

<!DOCTYPE html>
<html>
<body>
<h1 id="t">Hello</h1>

<button onclick="change()">Change</button>
<script>
function change(){
document.getElementById("t").style.fontSize="40px";
document.getElementById("t").style.color="red";
document.getElementById("i").width=200;

```

```
}  
</script>  
</body>  
</html>
```

44. Interest Calculator

```
<!DOCTYPE html>  
<html>  
<body>  
<script>  
function si(p,r,t){  
document.write((p*r*t)/100);  
}  
function ci(p,r,t){  
document.write(p*Math.pow((1+r/100),t)-p);  
}  
si(1000,5,2);  
</script>  
</body>  
</html>
```

45. Student Info and Browser Details

```
<?php  
echo "Student Name: Rahul<br>";  
echo "Course: IT<br>";  
echo $_SERVER['HTTP_USER_AGENT'];  
?>
```

46. Feedback Form POST

```
<html>  
<body>  
<form method="post">  
Name:<input type="text" name="n"><br>  
Feedback:<textarea name="f"></textarea><br>  
<input type="submit">  
</form>  
<?php  
if($_POST){  
echo $_POST['n']."<br>";  
echo $_POST['f'];  
}  
?>
```

```
</body>
</html>
```

47. Array Operations

```
<?php
$a=array(10,50,20,40);
sort($a);
print_r($a);
echo "<br>Max=" .max($a);
?>
```

48. Product Associative Array

```
<?php
$p=array("Mobile"=>15000,"Laptop"=>50000);
echo "<table border=1>";
foreach($p as $k=>$v){
echo "<tr><td>$k</td><td>$v</td></tr>";
}
echo "</table>";
?>
```

49. Tourist Place Description

```
<!DOCTYPE html>
<html>
<body>
<h1>Manali</h1>
<p>Beautiful hill station.</p>

<ul>
<li>Snow</li>
<li>Mountains</li>
</ul>
</body>
</html>
```

50. Photo Gallery and Schedule

```
<!DOCTYPE html>
<html>
<body>

<br>
```

```

<a href="https://w3schools.com">W3Schools</a>
<table border="1">
<tr><th>Day</th><th>Subject</th></tr>
<tr><td>Monday</td><td>WD</td></tr>
</table>
</body>
</html>

```

51. Job Application Form

```

<!DOCTYPE html>
<html>
<body>
<form>
Name:<input type="text"><br>
Email:<input type="email"><br>
Mobile:<input type="number"><br>
Qualification:<input type="text"><br>
Experience:<input type="text"><br>
<input type="submit">
</form>
</body>
</html>

```

52. Registration Form CSS

```

<!DOCTYPE html>
<html>
<head>
<style>
form{
background:lightgreen;
padding:20px;
}
.alert{
color:red;
font-weight:bold;
}
</style>
</head>
<body>
<form>
Name:<input type="text"><br><br>
<input type="submit">
</form>
<p class="alert">Registration Open</p>

```

```
</body>
</html>
```

53. Restaurant Homepage

```
<!DOCTYPE html>
<html>
<head>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/
bootstrap.min.css" rel="stylesheet">
</head>
<body>
<nav class="navbar navbar-dark bg-dark">
<a class="navbar-brand text-white">Restaurant</a>
</nav>
<div class="container mt-3">
<div class="card">
<div class="card-body">Pizza</div>
</div>
</div>
</body>
</html>
```

54. Feedback Validation

```
<!DOCTYPE html>
<html>
<body>
<form onsubmit="return validate()">
Email:<input type="text" id="e"><br>
Comment:<textarea id="c"></textarea><br>
<input type="submit">
</form>
<script>
function validate(){
var e=document.getElementById("e").value;
var c=document.getElementById("c").value;
if(e==" "||c==""){
alert("Required");
return false;
}
if(c.length<5){
alert("Comment too short");
return false;
}
}
</script>
```

```
</body>
</html>
```

55. Dynamic Style Change

```
<!DOCTYPE html>
<html>
<body>
<h1 id="t">Welcome</h1>

<button onclick="change()">Change</button>
<script>
function change(){
document.body.style.background="pink";
document.getElementById("t").style.fontStyle="italic";
document.getElementById("i").width=200;
}
</script>
</body>
</html>
```

56. Area Calculator

```
<!DOCTYPE html>
<html>
<body>
<script>
function circle(r){
document.write(3.14*r*r);
}
function rectangle(l,b){
document.write(l*b);
}
function triangle(b,h){
document.write(0.5*b*h);
}
circle(5);
</script>
</body>
</html>
```

57. Customer Details and Date

```
<?php
echo "Customer Name: Amit<br>";
```

```
echo date("d/m/Y h:i:s A");  
?>
```

58. Registration Success Message

```
<html>  
<body>  
<form method="post">  
Name:<input type="text" name="n"><br>  
<input type="submit">  
</form>  
<?php  
if($_POST){  
echo "Registration Successful";  
}  
?>  
</body>  
</html>
```

59. Numeric Operations

```
<?php  
$n=121;  
$f=1;  
for($i=1;$i<=5;$i++){  
$f=$f*$i;  
}  
echo "Factorial=".$f."<br>";  
$rev=strrev($n);  
echo "Reverse=".$rev."<br>";  
if($n==$rev)  
echo "Palindrome";  
?>
```

60. Book Names and Authors

```
<?php  
$b=array("C"=>"Dennis","Java"=>"James");  
echo "<table border=1>";  
foreach($b as $k=>$v){  
echo "<tr><td>$k</td><td>$v</td></tr>";  
}  
echo "</table>";  
?>
```