SQL
Exercise 1

```
12  Q01: SELECT * FROM exercise1.BFG.employees;
```

Add parameter

Table

	id	first_name	last_name	department	salary	hire_date	city
1	1	Alice	Green	IT	70000	2020-01-10	Johannesburg
2	2	Brian	Lee	HR	65000	2019-03-22	Cape Town
3	3	Cathy	Zulu	Finance	65000	2018-07-18	Durban
4	4	David	Mokoena	Marketing	5000	2021-11-05	Pretoria
5	5	Eva	Naidoo	IT	72000	2017-09-30	Johannesburg

```
14  Q02: SELECT DISTINCT (department)
15  FROM exercise1.BFG.employees;
```

Add parameter

Table

	department
1	IT
2	HR
3	Finance
4	Marketing

```sql
Q03: SELECT first_name,
       last_name
FROM exercise1.BFG.employees
ORDER BY salary DESC;
```

Add parameter

Table

	first_name	last_name
1	Eva	Naidoo
2	Alice	Green
3	Brian	Lee
4	Cathy	Zulu
5	David	Mokoena

```sql
Q04: SELECT id,
          first_name,
          last_name,
          salary
FROM exercise1.BFG.employees
ORDER BY salary DESC LIMIT 3;
```

Add parameter

Table

	id	first_name	last_name	salary
1	5	Eva	Naidoo	72000
2	1	Alice	Green	70000
3	2	Brian	Lee	65000

```sql
Q05: SELECT id,
      first_name,
      last_name,
      department
      FROM exercise1.BFG.employees
      WHERE department = 'IT';
```

Add parameter

Table

	id	first_name	last_name	department
1	1	Alice	Green	IT
2	5	Eva	Naidoo	IT

```
38  Q06: SELECT id,
39       first_name,
40       last_name,
41       department,
42       salary
43       FROM exercise1.BFG.employees
44        WHERE salary > 60000;
45
46  Q07: SELECT id.
```

Add parameter

Table

	id	first_name	last_name	department	salary
1	1	Alice	Green	IT	70000
2	2	Brian	Lee	HR	65000
3	3	Cathy	Zulu	Finance	65000
4	5	Eva	Naidoo	IT	72000

```
46  Q07: SELECT id,
47       first_name,
48       last_name,
49       department
50       FROM exercise1.BFG.employees
51       WHERE department = 'HR' OR department = 'Marketing';
52
53  Q08: SELECT id,
```

Add parameter

Table

	id	first_name	last_name	department
1	2	Brian	Lee	HR
2	4	David	Mokoena	Marketing

```
53  Q08: SELECT id,
54       first_name,
55       last_name,
56       department
57       FROM exercise1.BFG.employees
58       WHERE department <> 'IT';
59
60  Q09: SELECT id,
```

Add parameter

Table

	id	first_name	last_name	department
1	2	Brian	Lee	HR
2	3	Cathy	Zulu	Finance
3	4	David	Mokoena	Marketing

```sql
Q09: SELECT id,
      first_name,
      last_name,
      department
    FROM exercise1.BFG.employees
    WHERE department IN ('IT', 'HR', 'Marketing');
```

Add parameter

Table

	id	first_name	last_name	department
1	1	Alice	Green	IT
2	2	Brian	Lee	HR
3	4	David	Mokoena	Marketing
4	5	Eva	Naidoo	IT

```sql
Q10: SELECT id,
    first_name,
    last_name,
    department,
    salary,
    city
  FROM exercise1.BFG.employees
  WHERE department = 'IT' AND city = 'Johannesburg';
```

Add parameter

Table

	id	first_name	last_name	department	salary	city
1	1	Alice	Green	IT	70000	Johannesburg
2	5	Eva	Naidoo	IT	72000	Johannesburg