


# FastMeet Platform Guide

2026-08-19 | <https://meet.fastsmc.com>

**FastMeet** is an open-source **meeting scheduler** built with — a server-side, HTMX-driven port of the scheduling & rooms half of . Python-first, no JavaScript framework: a dashboard, upcoming/past meetings, meeting detail with participants & agenda, a (simulated) room lobby, scheduling, and **AI agenda generation** +


# Better meetings, from scheduling to follow-through.

[Partners](#) [Developers](#)[Sign In](#)

MEETINGS

## Better meetings, from scheduling to follow-through.

Coordinate rooms and participants, build agendas, capture attendance, and turn conversations into useful summaries.

[Sign In or Register](#)[Explore the open-source suite →](#)

MEETINGS Better meetings, from scheduling to follow-through. Coordinate rooms and participants, build agendas, capture attendance, and turn conversations into useful summaries. Sign In or Register Explore the open-source suite → Product tour · see the workspac

<https://meet.fastsmc.com/>

# Build with the FastMeet API.

DEVELOPER PLATFORM · API V1

## Build with the FastMeet API.

Read the live demo database through a typed, versioned API. Selected integration writes are implemented behind bearer-token authentication.

[Open Swagger UI](#)

[Open ReDoc](#)

[Download swagger.json](#)

[View on GitHub](#)

**Public preview access.** GET endpoints require no authentication. Writes return 503 until FASTSME\_API\_TOKEN is configured; enabled clients send Authorization: Bearer <token>.

### Resources

#### Meetings

Scheduled meetings, agendas, rooms, and summaries.

`GET /api/v1/meetings`

`GET /api/v1/meetings/{id}`

#### Participants

Meeting participants, roles, and RSVP state.

`GET /api/v1/participants`

`GET /api/v1/participants/{id}`

### Quick start

FastMeet Developers Back to product DEVELOPER PLATFORM · API V1 Build with the FastMeet API. Read the live demo database through a typed, versioned API. Selected integration writes are implemented behind bearer-token authentication. [Open Swagger UI](#) [Open ReDoc](#)

<https://meet.fastsmc.com/developers>

# Sign in

 Sign in with Google

Sign in

to continue to [fastsme.com](#)

Email or phone

[Forgot email?](#)

Create account

Next

English (United States) ▼

[Help](#) [Privacy](#) [Terms](#)

Sign in with Google Sign in to continue to fastsme.com Email or phone Forgot email? Next Create account Afrikaans azərbaycan bosanski català čeština Cymraeg Dansk Deutsch eesti English (United Kingdom) English (United States) Español (España) Español (Latinoam) <https://accounts.google.com/v3/signin/iden>