Live 2025-10-15

October 15, 2025

1 More Plotting Live 2025-10-15

[2]:
```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

from sklearn import datasets
import seaborn as sns

X = sns.load_dataset("iris")

X.head()
```

[2]:

	sepal_length	sepal_width	petal_length	petal_width	species
0	5.1	3.5	1.4	0.2	setosa
1	4.9	3.0	1.4	0.2	setosa
2	4.7	3.2	1.3	0.2	setosa
3	4.6	3.1	1.5	0.2	setosa
4	5.0	3.6	1.4	0.2	setosa

We already did plots feature by feature and/or species by species. These were **line-graphs** (matplotlib) (a line from one instance to the next instance).

We could do * **histograms** (pandas) (number of instances in a range of feature values) * bargraphs (not so useful for this field) * pie charts (not so useful for this field) * **scatter-plot** (matplotlib) (one point in the graph for each instance of data (2D))

[5]:
```
X.petal_length.hist(bins = 50)
```

[5]:
```
<Axes: >
```



X-Axis == value of the feature shown Y-Axis == count of data instances where value is in bin (value range)

[14]:
```
cols = X.columns
cols = cols.drop("species")
for c in cols:
    X[c].hist(bins = 50,label=c)
plt.legend()
plt.show()
```



[20]:
```
species = X.species.unique()
for s in species:
    xx = X[X.species == s]
    for c in cols:
        xx[c].hist(bins = 25,label=f"{s}-{c}")
    plt.legend()
    plt.show()
```


setosa-sepal_length
setosa-sepal_width
setosa-petal_length
setosa-petal_width
0
5
10
15
20
25
30
0
1
2
3
4
5
6


versicolor-sepal_length
versicolor-sepal_width
versicolor-petal_length
versicolor-petal_width
0
2
4
6
8
10
12
1
2
3
4
5
6
7



[24]:
```
colors = {'setosa' : 'green', 'versicolor' : 'red',  'virginica' : 'blue'}

plt.scatter(X.petal_length,X.petal_width,c=X.species.map(colors))
```

[24]: <matplotlib.collections.PathCollection at 0x7fdcea5b2e90>



[27]:
```
# from cheat sheet :-)

columns = cols

# create subplots
fig, axes = plt.subplots(nrows=len(columns), ncols=len(columns))

# two nested loops to plot each feature against each feature
for ix, xf in enumerate(columns):
    for iy, yf in enumerate(columns):
        x = X[xf]
        y = X[yf]
        if ix != iy:
            axes[iy, ix].scatter(x,y,c=X['species'].map(colors))
        if iy == len(columns)-1:
            axes[iy, ix].set_xlabel(xf)
        if ix == 0:
            axes[iy, ix].set_ylabel(yf)
        axes[iy, ix].set_xticks([])
        axes[iy, ix].set_yticks([])
plt.tight_layout()
plt.show()
```


sepal_length
sepal_width
petal_length
petal_width
sepal_length
sepal_width
petal_length
petal_width

[ ]: