


<b>Feature</b>		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Dietician Login	17.658 s	2	2	0	0	6	6	0	0
Check Morbidity	3.891 s	12	8	4	0	36	32	4	0
Dietician Role Module	11.468 s	15	12	3	0	45	42	3	0
validating Dietician Delete and Logout request	0.495 s	2	1	1	0	6	5	1	0

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Check Morbidity	retrieve Morbidity condition by Invalid morbidityname
2		retrieve Morbidity condition by Invalid morbidityname
3		retrieve Morbidity condition by Invalid morbidityname
4		retrieve Morbidity condition by Invalid morbidityname
5	Dietician Role Module	Dietician creating Patients.
6		Check if dietician able to Update Patient detals.
7		Check if dietician able to retrieve a Patient by ID.
8	validating Dietician Delete and Logout request	Verify that patient id is deleted using valid url


TAG	Scenario			Fea	ture			
Name	T	T P F S			T	P	F	S
@DieticianLogin	2	2	0	0	1	1	0	0
@01DieticianLogin	2	2	0	0	1	1	0	0
@GetAllMorbidity	1	1	0	0	1	0	1	0
@morbidityModule	12	8	4	0	1	0	1	0
@GetMorbiditybyName	6	6	0	0	1	0	1	0
@GetMorbiditybyInvalidName	5	1	4	0	1	0	1	0
@DieticianRole	15	12	3	0	1	0	1	0
@01CreatePatient	8	7	1	0	1	0	1	0
@02GetALLPatients-asDietician	1	1	0	0	1	0	1	0
@03UpdatePatient	2	1	1	0	1	0	1	0
@04GetByIDPatient-asDietician	2	1	1	0	1	0	1	0
@05GetByFileIDPatient-asDietician	2	2	0	0	1	0	1	0
@01Del	1	0	1	0	1	0	1	0
@logout	1	1	0	0	1	0	1	0

FEATURES SUMMARY




#	Feature Name	T	P	F	S	Duration
1	<u>Dietician Login</u>	2	2	0	0	17.658 s
2	Check Morbidity	12	8	4	0	3.891 s
3	Dietician Role Module	15	12	3	0	11.468 s
4	validating Dietician Delete and Logout request	2	1	1	0	0.495 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician Login</u>	Check if user able to login as a Dietician	3	3	0	0	16.317 s
2		Check if user able to login as a Dietician	3	3	0	0	0.987 s
3	Check Morbidity	Check if user able to retrieve all Morbidities	3	3	0	0	0.529 s
4		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.306 s
5		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.258 s
6		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.250 s
7		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.235 s
8		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.248 s
9		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.230 s
10		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.325 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Check Morbidity	retrieve Morbidity condition by Invalid morbidityname	3	3	0	0	0.247 s
12		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.341 s
13		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.292 s
14		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.254 s
15	Dietician Role Module	Dietician creating Patients.	3	3	0	0	1.742 s
16		Dietician creating Patients.	3	3	0	0	1.256 s
17		Dietician creating Patients.	3	3	0	0	1.065 s
18		Dietician creating Patients.	3	3	0	0	1.155 s
19		Dietician creating Patients.	3	3	0	0	1.062 s
20		Dietician creating Patients.	3	3	0	0	1.064 s

SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Dietician Role Module	Dietician creating Patients.	3	3	0	0	1.078 s
22		Dietician creating Patients.	3	2	1	0	0.879 s
23		Check if dietician able to retrieve all the Patients.	3	3	0	0	0.215 s
24		Check if dietician able to Update Patient detals.	3	2	1	0	0.426 s
25		Check if dietician able to Update Patient detals.	3	3	0	0	0.472 s
26		Check if dietician able to retrieve a Patient by ID.	3	2	1	0	0.266 s
27		Check if dietician able to retrieve a Patient by ID.	3	3	0	0	0.227 s
28		Check if dietician able to retrieve a Patient detail by FiellD.	3	3	0	0	0.020 s
29		Check if dietician able to retrieve a Patient detail by FiellD.	3	3	0	0	0.268 s
30	validating Dietician Delete and Logout request	Verify that patient id is deleted using valid url	3	2	1	0	0.238 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	validating Dietician Delete and Logout request	Check if user able to logout as a Dietician	3	3	0	0	0.226 s

DETAILED SECTION -- 10 --

## **Dietician Login**


PASSED	DURATION - 17.658 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 10:48:37.200 AM	// 10:48:54.858 AM /	Pass - 2	2	Pass - 6	6
		Fail - 0	-	Fail - 0	
		Skip - 0		Skip - 0	

### Check if user able to login as a Dietician



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	5.151 s
2	When User as dietician sends request Body with mandatory, additional fields with "DieticianLogin_InValid" and "DieticianLogin" from excel.	PASSED	8.289 s
3	Then User as dietician receives Status for corresponding "DieticianLogin_InValid" with response body.	PASSED	2.648 s


#### Check if user able to login as a Dietician




DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	0.006 s
2	When User as dietician sends request Body with mandatory, additional fields with "DieticianLogin_Valid" and "DieticianLogin"	PASSED	0.703 s
	from excel.		
3	Then User as dietician receives Status for corresponding "DieticianLogin_Valid" with response body.	PASSED	0.260 s

### **Check Morbidity**




#### Check if user able to retrieve all Morbidities




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for All all Morbidities	PASSED	0.019 s
2	When User sends HTTPS Request	PASSED	0.390 s
3	Then User receives 200 OK Status with response body.	PASSED	0.040 s

DETAILED SECTION -- 12 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "TSH"	PASSED	0.022 s
2	When User sends HTTPS Reques	PASSED	0.265 s
3	Then User receives 200 OK Status with response body.	PASSED	0.008 s

# **Retrieve Morbidity condition by valid morbidityName**




#	Step / Hook Details		Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Fasting Glucose"		PASSED	0.007 s
2	When User sends HTTPS Reques		PASSED	0.227 s
3	Then User receives 200 OK Status with response body.	Eg: [	PASSED	0.010 s

DETAILED SECTION -- 13 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Plasma Glucose"	PASSED	0.004 s
2	When User sends HTTPS Reques	PASSED	0.226 s
3	Then User receives 200 OK Status with response body.	PASSED	0.007 s

# **Retrieve Morbidity condition by valid morbidityName**




#	Step / Hook Details		Status	Duration
1	Given User creates GET Request for the API endpoint with valid "T3"		PASSED	0.003 s
2	When User sends HTTPS Reques		PASSED	0.213 s
3	Then User receives 200 OK Status with response body.	Eg: [	PASSED	0.013 s

DETAILED SECTION -- 14 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "HbA1c"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.230 s
3	Then User receives 200 OK Status with response body.	PASSED	0.007 s

# **Retrieve Morbidity condition by valid morbidityName**



#	Step / Hook Details		Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Average Glucose"		PASSED	0.004 s
2	When User sends HTTPS Reques		PASSED	0.208 s
3	Then User receives 200 OK Status with response body.	Eg: [	PASSED	0.010 s

DETAILED SECTION -- 15 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "T"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.210 s
3	Then User receives 404 Status Eg: [	FAILED	0.105 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.	]	
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		


DETAILED SECTION -- 16 --

#		Status	Duration
	* Not displayable characters are replaced by '?'.		

#### retrieve Morbidity condition by Invalid morbidityname




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Xct"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.229 s
3	Then User receives 404 Status Eg: [	PASSED	0.008 s



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "A"	PASSED	0.005 s
2	When User sends HTTPS Reques	PASSED	0.317 s
3	Then User receives 404 Status Eg: [	FAILED	0.010 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		
	* Not displayable characters are replaced by '?'.		



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "S"	PASSED	0.004 s
2	When User sends HTTPS Reques	PASSED	0.262 s
3	Then User receives 404 Status Eg: [	FAILED	0.015 s

DETAILED SECTION -- 18 --


#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		
	* Not displayable characters are replaced by '?'.		



DETAILED SECTION -- 19 --

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Se"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.234 s
3	Then User receives 404 Status Eg: [	FAILED	0.007 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <40.4> but was <200>.  at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.stalidateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/jak.alang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassur		

### **Dietician Role Module**




DETAILED SECTION -- 20 --

## **Dietician creating Patients.**

PASSED DURATION - 1.742 s	2 ]	Steps
/ 10:48:58.976 AM // 10:49:00.718 AM /	1.5 -	Total - 3
7 10.40.30.970 AW // 10.49.00.710 AW /	1 1	Pass - 3
Dietician Role Module	0.6	Fail - 0
@DistinianDala @01CreataDationt	n	Skip - 0
@DieticianRole @01CreatePatient	1 2 3	


#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.040 s
2	When Dietician sends request Body with details with "postPatient_MissingName" and "createPatient" from excel.	PASSED	1.671 s
3	Then Dietician receives for "postPatient_MissingName" Patient Created Status with response body.	PASSED	0.003 s

### **Dietician creating Patients.**




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_MissingEmail" and "createPatient" from excel.	PASSED	1.243 s
3	Then Dietician receives for "postPatient_MissingEmail" Patient Created Status with response body.	PASSED	0.003 s

DETAILED SECTION -- 21 --




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.006 s
2	When Dietician sends request Body with details with "postPatient_MissingContact" and "createPatient" from excel.	PASSED	1.043 s
3	Then Dietician receives for "postPatient_MissingContact" Patient Created Status with response body.	PASSED	0.005 s

### **Dietician creating Patients.**




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.003 s
2	When Dietician sends request Body with details with "postPatient_MissingDOB" and "createPatient" from excel.	PASSED	1.144 s
3	Then Dietician receives for "postPatient_MissingDOB" Patient Created Status with response body.	PASSED	0.003 s

DETAILED SECTION -- 22 --




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.005 s
2	When Dietician sends request Body with details with "postPatient_Invalid_FoodCat" and "createPatient" from excel.	PASSED	1.048 s
3	Then Dietician receives for "postPatient_Invalid_FoodCat" Patient Created Status with response body.	PASSED	0.002 s

### **Dietician creating Patients.**




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.004 s
2	When Dietician sends request Body with details with "postPatient_Invalid_Allergy" and "createPatient" from excel.	PASSED	1.048 s
3	Then Dietician receives for "postPatient_Invalid_Allergy" Patient Created Status with response body.	PASSED	0.003 s

DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.004 s
2	When Dietician sends request Body with details with "postPatient_duplicate_UniqueValue" and "createPatient" from excel.	PASSED	1.059 s
3	Then Dietician receives for "postPatient_duplicate_UniqueValue" Patient Created Status with response body.	PASSED	0.005 s




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.005 s
2	When Dietician sends request Body with details with "postPatient_Valid" and "createPatient" from excel.	PASSED	0.862 s
3	Then Dietician receives for "postPatient_Valid" Patient Created Status with response body.	FAILED	0.007 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <201> but was <400>.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		

DETAILED SECTION -- 24 --

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.DieticianRole.dietician_receives_patient_created_status_with_response_body(DieticianRole.java:110)		
	at ?.Dietician receives for "postPatient Valid" Patient Created Status with response body.(file:///C:/Users/anoop/eclipse-workspaceNew/API-		
	Crafters/src/test/resources/features/03DieticianRole.feature:8)		
	* Not displayable characters are replaced by '?'.		


#### Check if dietician able to retrieve all the Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET ALL Request to retrieve all Patients	PASSED	0.006 s
2	When Dietician sends HTTPS request in Patient Module	PASSED	0.196 s
3	Then Dietician receives 200 OK Status with Patients data	PASSED	0.006 s

**Check if dietician able to Update Patient detals.** 

DETAILED SECTION -- 25 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.003 s
2	When Dietician sends PUT request to update with details with "updatePatient_Valid" and "createPatient".	PASSED	0.410 s
3	Then Dietician receives for "updatePatient_Valid" Patient Updated Status with response body.	FAILED	0.007 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.DieticianRole.dietician_receives_for_patient_updated_status_with_response_body(DieticianRole.java:232)		
	at ?.Dietician receives for "updatePatient_Valid" Patient Updated Status with response body.(file:///C:/Users/anoop/eclipse-workspaceNew/		
	API-Crafters/src/test/resources/features/03DieticianRole.feature:31)		
	* Not displayable characters are replaced by '?'.		


DETAILED SECTION -- 26 --

## **Check if dietician able to Update Patient detals.**

PASSED DURATION - 0.472 s	0.6	Steps Total - 3
/ 10:49:09.105 AM // 10:49:09.577 AM /	0.4	Pass - 3
Dietician Role Module	0.2	
@DieticianRole @03UpdatePatient	0	1 2 3

#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.003 s
2	When Dietician sends PUT request to update with details with "updatePatient_InValid" and "createPatient".	PASSED	0.457 s
3	Then Dietician receives for "updatePatient_InValid" Patient Updated Status with response body.	PASSED	0.004 s

### Check if dietician able to retrieve a Patient by ID.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.007 s
2	When Dietician sends HTTPS request with "PatientID_Valid" to get patient details in Patient Module	PASSED	0.240 s
3	Then Dietician receives Status for corresponding "PatientID_Valid" Patients data	FAILED	0.010 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.     at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)     at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		

DETAILED SECTION -- 27 --

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.DieticianRole.dietician_receives_status_for_corresponding_patients_data(DieticianRole.java:307)		
	at ?.Dietician receives Status for corresponding "PatientID_Valid" Patients data(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/		
	src/test/resources/features/03DieticianRole.feature:42)		
	* Not displayable characters are replaced by '?'.		


### Check if dietician able to retrieve a Patient by ID.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.003 s
2	When Dietician sends HTTPS request with "PatientID_InValid" to get patient details in Patient Module	PASSED	0.217 s
3	Then Dietician receives Status for corresponding "PatientID_InValid" Patients data	PASSED	0.004 s


Check if dietician able to retrieve a Patient detail by FiellD.

DETAILED SECTION -- 28 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.003 s
2	When Dietician sends HTTPS request with "FieldID_Valid" as FileID for patient.	PASSED	0.011 s
3	Then Dietician receives Status for corresponding "FieldID_Valid" FieldID Patients data.	PASSED	0.003 s


### Check if dietician able to retrieve a Patient detail by FiellD.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.017 s
2	When Dietician sends HTTPS request with "FieldID_InValid" as FileID for patient.	PASSED	0.239 s
3	Then Dietician receives Status for corresponding "FieldID_InValid" FieldID Patients data.	PASSED	0.005 s

### validating Dietician Delete and Logout request

DETAILED SECTION -- 29 --




### Verify that patient id is deleted using valid url



#	Step / Hook Details	Status	Duration
1	Given Dietician user set Delete request for valid patientId url	PASSED	0.003 s
2	When Dietician user send delete request for valid patientId	PASSED	0.217 s
3	Then the response will return delete status 200	FAILED	0.009 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <404>.  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy):696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Logout_step.the_response_will_return_delete_status(Logout_step.java:44)		
	at ?.the response will return delete status 200(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/test/resources/features/		
	05Logout.feature:10)		
	* Not displayable characters are replaced by '?'.		

# Check if user able to logout as a Dietician



#	Step / Hook Details	Status	Duration
1	Given Dietician user set GET Request for logout as Dietician.	PASSED	0.003 s
2	When Dietician user send logout request	PASSED	0.213 s
3	Then the response will return status 200	PASSED	0.002 s