

Cucumber Report

Nov 21, 2023, 4:06:09 PM

Start : Nov 21, 4:05:32.009 PM

End : Nov 21, 4:06:07.233 PM

Duration : 35.224 s

Features



Scenarios

Steps

PASSED - 3
FAILED - 2
SKIPPED - 0

PASSED - 33
FAILED - 5
SKIPPED - 0

PASSED - 109
FAILED - 5
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Dietician Login</u>	11.540 s	2	2	0	0	6	6	0	0
<u>Check Morbidity</u>	3.517 s	12	8	4	0	36	32	4	0
<u>Dietician Role Module</u>	14.132 s	15	15	0	0	45	45	0	0
<u>Patient Role</u>	5.446 s	7	6	1	0	21	20	1	0
<u>validating Dietician Delete and Logout request</u>	0.422 s	2	2	0	0	6	6	0	0


#	Feature Name	Scenario Name
1	<u>Check Morbidity</u>	<u>retrieve Morbidity condition by Invalid morbidityname</u>
2		<u>retrieve Morbidity condition by Invalid morbidityname</u>
3		<u>retrieve Morbidity condition by Invalid morbidityname</u>
4		<u>retrieve Morbidity condition by Invalid morbidityname</u>
5	<u>Patient Role</u>	<u>Check if user able to login as a Patient with invalid password</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@DieticianLogin	2	2	0	0	1	1	0	0
@01DieticianLogin	2	2	0	0	1	1	0	0
@GetAllMorbidity	1	1	0	0	1	0	1	0
@morbidityModule	12	8	4	0	1	0	1	0
@GetMorbiditybyName	6	6	0	0	1	0	1	0
@GetMorbiditybyInvalidName	5	1	4	0	1	0	1	0
@DieticianRole	15	15	0	0	1	1	0	0
@01CreatePatient	8	8	0	0	1	1	0	0
@02GetALLPatients-asDietician	1	1	0	0	1	1	0	0
@03UpdatePatient	2	2	0	0	1	1	0	0
@04GetByIDPatient-asDietician	2	2	0	0	1	1	0	0
@05GetByFileIDPatient-asDietician	2	2	0	0	1	1	0	0
@PatientRole	7	6	1	0	1	0	1	0
@01PatientRole-Login	1	1	0	0	1	0	1	0
@02PatientRole-Invalid_Password	1	0	1	0	1	0	1	0
@03PatientRole-Invalid_Email	1	1	0	0	1	0	1	0
@04PatientRole-Get_Report_By_Valid_patientId	1	1	0	0	1	0	1	0


TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@05PatientRole-Get_Report_By_Valid_fileId	1	1	0	0	1	0	1	0
@06PatientRole-Get_Report_By_Invalid_patientId	1	1	0	0	1	0	1	0
@07PatientRole-Get_Report_By_Invalid_patientId	1	1	0	0	1	0	1	0
@01Del	1	1	0	0	1	1	0	0
@logout	1	1	0	0	1	1	0	0




#	Feature Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	Duration
1	<u>Dietician Login</u>	2	2	0	0	11.540 s
2	<u>Check Morbidity</u>	12	8	4	0	3.517 s
3	<u>Dietician Role Module</u>	15	15	0	0	14.132 s
4	<u>Patient Role</u>	7	6	1	0	5.446 s
5	<u>validating Dietician Delete and Logout request</u>	2	2	0	0	0.422 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician Login</u>	<u>Check if user able to login as a Dietician</u>	3	3	0	0	10.521 s
2		<u>Check if user able to login as a Dietician</u>	3	3	0	0	0.782 s
3	<u>Check Morbidity</u>	<u>Check if user able to retrieve all Morbidities</u>	3	3	0	0	0.349 s
4		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.259 s
5		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.266 s
6		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.307 s
7		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.259 s
8		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.239 s
9		<u>Retrieve Morbidity condition by valid morbidityName</u>	3	3	0	0	0.225 s
10		<u>retrieve Morbidity condition by Invalid morbidityname</u>	3	2	1	0	0.319 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Check Morbidity</u>	<u>retrieve Morbidity condition by Invalid morbidityname</u>	3	3	0	0	0.265 s
12		<u>retrieve Morbidity condition by Invalid morbidityname</u>	3	2	1	0	0.210 s
13		<u>retrieve Morbidity condition by Invalid morbidityname</u>	3	2	1	0	0.259 s
14		<u>retrieve Morbidity condition by Invalid morbidityname</u>	3	2	1	0	0.227 s
15	<u>Dietician Role Module</u>	<u>Dietician creating Patients.</u>	3	3	0	0	1.455 s
16		<u>Dietician creating Patients.</u>	3	3	0	0	1.045 s
17		<u>Dietician creating Patients.</u>	3	3	0	0	1.254 s
18		<u>Dietician creating Patients.</u>	3	3	0	0	0.919 s
19		<u>Dietician creating Patients.</u>	3	3	0	0	0.951 s
20		<u>Dietician creating Patients.</u>	3	3	0	0	0.934 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
21	<u>Dietician Role Module</u>	<u>Dietician creating Patients.</u>	3	3	0	0	2.709 s
22		<u>Dietician creating Patients.</u>	3	3	0	0	1.171 s
23		<u>Check if dietician able to retrieve all the Patients.</u>	3	3	0	0	0.187 s
24		<u>Check if dietician able to Update Patient details.</u>	3	3	0	0	0.483 s
25		<u>Check if dietician able to Update Patient details.</u>	3	3	0	0	0.466 s
26		<u>Check if dietician able to retrieve a Patient by ID.</u>	3	3	0	0	0.498 s
27		<u>Check if dietician able to retrieve a Patient by ID.</u>	3	3	0	0	0.664 s
28		<u>Check if dietician able to retrieve a Patient detail by FielID.</u>	3	3	0	0	0.555 s
29		<u>Check if dietician able to retrieve a Patient detail by FielID.</u>	3	3	0	0	0.625 s
30	<u>Patient Role</u>	<u>Check if user able to login as a Patient</u>	3	3	0	0	2.779 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
31	<u>Patient Role</u>	<u>Check if user able to login as a Patient with invalid password</u>	3	2	1	0	0.703 s
32		<u>Check if user able to login as a Patient with invalid email</u>	3	3	0	0	0.722 s
33		<u>Check if patient can get report using valid patientId-PatientRole</u>	3	3	0	0	0.238 s
34		<u>Check if patient can get report using valid fileId PatientRole</u>	3	3	0	0	0.396 s
35		<u>Check if patient can get report using invalid patientId-PatientRole</u>	3	3	0	0	0.324 s
36		<u>Check if patient can get report using invalid fileId-PatientRole</u>	3	3	0	0	0.207 s
37	<u>validating Dietician Delete and Logout request</u>	<u>Verify that patient id is deleted using valid url</u>	3	3	0	0	0.233 s
38		<u>Check if user able to logout as a Dietician</u>	3	3	0	0	0.177 s

Dietician Login



PASSED	DURATION - 11.540 s	Scenarios		Steps	
/ 4:05:32.009 PM // 4:05:43.549 PM /		Total - 2		Total - 6	
		Pass - 2		Pass - 6	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login as a Dietician

PASSED	DURATION - 10.521 s		Steps	
/ 4:05:32.030 PM // 4:05:42.551 PM /			Total - 3	
Dietician Login			Pass - 3	
@DieticianLogin @01DieticianLogin			Fail - 0	
			Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	2.478 s
2	When User as dietician sends request Body with mandatory , additional fields with "DieticianLogin_Invalid" and "DieticianLogin" from excel.	PASSED	6.429 s
3	Then User as dietician receives Status for corresponding "DieticianLogin_Invalid" with response body.	PASSED	1.445 s

Check if user able to login as a Dietician



PASSED	DURATION - 0.782 s		Steps	
/ 4:05:42.767 PM // 4:05:43.549 PM /			Total - 3	
Dietician Login			Pass - 3	
@DieticianLogin @01DieticianLogin			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	0.004 s
2	When User as dietician sends request Body with mandatory , additional fields with "DieticianLogin_Valid" and "DieticianLogin" from excel.	PASSED	0.655 s
3	Then User as dietician receives Status for corresponding "DieticianLogin_Valid" with response body.	PASSED	0.113 s

Check Morbidity



FAILED	DURATION - 3.517 s	Scenarios Total - 12 Pass - 8 Fail - 4 Skip - 0		Steps Total - 36 Pass - 32 Fail - 4 Skip - 0	
/ 4:05:43.622 PM // 4:05:47.139 PM /					

Check if user able to retrieve all Morbidities

PASSED	DURATION - 0.349 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:43.622 PM // 4:05:43.971 PM /				
Check Morbidity				
@GetAllMorbidity @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for All all Morbidities	PASSED	0.006 s
2	When User sends HTTPS Request	PASSED	0.295 s
3	Then User receives 200 OK Status with response body.	PASSED	0.029 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.259 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:44.001 PM // 4:05:44.260 PM /				
Check Morbidity				
@GetMorbiditybyName @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "TSH"	PASSED	0.014 s
2	When User sends HTTPS Reques	PASSED	0.228 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.008 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.266 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:44.287 PM // 4:05:44.553 PM /				
Check Morbidity				
@GetMorbiditybyName @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Fasting Glucose"	PASSED	0.005 s
2	When User sends HTTPS Reques	PASSED	0.235 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.014 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.307 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:44.649 PM // 4:05:44.956 PM /				
<i>Check Morbidity</i>				
@GetMorbiditybyName @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Plasma Glucose"	PASSED	0.016 s
2	When User sends HTTPS Reques	PASSED	0.265 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.005 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.259 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:44.978 PM // 4:05:45.237 PM /				
<i>Check Morbidity</i>				
@GetMorbiditybyName @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "T3"	PASSED	0.005 s
2	When User sends HTTPS Reques	PASSED	0.241 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.006 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.239 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:45.263 PM // 4:05:45.502 PM /				
Check Morbidity				
@GetMorbiditybyName @morbidityModule				



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "HbA1c"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.226 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.004 s

Retrieve Morbidity condition by valid morbidityName

PASSED	DURATION - 0.225 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:05:45.522 PM // 4:05:45.747 PM /				
Check Morbidity				
@GetMorbiditybyName @morbidityModule				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Average Glucose"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.211 s
3	Then User receives 200 OK Status with response body. Eg: [PASSED	0.004 s

retrieve Morbidity condition by Invalid morbidityname

<div>FAILED</div> <div>DURATION - 0.319 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 4:05:45.762 PM // 4:05:46.081 PM /				
Check Morbidity				
@GetMorbiditybyInvalidName @morbidityModule				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "T"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.253 s
3	Then User receives 404 Status Eg: [java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92) at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/test/resources/features/02Morbidity.feature:30)	FAILED	0.059 s



retrieve Morbidity condition by Invalid morbidityname

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Xct"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.255 s
3	Then User receives 404 Status Eg: [PASSED	0.003 s

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "A"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.196 s
3	Then User receives 404 Status Eg: [java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)	FAILED	0.007 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92) at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/ test/resources/features/02Morbidity.feature:30) * Not displayable characters are replaced by '?'. </pre>		



retrieve Morbidity condition by Invalid morbidityname

FAILED	DURATION - 0.259 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:05:46.639 PM // 4:05:46.898 PM /				
Check Morbidity				
@GetMorbiditybyInvalidName @morbidityModule				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "S"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.244 s
3	Then User receives 404 Status Eg: [FAILED	0.007 s



#	Step / Hook Details	Status	Duration
	<pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92) at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/ test/resources/features/02Morbidity.feature:30) * Not displayable characters are replaced by '?'. </pre>		

retrieve Morbidity condition by Invalid morbidityname



FAILED	DURATION - 0.227 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 4:05:46.912 PM // 4:05:47.139 PM /				
Check Morbidity				
@GetMorbiditybyInvalidName @morbidityModule				

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Se"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.213 s
3	Then User receives 404 Status Eg: [java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite. java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92) at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/ test/resources/features/02Morbidity.feature:30) * Not displayable characters are replaced by '?'.]	FAILED	0.007 s

Dietician Role Module



PASSED	DURATION - 14.132 s	Scenarios		Steps	
/ 4:05:47.181 PM // 4:06:01.313 PM /		Total - 15 Pass - 15 Fail - 0 Skip - 0	15	Total - 45 Pass - 45 Fail - 0 Skip - 0	45

Dietician creating Patients.

<div>PASSED</div> <div>DURATION - 1.455 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:05:47.181 PM // 4:05:48.636 PM /</div>			
<div>Dietician Role Module</div>			
<div>@DieticianRole @01CreatePatient</div>			


#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.024 s
2	When Dietician sends request Body with details with "postPatient_MissingName" and "createPatient" from excel.	PASSED	1.415 s
3	Then Dietician receives for "postPatient_MissingName" Patient Created Status with response body.	PASSED	0.004 s

Dietician creating Patients.

<div>PASSED</div> <div>DURATION - 1.045 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:05:48.653 PM // 4:05:49.698 PM /</div>			
<div>Dietician Role Module</div>			
<div>@DieticianRole @01CreatePatient</div>			


#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.003 s
2	When Dietician sends request Body with details with "postPatient_MissingEmail" and "createPatient" from excel.	PASSED	1.034 s
3	Then Dietician receives for "postPatient_MissingEmail" Patient Created Status with response body.	PASSED	0.001 s

Dietician creating Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_MissingContact" and "createPatient" from excel.	PASSED	1.242 s
3	Then Dietician receives for "postPatient_MissingContact" Patient Created Status with response body.	PASSED	0.004 s

Dietician creating Patients.





#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.004 s
2	When Dietician sends request Body with details with "postPatient_MissingDOB" and "createPatient" from excel.	PASSED	0.903 s
3	Then Dietician receives for "postPatient_MissingDOB" Patient Created Status with response body.	PASSED	0.004 s

Dietician creating Patients.

<div>PASSED</div>	<div>DURATION - 0.951 s</div>	<div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div><div><div></div><div></div><div></div></div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div></div><div>3</div></div>
<div>/ 4:05:51.922 PM // 4:05:52.873 PM /</div>				
<div>Dietician Role Module</div>				
<div>@DieticianRole @01CreatePatient</div>				


#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_Invalid_FoodCat" and "createPatient" from excel.	PASSED	0.940 s
3	Then Dietician receives for "postPatient_Invalid_FoodCat" Patient Created Status with response body.	PASSED	0.003 s

Dietician creating Patients.

<div>PASSED</div>	<div>DURATION - 0.934 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 4:05:52.888 PM // 4:05:53.822 PM /				
Dietician Role Module				
@DieticianRole @01CreatePatient				


#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_Invalid_Allergy" and "createPatient" from excel.	PASSED	0.924 s
3	Then Dietician receives for "postPatient_Invalid_Allergy" Patient Created Status with response body.	PASSED	0.004 s

Dietician creating Patients.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_Valid" and "createPatient" from excel.	PASSED	2.657 s
3	Then Dietician receives for "postPatient_Valid" Patient Created Status with response body.	PASSED	0.040 s

Dietician creating Patients.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_duplicate_UniqueValue" and "createPatient" from excel.	PASSED	1.158 s
3	Then Dietician receives for "postPatient_duplicate_UniqueValue" Patient Created Status with response body.	PASSED	0.004 s

Check if dietician able to retrieve all the Patients.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET ALL Request to retrieve all Patients	PASSED	0.004 s
2	When Dietician sends HTTPS request in Patient Module	PASSED	0.175 s
3	Then Dietician receives 200 OK Status with Patients data	PASSED	0.004 s

Check if dietician able to Update Patient details.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.001 s
2	When Dietician sends PUT request to update with details with "updatePatient_Valid" and "createPatient".	PASSED	0.474 s
3	Then Dietician receives for "updatePatient_Valid" Patient Updated Status with response body.	PASSED	0.003 s

Check if dietician able to Update Patient details.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.002 s
2	When Dietician sends PUT request to update with details with "updatePatient_Invalid" and "createPatient".	PASSED	0.458 s
3	Then Dietician receives for "updatePatient_Invalid" Patient Updated Status with response body.	PASSED	0.002 s

Check if dietician able to retrieve a Patient by ID.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.002 s
2	When Dietician sends HTTPS request with "PatientID_Valid" to get patient details in Patient Module	PASSED	0.308 s
3	Then Dietician receives Status for corresponding "PatientID_Valid" Patients data	PASSED	0.181 s

Check if dietician able to retrieve a Patient by ID.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.031 s
2	When Dietician sends HTTPS request with "PatientID_Invalid" to get patient details in Patient Module	PASSED	0.622 s
3	Then Dietician receives Status for corresponding "PatientID_Invalid" Patients data	PASSED	0.005 s

Check if dietician able to retrieve a Patient detail by FieldID.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.002 s
2	When Dietician sends HTTPS request with "FieldID_Valid" as FileID for patient.	PASSED	0.543 s
3	Then Dietician receives Status for corresponding "FieldID_Valid" FieldID Patients data.	PASSED	0.004 s

Check if dietician able to retrieve a Patient detail by FieldID.




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.002 s
2	When Dietician sends HTTPS request with "FieldID_Invalid" as FileID for patient.	PASSED	0.614 s
3	Then Dietician receives Status for corresponding "FieldID_Invalid" FieldID Patients data.	PASSED	0.002 s

Patient Role





Check if user able to login as a Patient



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.042 s
2	When User as patient sends request Body with mandatory , additional fields with "PatientLogin" and "PatientUserLogin" from	PASSED	1.339 s

#	Step / Hook Details	Status	Duration
	excel.		
3	Then User as Patient receives Status with response body.	PASSED	1.387 s



Check if user able to login as a Patient with invalid password

FAILED		DURATION - 0.703 s			Steps Total - 3 Pass - 2 Fail - 1 Skip - 0			
/ 4:06:04.140 PM // 4:06:04.843 PM /								
Patient Role								
@PatientRole @02PatientRole-Invalid_Password								

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.003 s
2	When User as patient sends request Body with invalid password "InvalidPassword" and "PatientUserLogin" from excel.	PASSED	0.687 s
3	Then User as Patient receives Status with response body invalid password. <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)</pre>	FAILED	0.005 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.stepdefinitions.PatientRole_step.user_as_patient_receives_status_with_response_body_invalid_password(PatientRole_step.java:92) at ?.User as Patient receives Status with response body invalid password.(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/test/resources/features/04PatientRole.feature:19) * Not displayable characters are replaced by '?'.		

Check if user able to login as a Patient with invalid email

PASSED	DURATION - 0.722 s		
/ 4:06:04.856 PM // 4:06:05.578 PM /			
<i>Patient Role</i>			
@PatientRole @03PatientRole-Invalid_Email			
		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.004 s
2	When User as patient sends request Body with invalid email "InvalidEmail" and "PatientUserLogin" from excel.	PASSED	0.691 s
3	Then User as Patient receives Status with response body invalid email.	PASSED	0.024 s



Check if patient can get report using valid patientId-PatientRole

PASSED	DURATION - 0.238 s		
/ 4:06:05.588 PM // 4:06:05.826 PM /			
<i>Patient Role</i>			
@PatientRole @04PatientRole-Get_Report_By_Valid_patientId			
		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.004 s
2	When User sends get request with valid patientID T04	PASSED	0.226 s



#	Step / Hook Details	Status	Duration
3	Then User can see report for PatientId PatientRole	PASSED	0.004 s

Check if patient can get report using valid fileId PatientRole

<div>PASSED</div> <div>DURATION - 0.396 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:06:05.836 PM // 4:06:06.232 PM /</div>			
<div>Patient Role</div>			
<div>@PatientRole @05PatientRole- Get_Report_By_Valid_fileId</div>			



#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.003 s
2	When User sends get request with valid fileId PatientRole	PASSED	0.387 s
3	Then User can see report for fileId PatientRole	PASSED	0.002 s

Check if patient can get report using invalid patientId-PatientRole

<div>PASSED</div> <div>DURATION - 0.324 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:06:06.249 PM // 4:06:06.573 PM /</div>			
<div>Patient Role</div>			
<div>@PatientRole @06PatientRole- Get_Report_By_Invalid_patientId</div>			



#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.002 s
2	When User sends get request with invalid patientID PatientRole	PASSED	0.288 s
3	Then User can see error for invalid PatientId PatientRole	PASSED	0.028 s

Check if patient can get report using invalid fileId-PatientRole



<div>PASSED</div> <div>DURATION - 0.207 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 4:06:06.582 PM // 4:06:06.789 PM /</div>			
<div>Patient Role</div>			
<div>@PatientRole @07PatientRole- Get_Report_By_Invalid_patientId</div>			

#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.002 s
2	When User sends get request with invalid fileId PatientRole	PASSED	0.175 s
3	Then User can see error for invalid fileId PatientRole	PASSED	0.027 s

validating Dietician Delete and Logout request

<div>PASSED</div>	<div>DURATION - 0.422 s</div>	<div>Scenarios</div> <div>Total - 2</div> <div>Pass - 2</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:06:06.811 PM // 4:06:07.233 PM /</div>					



Verify that patient id is deleted using valid url

<div>PASSED</div>	<div>DURATION - 0.233 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 4:06:06.811 PM // 4:06:07.044 PM /</div>				
<div>validating Dietician Delete and Logout request</div>				
<div>@01Del</div>				

#	Step / Hook Details	Status	Duration
1	Given Dietician user set Delete request for valid patientId url	PASSED	0.003 s
2	When Dietician user send delete request for valid patientId	PASSED	0.222 s

#	Step / Hook Details	Status	Duration
3	Then the response will return delete status 200	PASSED	0.002 s

Check if user able to logout as a Dietician

PASSED	DURATION - 0.177 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 4:06:07.056 PM // 4:06:07.233 PM /				
validating Dietician Delete and Logout request				
@logout				

#	Step / Hook Details	Status	Duration
1	Given Dietician user set GET Request for logout as Dietician.	PASSED	0.002 s
2	When Dietician user send logout request	PASSED	0.171 s
3	Then the response will return status 200	PASSED	0.002 s