

Feature			Scei	nario			Step			
Name	Duration	T	P	F	S	T	P	F	S	
Dietician Login	11.655 s	2	2	0	0	6	6	0	0	
Check Morbidity	3.033 s	12	8	4	0	36	32	4	0	
Dietician Role Module	10.762 s	15	15	0	0	45	45	0	0	
Patient Role	3.220 s	7	6	1	0	21	20	1	0	
validating Dietician Delete and Logout request	0.390 s	2	2	0	0	6	6	0	0	


FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name				
1	1 Check Morbidity condition by Invalid morbidityname					
2	retrieve Morbidity condition by Invalid morbidityname					
3	retrieve Morbidity condition by Invalid morbidityname					
4		retrieve Morbidity condition by Invalid morbidityname				
5	Patient Role	Check if user able to login as a Patient with invalid password				

TAG		Scei	nario			Feature				
Name	T	P	F	S	T	P	F	S		
@DieticianLogin	2	2	0	0	1	1	0	0		
@01DieticianLogin	2	2	0	0	1	1	0	0		
@GetAllMorbidity	1	1	0	0	1	0	1	0		
@morbidityModule	12	8	4	0	1	0	1	0		
@GetMorbiditybyName	6	6	0	0	1	0	1	0		
@GetMorbiditybyInvalidName	5	1	4	0	1	0	1	0		
@DieticianRole	15	15	0	0	1	1	0	0		
@01CreatePatient	8	8	0	0	1	1	0	0		
@02GetALLPatients-asDietician	1	1	0	0	1	1	0	0		
@03UpdatePatient	2	2	0	0	1	1	0	0		
@04GetByIDPatient-asDietician	2	2	0	0	1	1	0	0		
@05GetByFileIDPatient-asDietician	2	2	0	0	1	1	0	0		
@PatientRole	7	6	1	0	1	0	1	0		
@01PatientRole-Login	1	1	0	0	1	0	1	0		
@02PatientRole-Invalid_Password	1	0	1	0	1	0	1	0		
@03PatientRole-Invalid_Email	1	1	0	0	1	0	1	0		
@04PatientRole-Get_Report_By_Valid_patientId	1	1	0	0	1	0	1	0		


TAG		Scei	nario			Feature				
Name	Т	P	F	S	T	P	F	S		
@05PatientRole-Get_Report_By_Valid_fileId	1	1	0	0	1	0	1	0		
@06PatientRole-Get_Report_By_Inalid_patientId	1	1	0	0	1	0	1	0		
@07PatientRole-Get_Report_By_Inalid_patientId	1	1	0	0	1	0	1	0		
@01Del	1	1	0	0	1	1	0	0		
@logout	1	1	0	0	1	1	0	0		

FEATURES SUMMARY -- 6 --




#	Feature Name	T	P	F	S	Duration
1	<u>Dietician Login</u>	2	2	0	0	11.655 s
2	Check Morbidity	12	8	4	0	3.033 s
3	<u>Dietician Role Module</u>	15	15	0	0	10.762 s
4	Patient Role	7	6	1	0	3.220 s
5	validating Dietician Delete and Logout request	2	2	0	0	0.390 s

SCENARIOS SUMMARY -- 7 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Dietician Login</u>	Check if user able to login as a Dietician	3	3	0	0	10.639 s
2		Check if user able to login as a Dietician	3	3	0	0	0.788 s
3	Check Morbidity	Check if user able to retrieve all Morbidities	3	3	0	0	0.308 s
4		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.240 s
5		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.220 s
6		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.205 s
7		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.196 s
8		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.247 s
9		Retrieve Morbidity condition by valid morbidityName	3	3	0	0	0.219 s
10		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.289 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Check Morbidity	retrieve Morbidity condition by Invalid morbidityname	3	3	0	0	0.212 s
12		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.209 s
13		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.217 s
14		retrieve Morbidity condition by Invalid morbidityname	3	2	1	0	0.204 s
15	<u>Dietician Role Module</u>	Dietician creating Patients.	3	3	0	0	1.294 s
16		Dietician creating Patients.	3	3	0	0	0.797 s
17		Dietician creating Patients.	3	3	0	0	0.893 s
18		Dietician creating Patients.	3	3	0	0	1.214 s
19		Dietician creating Patients.	3	3	0	0	1.163 s
20		Dietician creating Patients.	3	3	0	0	1.081 s

SCENARIOS SUMMARY -- 9 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
21	Dietician Role Module	Dietician creating Patients.	3	3	0	0	1.091 s
22		Dietician creating Patients.	3	3	0	0	0.950 s
23		Check if dietician able to retrieve all the Patients.	3	3	0	0	0.205 s
24		Check if dietician able to Update Patient detals.	3	3	0	0	0.496 s
25		Check if dietician able to Update Patient detals.	3	3	0	0	0.456 s
26		Check if dietician able to retrieve a Patient by ID.	3	3	0	0	0.303 s
27		Check if dietician able to retrieve a Patient by ID.	3	3	0	0	0.207 s
28		Check if dietician able to retrieve a Patient detail by FiellD.	3	3	0	0	0.193 s
29		Check if dietician able to retrieve a Patient detail by FiellD.	3	3	0	0	0.185 s
30	Patient Role	Check if user able to login as a Patient	3	3	0	0	1.230 s

SCENARIOS SUMMARY -- 10 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
31	Patient Role	Check if user able to login as a Patient with invalid password	3	2	1	0	0.544 s
32		Check if user able to login as a Patient with invalid email	3	3	0	0	0.537 s
33		Check if patient can get report using valid patientId- PatientRole	3	3	0	0	0.213 s
34		Check if patient can get report using valid fileId PatientRole	3	3	0	0	0.191 s
35		Check if patient can get report using invalid patientId- PatientRole	3	3	0	0	0.196 s
36		Check if patient can get report using invalid fileId-PatientRole	3	3	0	0	0.224 s
37	validating Dietician Delete and Logout request	Verify that patient id is deleted using valid url	3	3	0	0	0.200 s
38		Check if user able to logout as a Dietician	3	3	0	0	0.178 s

Dietician Login


PASSED	DURATION - 11.655 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 1:09:20.991 PM //	/ 1:09:32.646 PM /	Pass - 2	2	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Check if user able to login as a Dietician



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	2.545 s
2	When User as dietician sends request Body with mandatory, additional fields with "DieticianLogin_InValid" and "DieticianLogin" from excel.	PASSED	6.157 s
3	Then User as dietician receives Status for corresponding "DieticianLogin_InValid" with response body.	PASSED	1.736 s


Check if user able to login as a Dietician




DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Dietician.	PASSED	0.003 s
2	When User as dietician sends request Body with mandatory, additional fields with "DieticianLogin_Valid" and "DieticianLogin"	PASSED	0.667 s
	from excel.		
3	Then User as dietician receives Status for corresponding "DieticianLogin_Valid" with response body.	PASSED	0.109 s

Check Morbidity




Check if user able to retrieve all Morbidities




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for All all Morbidities	PASSED	0.005 s
2	When User sends HTTPS Request	PASSED	0.239 s
3	Then User receives 200 OK Status with response body.	PASSED	0.033 s

DETAILED SECTION -- 13 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "TSH"	PASSED	0.015 s
2	When User sends HTTPS Reques	PASSED	0.210 s
3	Then User receives 200 OK Status with response body.	PASSED	0.008 s

Retrieve Morbidity condition by valid morbidityName




#	Step / Hook Details		St	tatus	Duration
1	Given User creates GET Request for the API endpoint with valid "Fasting Glucose"		PASS	SED	0.003 s
2	When User sends HTTPS Reques		PASS	SED	0.202 s
3	Then User receives 200 OK Status with response body.	Eg: [PASS	SED	0.008 s

DETAILED SECTION -- 14 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Plasma Glucose"	PASSED	0.002 s
2	When User sends HTTPS Reques	PASSED	0.190 s
3	Then User receives 200 OK Status with response body.	PASSED	0.006 s

Retrieve Morbidity condition by valid morbidityName




#	Step / Hook Details		Status	Duration
1	Given User creates GET Request for the API endpoint with valid "T3"		PASSED	0.004 s
2	When User sends HTTPS Reques		PASSED	0.180 s
3	Then User receives 200 OK Status with response body.	Eg: [PASSED	0.006 s

DETAILED SECTION -- 15 --




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with valid "HbA1c"	PASSED	0.004 s
2	When User sends HTTPS Reques	PASSED	0.230 s
3	Then User receives 200 OK Status with response body.	PASSED	0.006 s

Retrieve Morbidity condition by valid morbidityName



#	Step / Hook Details		Status	Duration
1	Given User creates GET Request for the API endpoint with valid "Average Glucose"	•	PASSED	0.003 s
2	When User sends HTTPS Reques		PASSED	0.207 s
3	Then User receives 200 OK Status with response body.	Eg: [PASSED	0.003 s


DETAILED SECTION -- 16 --




#	Step / Hook Details	Status	Duration
	Given User creates GET Request for the API endpoint with Invalid "T"	PASSED	0.003 s
<u>-</u>	When User sends HTTPS Reques	PASSED	0.173 s
3	Then User receives 404 Status Eg: [FAILED	0.107 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'.		

retrieve Morbidity condition by Invalid morbidityname




#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Xct"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.194 s
3	Then User receives 404 Status Eg: [PASSED	0.004 s



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "A"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.193 s
3	Then User receives 404 Status Eg: [FAILED	0.008 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		


#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		
	* Not displayable characters are replaced by '?'.		



#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "S"	PASSED	0.003 s
2	When User sends HTTPS Reques	PASSED	0.200 s
3	Then User receives 404 Status Eg: [FAILED	0.008 s

DETAILED SECTION -- 19 --


#	Step / Hook Details	Status	Duration
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>.		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)		
	at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)		
	at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)		
	at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.		
	java:198)		
	at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)		
	at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)		
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.Morbidity_step.user_receives_ok_status_eg(Morbidity_step.java:92)		
	at ?.User receives 404 Status Eg: [(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/02Morbidity.feature:30)		
	* Not displayable characters are replaced by '?'.		



DETAILED SECTION -- 20 --

#	Step / Hook Details	Status	Duration
1	Given User creates GET Request for the API endpoint with Invalid "Se"	PASSED	0.004 s
2	When User sends HTTPS Reques	PASSED	0.189 s
3	Then User receives 404 Status Eg: [FAILED	0.006 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <200>. at java.base/jak.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:40) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSiteSConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.staidateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/jak.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/jak.internal.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at io.rest		

Dietician Role Module




DETAILED SECTION -- 21 --

Dietician creating Patients.

PASSED DURATION - 1.294 s	2 Steps	
/ 1:09:35.817 PM // 1:09:37.111 PM /	1.5 Total - 3	
7 1.09.33.017 FW// 1.09.37.111 FW/	1 Pass - 3	
Dietician Role Module	0.5	3
@DieticianRole @01CreatePatient	Skip - 0	
@Dieticialitole @otoleateFatient	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.025 s
2	When Dietician sends request Body with details with "postPatient_MissingName" and "createPatient" from excel.	PASSED	1.255 s
3	Then Dietician receives for "postPatient_MissingName" Patient Created Status with response body.	PASSED	0.002 s


Dietician creating Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_MissingEmail" and "createPatient" from excel.	PASSED	0.785 s
3	Then Dietician receives for "postPatient_MissingEmail" Patient Created Status with response body.	PASSED	0.002 s


Dietician creating Patients.

DETAILED SECTION -- 22 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.004 s
2	When Dietician sends request Body with details with "postPatient_MissingContact" and "createPatient" from excel.	PASSED	0.880 s
3	Then Dietician receives for "postPatient_MissingContact" Patient Created Status with response body.	PASSED	0.002 s


Dietician creating Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.003 s
2	When Dietician sends request Body with details with "postPatient_MissingDOB" and "createPatient" from excel.	PASSED	1.198 s
3	Then Dietician receives for "postPatient_MissingDOB" Patient Created Status with response body.	PASSED	0.005 s


Dietician creating Patients.

DETAILED SECTION -- 23 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.003 s
2	When Dietician sends request Body with details with "postPatient_Invalid_FoodCat" and "createPatient" from excel.	PASSED	1.150 s
3	Then Dietician receives for "postPatient_Invalid_FoodCat" Patient Created Status with response body.	PASSED	0.003 s


Dietician creating Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.003 s
2	When Dietician sends request Body with details with "postPatient_Invalid_Allergy" and "createPatient" from excel.	PASSED	1.072 s
3	Then Dietician receives for "postPatient_Invalid_Allergy" Patient Created Status with response body.	PASSED	0.001 s


Dietician creating Patients.

DETAILED SECTION -- 24 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.002 s
2	When Dietician sends request Body with details with "postPatient_Valid" and "createPatient" from excel.	PASSED	1.037 s
3	Then Dietician receives for "postPatient_Valid" Patient Created Status with response body.	PASSED	0.045 s


Dietician creating Patients.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates POST Request to create a Patient	PASSED	0.004 s
2	When Dietician sends request Body with details with "postPatient_duplicate_UniqueValue" and "createPatient" from excel.	PASSED	0.935 s
3	Then Dietician receives for "postPatient_duplicate_UniqueValue" Patient Created Status with response body.	PASSED	0.004 s


Check if dietician able to retrieve all the Patients.

DETAILED SECTION -- 25 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET ALL Request to retrieve all Patients	PASSED	0.005 s
2	When Dietician sends HTTPS request in Patient Module	PASSED	0.187 s
3	Then Dietician receives 200 OK Status with Patients data	PASSED	0.004 s


Check if dietician able to Update Patient detals.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.002 s
2	When Dietician sends PUT request to update with details with "updatePatient_Valid" and "createPatient".	PASSED	0.486 s
3	Then Dietician receives for "updatePatient_Valid" Patient Updated Status with response body.	PASSED	0.004 s


Check if dietician able to Update Patient detals.

DETAILED SECTION -- 26 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates PUT Request to Update a Patient	PASSED	0.002 s
2	When Dietician sends PUT request to update with details with "updatePatient_InValid" and "createPatient".	PASSED	0.447 s
3	Then Dietician receives for "updatePatient_InValid" Patient Updated Status with response body.	PASSED	0.003 s


Check if dietician able to retrieve a Patient by ID.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.003 s
2	When Dietician sends HTTPS request with "PatientID_Valid" to get patient details in Patient Module	PASSED	0.176 s
3	Then Dietician receives Status for corresponding "PatientID_Valid" Patients data	PASSED	0.118 s


Check if dietician able to retrieve a Patient by ID.

DETAILED SECTION -- 27 --



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with PatientId to retrieve the Patient details.	PASSED	0.006 s
2	When Dietician sends HTTPS request with "PatientID_InValid" to get patient details in Patient Module	PASSED	0.191 s
3	Then Dietician receives Status for corresponding "PatientID_InValid" Patients data	PASSED	0.004 s


Check if dietician able to retrieve a Patient detail by FiellD.



#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.004 s
2	When Dietician sends HTTPS request with "FieldID_Valid" as FileID for patient.	PASSED	0.182 s
3	Then Dietician receives Status for corresponding "FieldID_Valid" FieldID Patients data.	PASSED	0.002 s

Check if dietician able to retrieve a Patient detail by FiellD.

DETAILED SECTION -- 28 --




#	Step / Hook Details	Status	Duration
1	Given Dietician creates GET Request with FileID to retrieve the Patient details.	PASSED	0.002 s
2	When Dietician sends HTTPS request with "FieldID_InValid" as FileID for patient.	PASSED	0.177 s
3	Then Dietician receives Status for corresponding "FieldID_InValid" FieldID Patients data.	PASSED	0.002 s

Patient Role

21

Check if user able to login as a Patient




#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.003 s
2	When User as patient sends request Body with mandatory , additional fields with "PatientLogin" and "PatientUserLogin" from	PASSED	0.603 s

DETAILED SECTION -- 29 --

#	Step / Hook Details	Status	Duration
	excel.		
3	Then User as Patient receives Status with response body.	PASSED	0.617 s


Check if user able to login as a Patient with invalid password



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.003 s
2	When User as patient sends request Body with invalid password "InvalidPassword" and "PatientUserLogin" from excel.	PASSED	0.528 s
3	Then User as Patient receives Status with response body invalid password.	FAILED	0.005 s
	java.lang.AssertionError: 1 expectation failed. Expected status code <400> but was <401>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl.validateResponselfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponselfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.dolnvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(PogoMetaMethodSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecificationStatusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecificationStatusCode(ResponseSpecificationImpl.groovy:135)		

#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143)		
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)		
	at api.stepdefinitions.PatientRole_step.user_as_patient_receives_status_with_response_body_invalid_password(PatientRole_step.java:92)		
	at ?.User as Patient receives Status with response body invalid password.(file:///C:/Users/anoop/eclipse-workspaceNew/API-Crafters/src/		
	test/resources/features/04PatientRole.feature:19)		
	* Not displayable characters are replaced by '?'.		

Check if user able to login as a Patient with invalid email



#	Step / Hook Details	Status	Duration
1	Given User creates POST Request for login as Patient.	PASSED	0.002 s
2	When User as patient sends request Body with invalid email "InvalidEmail" and "PatientUserLogin" from excel.	PASSED	0.499 s
3	Then User as Patient receives Status with response body invalid email.	PASSED	0.031 s

Check if patient can get report using valid patientId-PatientRole


PASSED DURATION - 0.213 s	03 - Steps	5
/ 1:09:48.968 PM // 1:09:49.181 PM /	Total	- 3
	02	- 3
Patient Role	Fail -	o 3
@PatientRole @04PatientRole-	0.1 Skip -	0
Get_Report_By_Valid_patientId	0	
	1 2 3	

#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.003 s
2	When User sends get request with valid patientID T04	PASSED	0.203 s

DETAILED SECTION -- 31 --


#	Step / Hook Details	Status	Duration
3	Then User can see report for PatientId PatientRole	PASSED	0.002 s

Check if patient can get report using valid fileId PatientRole




#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.002 s
2	When User sends get request with valid fileID PatientRole	PASSED	0.184 s
3	Then User can see report for fileID PatientRole	PASSED	0.001 s

Check if patient can get report using invalid patientId-PatientRole



#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.002 s
2	When User sends get request with invalid patientID PatientRole	PASSED	0.166 s
3	Then User can see error for invalid PatientId PatientRole	PASSED	0.025 s

Check if patient can get report using invalid fileId-PatientRole




#	Step / Hook Details	Status	Duration
1	Given Patient user is logged inPatientRole	PASSED	0.003 s
2	When User sends get request with invalid fileID PatientRole	PASSED	0.197 s
3	Then User can see error for invalid fileId PatientRole	PASSED	0.019 s

validating Dietician Delete and Logout request

PASSED	DURATION - 0.390 s	Scenarios		Steps	
		Total - 2		Total - 6	
/ 1:09:49.844 PM	// 1:09:50.234 PM /	Pass - 2	2	Pass - 6	6
		Fail - 0	-	Fail - 0	
		Skip - 0		Skip - 0	
		Skip 0		Chip 0	


Verify that patient id is deleted using valid url



#	Step / Hook Details	Status	Duration
1	Given Dietician user set Delete request for valid patientId url	PASSED	0.004 s
2	When Dietician user send delete request for valid patientId	PASSED	0.187 s

#	Step / Hook Details	Status	Duration
3	Then the response will return delete status 200	PASSED	0.002 s

Check if user able to logout as a Dietician



#	Step / Hook Details	Status	Duration
1	Given Dietician user set GET Request for logout as Dietician.	PASSED	0.002 s
2	When Dietician user send logout request	PASSED	0.171 s
3	Then the response will return status 200	PASSED	0.002 s