Requirements Table

Personal Subscription & Recurring Expense Auditor

Functional Requirements

ID	Description	Priority	Acceptance Criteria	Rationale
FR-001	The system shall analyze imported transaction logs to identify recurring billing patterns (same payee, similar amount, regular interval) and project total monthly subscription expenditure.	High	Pass: Recurring service identified and renewal date logged. Fail: One-time payment misclassified as subscription.	Users cannot audit spend they cannot first detect; this is the foundational capability every other requirement depends on.
FR-002	The system shall notify the user a configurable number of days (default 3) before a detected subscription's next renewal date.	High	Pass: Alert delivered at least 3 days before renewal for 100% of active subscriptions. Fail: Alert missed or delivered after renewal.	Advance warning is the core value proposition; without it the app is a passive ledger, not an auditor.
FR-003	The system shall calculate and display the user's total monthly and annualized recurring 'burn rate' across all active subscriptions.	Medium	Pass: Displayed total matches sum of active subscription amounts within 1% (rounding tolerance). Fail: Total omits an active subscription or double-counts one.	Users need an aggregate figure to make cut/keep decisions rather than reviewing line items individually.
FR-004	For each identified subscription, the system shall provide a one-click cancellation guide (deep link or step-by-step instructions) sourced from a maintained provider database.	Medium	Pass: Guide opens/displays correct steps for a known provider (e.g., Netflix, Spotify). Fail: Guide missing, broken link, or wrong provider steps shown.	Detection without an easy exit path leaves users stuck; this closes the loop from insight to action.
FR-005	The user shall be able to manually re-classify a transaction (mark as subscription, one-time, or ignore) to correct system misclassifications.	Low	Pass: Reclassification updates burn-rate and alert calculations on next refresh. Fail: Manual correction is not persisted or ignored on recalculation.	Pattern-matching for recurring charges is heuristic and will misfire; manual override maintains user trust in the tool's accuracy.

Non-Functional Requirements

ID	Type	Description	Priority	Acceptance Criteria	Rationale
NFR-001	Performance & Security	Financial transaction imports (CSV/OFX) must parse securely without storing raw banking credentials in cleartext.	High	Pass: Benchmarking tests confirm target latency and security standards under simulated peak load.	Handling financial data carries regulatory and trust obligations; a breach or leak would be catastrophic for user adoption.
NFR-002	Usability	The monthly burn-rate dashboard shall render within 2 seconds for a user with up to 50 tracked subscriptions on a standard broadband connection.	Medium	Pass: 95th percentile load time ≤ 2s across 3 test runs. Fail: Any run exceeds 2s or dashboard times out.	A finance tool used for quick daily/weekly checks loses adoption if it feels sluggish; responsiveness is part of the audit habit.