

PSEUDOCODE WRITING

M.V.PREETHASHRI

192524476

← Back

Q1 Sum and Average

10 marks

Write a Java program to find the sum and average of five numbers. Get the input from the user.

Your Code

```
1 import java.util.*;
2 class SumAndAverage{
3     public static void main(String[] args)
4     {
5         Scanner sc=new Scanner(System.in);
6         int sum=0;
7         for(int i=0;i<5;i++)
8         {
9             sum+=sc.nextInt();
10        }
11        System.out.println(sum);
12        System.out.println(sum/5.0);
13    }
14 }
```

Input

10
20
30
40
--

Output

150
30.0

Visible Test Cases

Test Case 1

Test Case 2

Write a Java program to convert the given number of days into years, months, weeks and days.

Your Code

```
1 import java.util.Scanner;
2 class Days{
3     public static void main(String[] args)
4     {
5         Scanner sc=new Scanner(System.in);
6         int totalDays;
7         System.out.println("enter number of days");
8         totalDays=sc.nextInt();
9         int years=totalDays/365;
10        totalDays=totalDays%365;
11        int months=totalDays/30;
12        totalDays=totalDays%30;
13        int week=totalDays/7;
14        int days=totalDays%7;
15        System.out.println("years="+years);
16        System.out.println("months="+months);
17        System.out.println("week="+week);
18        System.out.println("days="+days);
19    }
20 }
```

Input

500

Output

enter number of days
years=1
months=4
week=2
days=1

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0 / 10 marks

Write a Java program to check whether a person is eligible for voting. If not, display how many years are left.

Your Code

```
1 import java.util.*;
2 class EligibleForVote{
3     public static void main(String[]arg)
4     {
5         int age;
6         Scanner sc=new Scanner(System.in);
7         age=sc.nextInt();
8         System.out.println("enter age:");
9         if(age>=18)
10        {
11            System.out.println("eligible for voting");
12        }
13        else
14        {
15            System.out.println("not eligible for voting");
16            System.out.println(+age);
17        }
18    }
19 }
```

Input

19

Output

```
enter age:
eligible for voting
```

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0 / 10 marks

Your Code

```
1 import java.util.*;
2 class Main{
3     public static void main(String[]args)
4     {
5         Scanner sc=new Scanner(System.in);
6         int empNo=sc.nextInt();
7         String empName=sc.next();
8         double salary=sc.nextDouble();
9         double tax;
10        if(salary<500000)
11            tax=0;
12        else if(salary<=750000)
13            tax=salary*0.05;
14        else if(salary<=1000000)
15            tax=salary*0.075;
16        else if(salary<=1500000)
17            tax=salary*0.10;
18        else if(salary<=2000000)
19            tax=salary*0.15;
20        else
21            tax=salary*0.20;
22        System.out.println(tax);
23    }
24 }
```

Input

101
ravi
850000

Output

63750.0

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0 / 10 marks

Submitted

Write a pseudocode to check whether the given number is an Armstrong number or not.

Your Code

```
1 import java.util.*;
2 class Main{
3     public static void main(String[] args)
4     {
5         Scanner sc=new Scanner(System.in);
6         int num=sc.nextInt();
7         int original=num;
8         int sum=0;
9         while(num!=0)
10        {
11            int rem=num%10;
12            sum=sum+(rem*rem*rem);
13            num=num/10;
14        }
15        if(sum==original)
16            System.out.println("armstrong number");
17        else
18            System.out.println("not armstrong number");
19    }
20 }
```

Input

153

Output

armstrong number

Visible Test Cases

Test Case 1

Test Case 2

Test Case 3

0 / 10 marks