Status	Finished
Started	Monday, 2 November 2026, 11:04 PM
Completed	Monday, 2 November 2026, 11:09 PM
Duration	5 mins 22 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

a. r
b. rw+ ✓
c. ab+
d. wb+

The correct answer is: rw+

Question **2**

Correct

Mark 1.00 out of 1.00

Select the correct method to write a list of lines to a file

a. None of the mentioned
b. writelines(list) ✓
c. writelist(list)
d. write(list)

The correct answer is: writelines(list)

Question **3**

Correct

Mark 1.00 out of 1.00

What is the difference between r+ and w+ modes in file handling?

a. r+ is for read and write, w+ is for append only
b. r+ is for binary read and write, w+ is for text read and write
c. r+ is for read and append, w+ is for read and write
d. r+ is for read and write without truncating, w+ is for read and write with truncating ✓

The correct answer is: r+ is for read and write without truncating, w+ is for read and write with truncating

Question **4**

Correct

Mark 1.00 out of 1.00

What does the flush() method do in file handling?

a. Flushes the internal buffer to the file ✓
b. Deletes the file content
c. Closes the file
d. Moves the file cursor to the beginning

The correct answer is: Flushes the internal buffer to the file

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for both reading and writing?

a. r+ ✓
b. r
c. a
d. w

The correct answer is: r+

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. world

b. Hello

c. Hello, world! ✓

d. An error is raised

The correct answer is: Hello, world!

Question **7**

Correct

Mark 1.00 out of 1.00

To open a file c:\scores.txt for writing, we use ____

a. outfile = open(file = “c:\\scores.txt”, “w”)

b. outfile = open(“c:\scores.txt”, “w”)

c. outfile = open(“c:\\scores.txt”, “w”) ✓

d. outfile = open(file = “c:\scores.txt”, “w”)

The correct answer is:
outfile = open(“c:\\scores.txt”, “w”)

Question **8**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in write mode ('w') and the file already exists?

a. It appends data to the file
b. It raises an error
c. It clears the old data and starts fresh ✓
d. It does nothing

The correct answer is: It clears the old data and starts fresh

Question **9**

Correct

Mark 1.00 out of 1.00

What does the buffering parameter in the open() function control?

a. The encoding of the file
b. The access mode of the file
c. The buffer size for the file operations ✓
d. The file's read/write position

The correct answer is: The buffer size for the file operations

Question **10**

Correct

Mark 1.00 out of 1.00

What does the mode attribute of a file object indicate?

a. The name of the file
b. The access mode in which the file was opened ✓
c. The size of the file
d. The current position of the file cursor

The correct answer is: The access mode in which the file was opened

Question **11**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of integers

b. str

c. a list of lines ✓

d. a list of single characters

The correct answer is:
a list of lines

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. r+

b. w

c. wb ✓

d. rb

The correct answer is: wb

Question **13**

Correct

Mark 1.00 out of 1.00

file_object.seek(offset [, reference_point])

What is the default, the value of reference_point?

- a. 2
- b. 1
- c. garbage
- d. null
- e. 0 ✓

The correct answer is:
0

Question **14**

Correct

Mark 1.00 out of 1.00

Default EOL character of text file in python is ,

- a. ,
- b. \n ✓
- c. \t
- d. space

The correct answer is:
\n

Question **15**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(“a.txt”, “r”) ✓

c. infile = open(file, “a.txt”, “r”)

d. infile = open(file = “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)