


LINUX PRACTICE








preethi@preethi-VirtualBox:~$ crontab -e
no crontab for preethi - using an empty one
Select an editor. To change later, run 'select-editor'.
1. /bin/nano <---- easiest
2. /usr/bin/vim.tiny
3. /bin/ed
Choose 1-3 [1]: nano
Choose 1-3 [1]: 1
crontab: installing new crontab
preethi@preethi-VirtualBox:~$ crontab -l
Edit this file to introduce tasks to be run by cron.
#
Each task to run has to be defined through a single line
indicating with different fields when the task will be run
and what command to run for the task
#
To define the time you can provide concrete values for
minute (m), hour (h), day of month (dom), month (mon),
and day of week (dow) or use '*' in these fields (for 'any').
#
Notice that tasks will be started based on the cron's system
daemon's notion of time and timezones.
#
Output of the crontab jobs (including errors) is sent through
email to the user the crontab file belongs to (unless redirected).
#
For example, you can run a backup of all your user accounts
at 5 a.m every week with:
0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
For more information see the manual pages of crontab(5) and cron(8)
#
m h dom mon dow command
* * * * * echo "cron test running" >> /tmp/cron_test.log
preethi@preethi-VirtualBox:~$


```
/etc/speech-dispatcher/modules/espeak-ng.conf
/etc/speech-dispatcher/modules/cicero.conf
/etc/speech-dispatcher/modules/epos-generic.conf
/etc/speech-dispatcher/modules/espeak-ng-mbrola.conf
/etc/speech-dispatcher/modules/espeak.conf
/etc/speech-dispatcher/modules/espeak-mbrola-generic.conf
/etc/speech-dispatcher/modules/dtk-generic.conf
/etc/speech-dispatcher/modules/espeak-ng-mbrola-generic.conf
/etc/speech-dispatcher/modules/llia_phon-generic.conf
/etc/speech-dispatcher/modules/mary-generic.conf
/etc/UPower/UPower.conf
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root
> ^C
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root"
root:x:0:0:root:/root:/bin/bash
nm-openvpn:x:121:127:NetworkManager OpenVPN,,,:/var/lib/openvpn/chroot:/usr/sbin/nologin
preethi@preethi-VirtualBox:~$ ps aux | head -n 10
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.0  0.5 166636 11892 ?        Ss   12:43   0:02 /sbin/init splash
root           2  0.0  0.0      0     0 ?        S    12:43   0:00 [kthreadd]
root           3  0.0  0.0      0     0 ?        S    12:43   0:00 [pool_workqueue_release]
root           4  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_g]
root           5  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_p]
root           6  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-slub_]
root           7  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-netns]
root          11  0.2  0.0      0     0 ?        I    12:43   0:07 [kworker/u2:0-flush-8:0]
root          12  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-mm_pe]
preethi@preethi-VirtualBox:~$ sudo ss -tulpn
[sudo] password for preethi:
Netid   State     Recv-Q    Send-Q       Local Address:Port        Peer Address:Port   Process
udp     UNCONN    0         0                  0.0.0.0:5353             0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=12))
udp     UNCONN    0         0                  0.0.0.0:631              0.0.0.0:*       users:(("cups-browsed",pid=685,fd=7))
udp     UNCONN    0         0            127.0.0.53%lo:53               0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=13))
udp     UNCONN    0         0                  0.0.0.0:34964            0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=14))
udp     UNCONN    0         0                     [::]:5353                [::]:*       users:(("avahi-daemon",pid=466,fd=13))
udp     UNCONN    0         0                     [::]:34063               [::]:*       users:(("avahi-daemon",pid=466,fd=15))
tcp     LISTEN    0         4096         127.0.0.53%lo:53               0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=14))
tcp     LISTEN    0         128              127.0.0.1:631              0.0.0.0:*       users:(("cupsd",pid=569,fd=7))
tcp     LISTEN    0         128                 [::1]:631                [::]:*       users:(("cupsd",pid=569,fd=6))
preethi@preethi-VirtualBox:~$
```

```
/etc/speech-dispatcher/modules/mary-generic.conf
/etc/UPower/UPower.conf
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root
> ^C
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root"
root:x:0:0:root:/root:/bin/bash
nm-openvpn:x:121:127:NetworkManager OpenVPN,,,:/var/lib/openvpn/chroot:/usr/sbin/nologin
preethi@preethi-VirtualBox:~$ ps aux | head -n 10
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.3  0.5 166636 11892 ?        Ss   12:43   0:02 /sbin/init splash
root           2  0.0  0.0      0     0 ?        S    12:43   0:00 [kthreadd]
root           3  0.0  0.0      0     0 ?        S    12:43   0:00 [pool_workqueue_release]
root           4  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_g]
root           5  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_p]
root           6  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-slub_]
root           7  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-netns]
root           9  0.0  0.0      0     0 ?        I    12:43   0:00 [kworker/0:1-cgroup_free]
root          11  0.7  0.0      0     0 ?        I    12:43   0:06 [kworker/u2:0-flush-8:0]
preethi@preethi-VirtualBox:~$ sudo ss -tulpn
Netid   State     Recv-Q    Send-Q       Local Address:Port        Peer Address:Port   Process
udp     UNCONN    0         0                  0.0.0.0:5353             0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=12))
udp     UNCONN    0         0                  0.0.0.0:631              0.0.0.0:*       users:(("cups-browsed",pid=685,fd=7))
udp     UNCONN    0         0            127.0.0.53%lo:53               0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=13))
udp     UNCONN    0         0                  0.0.0.0:34964            0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=14))
udp     UNCONN    0         0                     [::]:5353                [::]:*       users:(("avahi-daemon",pid=466,fd=13))
udp     UNCONN    0         0                     [::]:34063               [::]:*       users:(("avahi-daemon",pid=466,fd=15))
tcp     LISTEN    0         4096         127.0.0.53%lo:53               0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=14))
tcp     LISTEN    0         128              127.0.0.1:631              0.0.0.0:*       users:(("cupsd",pid=569,fd=7))
tcp     LISTEN    0         128                 [::1]:631                [::]:*       users:(("cupsd",pid=569,fd=6))
preethi@preethi-VirtualBox:~$
```




```
/etc/speech-dispatcher/modules/mary-generic.conf
/etc/UPower/UPower.conf
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root
> ^C
preethi@preethi-VirtualBox:~$ cat /etc/passwd | grep "root"
root:x:0:0:root:/root:/bin/bash
nm-openvpn:x:121:127:NetworkManager OpenVPN,,,:/var/lib/openvpn/chroot:/usr/sbin/nologin
preethi@preethi-VirtualBox:~$ ps aux | head -n 10
USER         PID %CPU %MEM    VSZ   RSS TTY      STAT START   TIME COMMAND
root           1  0.3  0.5 166636 11892 ?        Ss   12:43   0:02 /sbin/init splash
root           2  0.0  0.0      0     0 ?        S    12:43   0:00 [kthreadd]
root           3  0.0  0.0      0     0 ?        S    12:43   0:00 [pool_workqueue_release]
root           4  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_g]
root           5  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-rcu_p]
root           6  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-slub_]
root           7  0.0  0.0      0     0 ?        I<   12:43   0:00 [kworker/R-netns]
root           9  0.0  0.0      0     0 ?        I    12:43   0:00 [kworker/0:1-cgroup_free]
root          11  0.7  0.0      0     0 ?        I    12:43   0:06 [kworker/u2:0-flush-8:0]
preethi@preethi-VirtualBox:~$ sudo ss -tulpn
Netid   State     Recv-Q    Send-Q       Local Address:Port        Peer Address:Port   Process
udp     UNCONN    0         0                  0.0.0.0:5353             0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=12))
udp     UNCONN    0         0                  0.0.0.0:631              0.0.0.0:*       users:(("cups-browsed",pid=685,fd=7))
udp     UNCONN    0         0           127.0.0.53%lo:53                0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=13))
udp     UNCONN    0         0                  0.0.0.0:34964            0.0.0.0:*       users:(("avahi-daemon",pid=466,fd=14))
udp     UNCONN    0         0                     [::]:5353                [::]:*       users:(("avahi-daemon",pid=466,fd=13))
udp     UNCONN    0         0                     [::]:34063               [::]:*       users:(("avahi-daemon",pid=466,fd=15))
tcp     LISTEN    0         4096        127.0.0.53%lo:53                0.0.0.0:*       users:(("systemd-resolve",pid=366,fd=14))
tcp     LISTEN    0         128             127.0.0.1:631               0.0.0.0:*       users:(("cupsd",pid=569,fd=7))
tcp     LISTEN    0         128                [::1]:631                   [::]:*       users:(("cupsd",pid=569,fd=6))
preethi@preethi-VirtualBox:~$
```


Activities
Terminal
Oct 20 12:55
preethi@preethi-VirtualBox: ~
sudo: chomd: command not found
preethi@preethi-VirtualBox:~$ sudo chmod 770 /share_folder
preethi@preethi-VirtualBox:~$ ls -ld /share_folder
drwxrwx--- 2 root devteam 4096 Oct 20 12:50 /share_folder
preethi@preethi-VirtualBox:~$ find /etc -name "*.conf" 2>/dev/null
/etc/alsa/conf.d/98-usb-stream.conf
/etc/alsa/conf.d/50-arcam-av-ctl.conf
/etc/alsa/conf.d/50-pulseaudio.conf
/etc/alsa/conf.d/50-jack.conf
/etc/alsa/conf.d/50-oss.conf
/etc/alsa/conf.d/10-samplerate.conf
/etc/alsa/conf.d/99-pulse.conf
/etc/alsa/conf.d/60-upmix.conf
/etc/alsa/conf.d/60-vdownmix.conf
/etc/alsa/conf.d/10-speexrate.conf
/etc/apt/apt.conf.d/20apt-esm-hook.conf
/etc/apt/apt.conf.d/20snapd.conf
/etc/kerneloops.conf
/etc/mke2fs.conf
/etc/hp/hplip.conf
/etc/apg.conf
/etc/gtk-3.0/im-multipress.conf
/etc/gai.conf
/etc/libao.conf
/etc/libreoffice/psprint.conf
/etc/gtk-2.0/im-multipress.conf
/etc/gdm3/custom.conf
/etc/udisks2/udisks2.conf
/etc/sudo_logsrvd.conf
/etc/ubuntu-advantage/uaclient.conf
/etc/rsyslog.conf
/etc/deluser.conf
/etc/dhcp/dhclient.conf
/etc/ld.so.conf
/etc/logrotate.conf
/etc/ldap/ldap.conf
/etc/geoclue/geoclue.conf
/etc/selinux/semanage.conf
/etc/snmp/snmp.conf
/etc/appstream.conf


Activities
Terminal
Oct 20 12:56
preethi@preethi-VirtualBox: ~
/etc/sane.d/hp.conf
/etc/sane.d/saned.conf
/etc/sane.d/bh.conf
/etc/sane.d/canon.conf
/etc/sane.d/plustek_pp.conf
/etc/sane.d/epsonds.conf
/etc/sane.d/magicolor.conf
/etc/sane.d/xerox_mfp.conf
/etc/sane.d/epson2.conf
/etc/sane.d/abaton.conf
/etc/sane.d/snapscan.conf
/etc/sane.d/kvs1025.conf
/etc/sane.d/coolscan3.conf
/etc/sane.d/sharp.conf
/etc/sane.d/epson.conf
/etc/sane.d/microtek.conf
/etc/sane.d/coolscan2.conf
/etc/sane.d/s9036.conf
/etc/sane.d/artec.conf
/etc/sane.d/kodak.conf
/etc/sane.d/hp4200.conf
/etc/sane.d/teco3.conf
/etc/sane.d/dell1600n_net.conf
/etc/sane.d/escl.conf
/etc/sane.d/kodakaio.conf
/etc/sane.d/dll.conf
/etc/sane.d/fujitsu.conf
/etc/sane.d/airscan.conf
/etc/sane.d/umax_pp.conf
/etc/sane.d/leo.conf
/etc/sane.d/dmc.conf
/etc/sane.d/p5.conf
/etc/sane.d/umax1220u.conf
/etc/sane.d/umax.conf
/etc/sane.d/dc240.conf
/etc/sane.d/plustek.conf
/etc/sane.d/dc210.conf
/etc/sane.d/pieusb.conf
/etc/sane.d/gt68xx.conf
/etc/sane.d/canon_lide70.conf