
NETWORK MAP





```
Microsoft Windows [Version 10.0.22621.4317]
(c) Microsoft Corporation. All rights reserved.

C:\Users\USER>tracert 8.8.8.8

Tracing route to dns.google [8.8.8.8]
over a maximum of 30 hops:

  1     1 ms     1 ms     1 ms  192.168.1.1
  2     5 ms     4 ms     3 ms  static.bb.chn.59.90.246.1.bsnl.in [59.90.246.1]
  3     6 ms     4 ms     4 ms  10.219.31.98
  4     *        *        *     Request timed out.
  5     *     ^C
C:\Users\USER>nslookup google.com
Server:  UnKnown
Address:  2001:4490:efd4::4

Non-authoritative answer:
Name:    google.com
Addresses:  2404:6800:4007:83e::200e
          172.217.24.174
```


C:\Windows\System32\cmd.exe
C:\Windows\system32>ipconfig
Windows IP Configuration
Ethernet adapter Ethernet:
Connection-specific DNS Suffix . :
IPv6 Address. . . . . : fc
Temporary IPv6 Address. . . . . : fc
Link-local IPv6 Address . . . . . : fe
IPv4 Address. . . . . : 10
Subnet Mask . . . . . : 25
Default Gateway . . . . . : fe
10
C:\Windows\system32>ping 10.0.2.15
Pinging 10.0.2.15 with 32 bytes of data:
Reply from 10.0.2.15: bytes=32 time<1ms
Reply from 10.0.2.15: bytes=32 time<1ms
Reply from 10.0.2.15: bytes=32 time<1ms
Reply from 10.0.2.15: bytes=32 time<1ms
Ping statistics for 10.0.2.15:
Packets: Sent = 4, Received = 4, Lost
Approximate round trip times in milli-sec
Minimum = 0ms, Maximum = 0ms, Average
C:\Windows\system32>

```
Microsoft Windows [Version 10.0.19045.3803]
(c) Microsoft Corporation. All rights reserved.

C:\Users\vboxuser>ipconfig

Windows IP Configuration


Ethernet adapter Ethernet:

   Connection-specific DNS Suffix  . :
   IPv6 Address. . . . . . . . . . . : fd17:625c:f037:2:1aa9:bd22:5683:1fbf
   Temporary IPv6 Address. . . . . . : fd17:625c:f037:2:d504:3965:1821:7890
   Link-local IPv6 Address . . . . . : fe80::1336:d8a4:6d49:7d61%6
   IPv4 Address. . . . . . . . . . . : 10.0.2.15
   Subnet Mask . . . . . . . . . . . : 255.255.255.0
   Default Gateway . . . . . . . . . : fe80::2%6
                                       10.0.2.2

C:\Users\vboxuser>tracert 8.8.8.8


Tracing route to dns.google [8.8.8.8]
over a maximum of 30 hops:

  1    23 ms    53 ms    12 ms  dns.google [8.8.8.8]

Trace complete.

C:\Users\vboxuser>nslookup google.com
Server:  multiplay.bsnl.in
Address:  218.248.112.65

Non-authoritative answer:
Name:    google.com
Addresses:  2404:6800:4007:804::200e
          192.179.20.100
          192.179.20.102
          192.179.20.139
          192.179.20.138
          192.179.20.101
          192.179.20.113
```


kali@kali: ~
Session Actions Edit View Help
┌──(kali㉿kali)-[~]
└─$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
inet 127.0.0.1/8 scope host lo
valid_lft forever preferred_lft forever
inet6 ::1/128 scope host noprefixroute
valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
link/ether 08:00:27:5a:87:bc brd ff:ff:ff:ff:ff:ff
inet 10.0.2.15/24 brd 10.0.2.255 scope global dynamic noprefixroute eth0
valid_lft 86311sec preferred_lft 86311sec
inet6 fe80::41fc:29d6:bb98:433f/64 scope link noprefixroute
valid_lft forever preferred_lft forever
┌──(kali㉿kali)-[~]
└─$ ping 10.0.2.15
PING 10.0.2.15 (10.0.2.15) 56(84) bytes of data.
64 bytes from 10.0.2.15: icmp_seq=1 ttl=64 time=0.239 ms
64 bytes from 10.0.2.15: icmp_seq=2 ttl=64 time=0.052 ms
64 bytes from 10.0.2.15: icmp_seq=3 ttl=64 time=0.036 ms
64 bytes from 10.0.2.15: icmp_seq=4 ttl=64 time=0.039 ms
64 bytes from 10.0.2.15: icmp_seq=5 ttl=64 time=0.059 ms
^Z
zsh: suspended ping 10.0.2.15