Event ID / Rule - What It Means - When to Use It

SOC quick-reference for Windows Security, Sysmon, Linux auditd and Snort (Week 3).

Cheat Sheet Table

Event ID / Rule	Source	What It Means	When to Use It
4624	Windows Security	Successful logon	Investigating normal vs. anomalous logins; check Logon Type (3 = network, 10 = RDP)
4625	Windows Security	Failed logon	Detecting brute force or password spraying attempts
4634 / 4647	Windows Security	Logoff / user-initiated logoff	Measuring session duration and building user timelines
4648	Windows Security	Logon using explicit credentials (RunAs)	Spotting lateral movement and credential misuse
4672	Windows Security	Special privileges assigned to new logon	Detecting administrator-level logons
4688	Windows Security	Process creation	Tracking program execution when Sysmon is not available
4698	Windows Security	Scheduled task created	Detecting persistence (T1053)
4720	Windows Security	New user account created	Detecting persistence (T1136)

Event ID / Rule	Source	What It Means	When to Use It
4732	Windows Security	Member added to a security-enabled local group	Detecting privilege escalation (user added to Administrators)
1102	Windows Security	Audit log cleared	Detecting defence evasion and anti-forensics (T1070)
1	Sysmon	Process Create	Monitoring process execution, command lines, parent-child chains, hashes
3	Sysmon	Network Connection	Detecting C2 or lateral movement (process-to-IP/port mapping)
7	Sysmon	Image (DLL) Loaded	Detecting DLL side-loading and injection
8	Sysmon	CreateRemoteThread	Detecting process injection
10	Sysmon	Process Access	Detecting credential dumping from lsass.exe (T1003)
11	Sysmon	File Create	Detecting dropped files and payloads
13	Sysmon	Registry Value Set	Detecting persistence through Run keys and configuration tampering

Event ID / Rule	Source	What It Means	When to Use It
22	Sysmon	DNS Query	Detecting DNS-based C2, DGA domains and tunnelling
EXECVE	Linux auditd	Command execution with arguments	Auditing Linux commands run by users and attackers
SYSCALL	Linux auditd	System call made by a process (uid, auid, exe, success)	Identifying the process and user behind any audited action
USER_LOGIN	Linux auditd	User login event	Tracking Linux authentication and session starts
USER_AUTH	Linux auditd	Authentication attempt	Detecting failed logins and brute force
USER_CMD	Linux auditd	Command run through sudo	Tracking privileged command usage
ADD_USER	Linux auditd	User account added	Detecting persistence through new accounts
1000001	Snort	ICMP Ping Detected	Detecting network reconnaissance (ping sweep)
1000002	Snort	SSH Connection Attempt	Monitoring SSH access to protected hosts
1000003	Snort	HTTP Traffic	Monitoring web traffic to protected servers
1000004	Snort	MITRE T1046 - Nmap SYN Port Scan Detected	Detecting port scanning (T1046 Network Service Discovery)

Event ID / Rule	Source	What It Means	When to Use It
1000005	Snort	MITRE T1110 - SSH Brute Force Attempt Detected (optional rule)	Detecting repeated SSH connection attempts (T1110 Brute Force)

Total entries: 29

Quick Command Reference

Task	Command
Open Sysmon log (PowerShell)	`Get-WinEvent -LogName "Microsoft-Windows-Sysmon/Operational" -MaxEvents 20`
Filter Sysmon Event ID 1	`Get-WinEvent -FilterHashtable @{LogName='Microsoft-Windows-Sysmon/Operational'; Id=1} -MaxEvents 10`
Failed Windows logons	`Get-WinEvent -FilterHashtable @{LogName='Security'; Id=4625} -MaxEvents 10`
Search auditd by key	`sudo ausearch -k <key>`
Search auditd by type	`sudo ausearch -m EXECVE -ts recent`
Audit authentication report	`sudo aureport -au`
Test Snort config	`sudo snort -T -i <interface> -c /etc/snort/snort.conf`
Run Snort in console mode	`sudo snort -A console -q -c /etc/snort/snort.conf -i <interface>`
Scan used to trigger T1046 rule	`nmap -sS <target>`

MITRE ATT&CK Quick Mapping

Detection	Technique
Snort 1000004 (SYN scan)	T1046 Network Service Discovery
Snort 1000005 (SSH brute force)	T1110 Brute Force
Windows 4625 (many failures)	T1110 Brute Force
Windows 4720	T1136 Create Account
Windows 1102	T1070 Indicator Removal
Sysmon 10 on lsass.exe	T1003 OS Credential Dumping

Detection	Technique
Sysmon 13 on Run keys	T1547 Boot or Logon Autostart Execution
Sysmon 22 (random domains)	T1071.004 Application Layer Protocol: DNS
auditd ADD_USER	T1136 Create Account