

CSA0918 - JAVA PROGRAMING


CO1-AT2

Preethika M (192421084)


1. Read the ages of three siblings and display the oldest and youngest, including a message when any ages are equal.



Pseudocode:



2. Read N integers and display cumulative sums in a second Array.



Pseudocode:

Input N

Declare Integer Array A[N]

Declare Integer Array B[N]

Declare Integer i

Declare Integer sum

Assign sum = 0

For i = 0 To N - 1

Input A[i]

Assign sum = sum + A[i]

Assign B[i] = sum


End For

For i = 0 To N - 1

Output B[i]

End For

3. Create a function `gradePoint(mark)` and use it to calculate the average grade point for an array of marks.



Pseudocode:

```
Input N
Declare Integer i
Declare Integer mark
Declare Integer gp
Declare Integer total
Declare Real average
Assign total = 0
For i = 1 To N
    Input mark
    Assign gp = gradePoint(mark)
    Assign total = total + gp
End For
Assign average = total / N
Output "Average Grade Point = "
Output average
End

Function gradePoint(mark)
    If mark >= 90
        Return 10
    Else If mark >= 80
        Return 9
    Else If mark >= 70
        Return 8
    Else If mark >= 60
        Return 7
    Else If mark >= 50
        Return 6
    Else If mark >= 40
        Return 5
    Else
        Return 0
    End Function
```