data-wrangling

March 13, 2020

```
<a href="https://cocl.us/corsera_da0101en_notebook_top">
     <img src="https://s3-api.us-geo.objectstorage.softlayer.net/cf-courses-data/CognitiveClas
</a>
```

Data Analysis with Python

Data Wrangling

Welcome!

By the end of this notebook, you will have learned the basics of Data Wrangling!

Table of content

Identify and handle missing values

Identify missing values

Deal with missing values

Correct data format

```
</li>
<li><a href="#data_standardization">Data standardization</a></li>
<li><a href="#data_normalization">Data Normalization (centering/scaling)</a></li>
<li><a href="#binning">Binning</a></li>
<li><a href="#indicator">Indicator variable</a></li>
```

Estimated Time Needed: 30 min

What is the purpose of Data Wrangling?

Data Wrangling is the process of converting data from the initial format to a format that may be better for analysis.

What is the fuel consumption (L/100k) rate for the diesel car?

Import data

You can find the "Automobile Data Set" from the following link: https://archive.ics.uci.edu/ml/machine-learning-databases/autos/imports-85.data. We will be using this data set throughout this course.

Import pandas

[1]:
```python
import pandas as pd
import matplotlib.pylab as plt
```

Reading the data set from the URL and adding the related headers.

URL of the dataset

This dataset was hosted on IBM Cloud object click HERE for free storage

[2]:
```
filename = "https://s3-api.us-geo.objectstorage.softlayer.net/cf-courses-data/
 ↪CognitiveClass/DA0101EN/auto.csv"
```

Python list headers containing name of headers

[3]:
```
headers = ["symboling","normalized-losses","make","fuel-type","aspiration",␣
 ↪"num-of-doors","body-style",
         "drive-wheels","engine-location","wheel-base",␣
 ↪"length","width","height","curb-weight","engine-type",
         "num-of-cylinders",␣
 ↪"engine-size","fuel-system","bore","stroke","compression-ratio","horsepower",
         "peak-rpm","city-mpg","highway-mpg","price"]
```

Use the Pandas method read_csv() to load the data from the web address. Set the parameter "names" equal to the Python list "headers".

[4]:
```
df = pd.read_csv(filename, names = headers)
```

Use the method head() to display the first five rows of the dataframe.

[5]:
```
# To see what the data set looks like, we'll use the head() method.
df.head()
```

[5]:
```
   symboling normalized-losses         make fuel-type aspiration num-of-doors  \
0          3                 ?  alfa-romero       gas        std          two
1          3                 ?  alfa-romero       gas        std          two
2          1                 ?  alfa-romero       gas        std          two
3          2               164         audi       gas        std         four
4          2               164         audi       gas        std         four

    body-style drive-wheels engine-location  wheel-base  …  engine-size  \
0  convertible          rwd           front        88.6  …          130
1  convertible          rwd           front        88.6  …          130
2    hatchback          rwd           front        94.5  …          152
3        sedan          fwd           front        99.8  …          109
4        sedan          4wd           front        99.4  …          136

   fuel-system  bore  stroke compression-ratio horsepower  peak-rpm city-mpg  \
0         mpfi  3.47    2.68               9.0        111      5000       21
1         mpfi  3.47    2.68               9.0        111      5000       21
2         mpfi  2.68    3.47               9.0        154      5000       19
3         mpfi  3.19    3.40              10.0        102      5500       24
4         mpfi  3.19    3.40               8.0        115      5500       18
```

```
  highway-mpg  price
0          27  13495
1          27  16500
2          26  16500
3          30  13950
4          22  17450

[5 rows x 26 columns]
```

As we can see, several question marks appeared in the dataframe; those are missing values which may hinder our further analysis.

So, how do we identify all those missing values and deal with them?

How to work with missing data?

Steps for working with missing data:

dentify missing data

deal with missing data

correct data format

Identify and handle missing values

Identify missing values

Convert "?" to NaN

In the car dataset, missing data comes with the question mark "?". We replace "?" with NaN (Not a Number), which is Python's default missing value marker, for reasons of computational speed and convenience. Here we use the function:

to replace A by B

[6]:
```python
import numpy as np

# replace "?" to NaN
df.replace("?", np.nan, inplace = True)
df.head(5)
```

[6]:
```
   symboling normalized-losses         make fuel-type aspiration num-of-doors  \
0          3               NaN  alfa-romero       gas        std          two
1          3               NaN  alfa-romero       gas        std          two
2          1               NaN  alfa-romero       gas        std          two
3          2               164         audi       gas        std         four
4          2               164         audi       gas        std         four

    body-style drive-wheels engine-location  wheel-base  …  engine-size  \
0  convertible          rwd           front        88.6  …          130
1  convertible          rwd           front        88.6  …          130
```

```
2    hatchback           rwd           front         94.5  …           152
3        sedan           fwd           front         99.8  …           109
4        sedan           4wd           front         99.4  …           136

  fuel-system  bore  stroke compression-ratio horsepower  peak-rpm city-mpg  \
0        mpfi  3.47    2.68               9.0        111      5000       21
1        mpfi  3.47    2.68               9.0        111      5000       21
2        mpfi  2.68    3.47               9.0        154      5000       19
3        mpfi  3.19    3.40              10.0        102      5500       24
4        mpfi  3.19    3.40               8.0        115      5500       18

  highway-mpg  price
0          27  13495
1          27  16500
2          26  16500
3          30  13950
4          22  17450

[5 rows x 26 columns]
```

dentify_missing_values

Evaluating for Missing Data

The missing values are converted to Python's default. We use Python's built-in functions to identify these missing values. There are two methods to detect missing data:

.isnull()

.notnull()

The output is a boolean value indicating whether the value that is passed into the argument is in fact missing data.

[14]:
```
missing_data = df.isnull()
missing_data.head()
```

[14]:
```
   symboling  normalized-losses   make  fuel-type  aspiration  num-of-doors  \
0      False              False  False      False       False         False
1      False              False  False      False       False         False
2      False              False  False      False       False         False
3      False              False  False      False       False         False
4      False              False  False      False       False         False
5      False              False  False      False       False         False
6      False              False  False      False       False         False
7      False              False  False      False       False         False
8      False              False  False      False       False         False
9      False              False  False      False       False         False

   body-style  drive-wheels  engine-location  wheel-base  …  engine-size  \
```

```
0       False         False             False        False  …        False
1       False         False             False        False  …        False
2       False         False             False        False  …        False
3       False         False             False        False  …        False
4       False         False             False        False  …        False
5       False         False             False        False  …        False
6       False         False             False        False  …        False
7       False         False             False        False  …        False
8       False         False             False        False  …        False
9       False         False             False        False  …        False

   fuel-system   bore  stroke  compression-ratio  horsepower  peak-rpm  \
0        False  False   False              False       False     False
1        False  False   False              False       False     False
2        False  False   False              False       False     False
3        False  False   False              False       False     False
4        False  False   False              False       False     False
5        False  False   False              False       False     False
6        False  False   False              False       False     False
7        False  False   False              False       False     False
8        False  False   False              False       False     False
9        False  False   False              False       False     False

   city-mpg  highway-mpg  price
0     False        False  False
1     False        False  False
2     False        False  False
3     False        False  False
4     False        False  False
5     False        False  False
6     False        False  False
7     False        False  False
8     False        False  False
9     False        False   True

[10 rows x 26 columns]
```

“True” stands for missing value, while “False” stands for not missing value.

Count missing values in each column

Using a for loop in Python, we can quickly figure out the number of missing values in each column. As mentioned above, “True” represents a missing value, “False” means the value is present in the dataset. In the body of the for loop the method “.value_counts()” counts the number of “True” values.

[8]:
```
for column in missing_data.columns.values.tolist():
    print(column)
```

```
    print (missing_data[column].value_counts())
    print("")
```

```
symboling
False    205
Name: symboling, dtype: int64

normalized-losses
False    164
True      41
Name: normalized-losses, dtype: int64

make
False    205
Name: make, dtype: int64

fuel-type
False    205
Name: fuel-type, dtype: int64

aspiration
False    205
Name: aspiration, dtype: int64

num-of-doors
False    203
True       2
Name: num-of-doors, dtype: int64

body-style
False    205
Name: body-style, dtype: int64

drive-wheels
False    205
Name: drive-wheels, dtype: int64

engine-location
False    205
Name: engine-location, dtype: int64

wheel-base
False    205
Name: wheel-base, dtype: int64

length
False    205
```

```
Name: length, dtype: int64

width
False    205
Name: width, dtype: int64

height
False    205
Name: height, dtype: int64

curb-weight
False    205
Name: curb-weight, dtype: int64

engine-type
False    205
Name: engine-type, dtype: int64

num-of-cylinders
False    205
Name: num-of-cylinders, dtype: int64

engine-size
False    205
Name: engine-size, dtype: int64

fuel-system
False    205
Name: fuel-system, dtype: int64

bore
False    201
True       4
Name: bore, dtype: int64

stroke
False    201
True       4
Name: stroke, dtype: int64

compression-ratio
False    205
Name: compression-ratio, dtype: int64

horsepower
False    203
True       2
Name: horsepower, dtype: int64
```

```
peak-rpm
False    203
True       2
Name: peak-rpm, dtype: int64

city-mpg
False    205
Name: city-mpg, dtype: int64

highway-mpg
False    205
Name: highway-mpg, dtype: int64

price
False    201
True       4
Name: price, dtype: int64
```

Based on the summary above, each column has 205 rows of data, seven columns containing missing data:

“normalized-losses”: 41 missing data

“num-of-doors”: 2 missing data

“bore”: 4 missing data

“stroke” : 4 missing data

“horsepower”: 2 missing data

“peak-rpm”: 2 missing data

“price”: 4 missing data

Deal with missing data

How to deal with missing data?

drop data a. drop the whole row b. drop the whole column

replace data a. replace it by mean b. replace it by frequency c. replace it based on other functions

Whole columns should be dropped only if most entries in the column are empty. In our dataset, none of the columns are empty enough to drop entirely. We have some freedom in choosing which method to replace data; however, some methods may seem more reasonable than others. We will apply each method to many different columns:

Replace by mean:

“normalized-losses”: 41 missing data, replace them with mean

“stroke”: 4 missing data, replace them with mean "bore": 4 missing data, replace them with mean

"horsepower": 2 missing data, replace them with mean

"peak-rpm": 2 missing data, replace them with mean

Replace by frequency:

"num-of-doors": 2 missing data, replace them with "four".

Reason: 84% sedans is four doors. Since four doors is most frequent, it is most likely to occur

Drop the whole row:

"price": 4 missing data, simply delete the whole row

Reason: price is what we want to predict. Any data entry without price data cannot be used for prediction; therefore any row now without price data is not useful to us

Calculate the average of the column

[19]:
```
avg_norm_loss = df["normalized-losses"].astype("float").mean(axis=0)
print("Average of normalized-losses:", avg_norm_loss)
```

```
Average of normalized-losses: 122.0
```

Replace "NaN" by mean value in "normalized-losses" column

[10]:
```
df["normalized-losses"].replace(np.nan, avg_norm_loss, inplace=True)
```

Calculate the mean value for 'bore' column

[11]:
```
avg_bore=df['bore'].astype('float').mean(axis=0)
print("Average of bore:", avg_bore)
```

```
Average of bore: 3.3297512437810943
```

Replace NaN by mean value

[13]:
```
df["bore"].replace(np.nan, avg_bore, inplace=True)
df.head()
```

[13]:
```
   symboling normalized-losses         make fuel-type aspiration num-of-doors  \
0          3               122  alfa-romero       gas        std          two
1          3               122  alfa-romero       gas        std          two
2          1               122  alfa-romero       gas        std          two
3          2               164         audi       gas        std         four
4          2               164         audi       gas        std         four

    body-style drive-wheels engine-location  wheel-base  …  engine-size  \
0  convertible          rwd           front        88.6  …          130
```

```
1  convertible         rwd         front        88.6  ...           130
2    hatchback         rwd         front        94.5  ...           152
3        sedan         fwd         front        99.8  ...           109
4        sedan         4wd         front        99.4  ...           136

  fuel-system  bore  stroke compression-ratio horsepower  peak-rpm city-mpg  \
0        mpfi  3.47    2.68               9.0        111      5000       21
1        mpfi  3.47    2.68               9.0        111      5000       21
2        mpfi  2.68    3.47               9.0        154      5000       19
3        mpfi  3.19    3.40              10.0        102      5500       24
4        mpfi  3.19    3.40               8.0        115      5500       18

  highway-mpg  price
0          27  13495
1          27  16500
2          26  16500
3          30  13950
4          22  17450

[5 rows x 26 columns]
```

Question #1:

According to the example above, replace NaN in "stroke" column by mean.

[22]:
```python
# Write your code below and press Shift+Enter to execute
avg_stroke = df["stroke"].astype("float").mean(axis=0)
df["stroke"].replace(np.nan,avg_stroke,inplace=True)
```

Double-click here for the solution.

Calculate the mean value for the 'horsepower' column:

[23]:
```python
avg_horsepower = df['horsepower'].astype('float').mean(axis=0)
print("Average horsepower:", avg_horsepower)
```

```
Average horsepower: 104.25615763546799
```

Replace "NaN" by mean value:

[24]:
```python
df['horsepower'].replace(np.nan, avg_horsepower, inplace=True)
```

Calculate the mean value for 'peak-rpm' column:

[25]:
```python
avg_peakrpm=df['peak-rpm'].astype('float').mean(axis=0)
print("Average peak rpm:", avg_peakrpm)
```

```
Average peak rpm: 5125.369458128079
```

Replace NaN by mean value:

```
[26]: df['peak-rpm'].replace(np.nan, avg_peakrpm, inplace=True)
```

To see which values are present in a particular column, we can use the ".value_counts()" method:

```
[27]: df['num-of-doors'].value_counts()
```

```
[27]: four    114
      two      89
      Name: num-of-doors, dtype: int64
```

We can see that four doors are the most common type. We can also use the ".idxmax()" method to calculate for us the most common type automatically:

```
[31]: df['num-of-doors'].value_counts().idxmax()
```

```
[31]: 'four'
```

The replacement procedure is very similar to what we have seen previously

```
[32]: #replace the missing 'num-of-doors' values by the most frequent
      df["num-of-doors"].replace(np.nan, "four", inplace=True)
```

Finally, let's drop all rows that do not have price data:

```
[33]: # simply drop whole row with NaN in "price" column
      df.dropna(subset=["price"], axis=0, inplace=True)

      # reset index, because we droped two rows
      df.reset_index(drop=True, inplace=True)
```

```
[34]: df.head()
```

```
[34]:    symboling normalized-losses         make fuel-type aspiration num-of-doors  \
      0          3               122  alfa-romero       gas        std          two
      1          3               122  alfa-romero       gas        std          two
      2          1               122  alfa-romero       gas        std          two
      3          2               164         audi       gas        std         four
      4          2               164         audi       gas        std         four

          body-style drive-wheels engine-location  wheel-base  …  engine-size  \
      0  convertible          rwd           front        88.6  …          130
      1  convertible          rwd           front        88.6  …          130
      2    hatchback          rwd           front        94.5  …          152
      3        sedan          fwd           front        99.8  …          109
      4        sedan          4wd           front        99.4  …          136

         fuel-system  bore  stroke compression-ratio horsepower  peak-rpm city-mpg  \
      0         mpfi  3.47    2.68               9.0        111      5000       21
```

```
1          mpfi  3.47    2.68                9.0         111       5000         21
2          mpfi  2.68    3.47                9.0         154       5000         19
3          mpfi  3.19    3.40               10.0         102       5500         24
4          mpfi  3.19    3.40                8.0         115       5500         18

  highway-mpg  price
0          27  13495
1          27  16500
2          26  16500
3          30  13950
4          22  17450

[5 rows x 26 columns]
```

Good! Now, we obtain the dataset with no missing values.

Correct data format

We are almost there!

The last step in data cleaning is checking and making sure that all data is in the correct format (int, float, text or other).

In Pandas, we use

.dtype() to check the data type

.astype() to change the data type

Lets list the data types for each column

[35]:
```
df.dtypes
```

[35]:
```
symboling              int64
normalized-losses     object
make                  object
fuel-type             object
aspiration            object
num-of-doors          object
body-style            object
drive-wheels          object
engine-location       object
wheel-base           float64
length               float64
width                float64
height               float64
curb-weight            int64
engine-type           object
num-of-cylinders      object
engine-size            int64
fuel-system           object
```

```
bore                     object
stroke                   object
compression-ratio       float64
horsepower               object
peak-rpm                 object
city-mpg                  int64
highway-mpg               int64
price                    object
dtype: object
```

As we can see above, some columns are not of the correct data type. Numerical variables should have type 'float' or 'int', and variables with strings such as categories should have type 'object'. For example, 'bore' and 'stroke' variables are numerical values that describe the engines, so we should expect them to be of the type 'float' or 'int'; however, they are shown as type 'object'. We have to convert data types into a proper format for each column using the "astype()" method.

Convert data types to proper format

[36]:
```
df[["bore", "stroke"]] = df[["bore", "stroke"]].astype("float")
df[["normalized-losses"]] = df[["normalized-losses"]].astype("int")
df[["price"]] = df[["price"]].astype("float")
df[["peak-rpm"]] = df[["peak-rpm"]].astype("float")
```

Let us list the columns after the conversion

[37]:
```
df.dtypes
```

[37]:
```
symboling                 int64
normalized-losses         int64
make                     object
fuel-type                object
aspiration               object
num-of-doors             object
body-style               object
drive-wheels             object
engine-location          object
wheel-base              float64
length                  float64
width                   float64
height                  float64
curb-weight               int64
engine-type              object
num-of-cylinders         object
engine-size               int64
fuel-system              object
bore                    float64
stroke                  float64
compression-ratio       float64
```

```
horsepower           object
peak-rpm            float64
city-mpg              int64
highway-mpg           int64
price               float64
dtype: object
```

Wonderful!

Now, we finally obtain the cleaned dataset with no missing values and all data in its proper format.

Data Standardization

Data is usually collected from different agencies with different formats. (Data Standardization is also a term for a particular type of data normalization, where we subtract the mean and divide by the standard deviation)

What is Standardization?

Standardization is the process of transforming data into a common format which allows the researcher to make the meaningful comparison.

Example

Transform mpg to L/100km:

In our dataset, the fuel consumption columns "city-mpg" and "highway-mpg" are represented by mpg (miles per gallon) unit. Assume we are developing an application in a country that accept the fuel consumption with L/100km standard

We will need to apply data transformation to transform mpg into L/100km?

The formula for unit conversion is

L/100km = 235 / mpg

We can do many mathematical operations directly in Pandas.

[38]:
```
df.head()
```

[38]:
```
   symboling  normalized-losses         make fuel-type aspiration  \
0          3                122  alfa-romero       gas        std
1          3                122  alfa-romero       gas        std
2          1                122  alfa-romero       gas        std
3          2                164         audi       gas        std
4          2                164         audi       gas        std

  num-of-doors   body-style drive-wheels engine-location  wheel-base  …  \
0          two  convertible          rwd           front        88.6  …
1          two  convertible          rwd           front        88.6  …
2          two    hatchback          rwd           front        94.5  …
3         four        sedan          fwd           front        99.8  …
4         four        sedan          4wd           front        99.4  …
```

```
   engine-size  fuel-system  bore  stroke compression-ratio horsepower  \
0          130         mpfi  3.47    2.68               9.0        111
1          130         mpfi  3.47    2.68               9.0        111
2          152         mpfi  2.68    3.47               9.0        154
3          109         mpfi  3.19    3.40              10.0        102
4          136         mpfi  3.19    3.40               8.0        115

   peak-rpm city-mpg  highway-mpg    price
0    5000.0       21           27  13495.0
1    5000.0       21           27  16500.0
2    5000.0       19           26  16500.0
3    5500.0       24           30  13950.0
4    5500.0       18           22  17450.0

[5 rows x 26 columns]
```

[39]:
```
# Convert mpg to L/100km by mathematical operation (235 divided by mpg)
df['city-L/100km'] = 235/df["city-mpg"]

# check your transformed data
df.head()
```

[39]:
```
   symboling  normalized-losses         make fuel-type aspiration  \
0          3                122  alfa-romero       gas        std
1          3                122  alfa-romero       gas        std
2          1                122  alfa-romero       gas        std
3          2                164         audi       gas        std
4          2                164         audi       gas        std

  num-of-doors   body-style drive-wheels engine-location  wheel-base  …  \
0          two  convertible          rwd           front        88.6  …
1          two  convertible          rwd           front        88.6  …
2          two    hatchback          rwd           front        94.5  …
3         four        sedan          fwd           front        99.8  …
4         four        sedan          4wd           front        99.4  …

   fuel-system  bore  stroke  compression-ratio horsepower peak-rpm  city-mpg  \
0         mpfi  3.47    2.68                9.0        111   5000.0        21
1         mpfi  3.47    2.68                9.0        111   5000.0        21
2         mpfi  2.68    3.47                9.0        154   5000.0        19
3         mpfi  3.19    3.40               10.0        102   5500.0        24
4         mpfi  3.19    3.40                8.0        115   5500.0        18

  highway-mpg    price  city-L/100km
0          27  13495.0     11.190476
1          27  16500.0     11.190476
```

```
2           26  16500.0      12.368421
3           30  13950.0       9.791667
4           22  17450.0      13.055556

[5 rows x 27 columns]
```

Question #2:

According to the example above, transform mpg to L/100km in the column of "highway-mpg", and change the name of column to "highway-L/100km".

[42]:

```python
# Write your code below and press Shift+Enter to execute
df["highway-mpg"] = 235/df["highway-mpg"]
df.rename(columns={'highway-mpg':'highway-L/100km'}, inplace=True)
df.head()
```

[42]:

```
   symboling  normalized-losses         make fuel-type aspiration  \
0          3                122  alfa-romero       gas        std
1          3                122  alfa-romero       gas        std
2          1                122  alfa-romero       gas        std
3          2                164         audi       gas        std
4          2                164         audi       gas        std

  num-of-doors   body-style drive-wheels engine-location  wheel-base  …  \
0          two  convertible          rwd           front        88.6  …
1          two  convertible          rwd           front        88.6  …
2          two    hatchback          rwd           front        94.5  …
3         four        sedan          fwd           front        99.8  …
4         four        sedan          4wd           front        99.4  …

   fuel-system  bore  stroke  compression-ratio horsepower peak-rpm  city-mpg  \
0         mpfi  3.47    2.68                9.0        111   5000.0        21
1         mpfi  3.47    2.68                9.0        111   5000.0        21
2         mpfi  2.68    3.47                9.0        154   5000.0        19
3         mpfi  3.19    3.40               10.0        102   5500.0        24
4         mpfi  3.19    3.40                8.0        115   5500.0        18

  highway-L/100km    price  city-L/100km
0        8.703704  13495.0     11.190476
1        8.703704  16500.0     11.190476
2        9.038462  16500.0     12.368421
3        7.833333  13950.0      9.791667
4       10.681818  17450.0     13.055556

[5 rows x 27 columns]
```

Double-click here for the solution.

Data Normalization

Why normalization?

Normalization is the process of transforming values of several variables into a similar range. Typical normalizations include scaling the variable so the variable average is 0, scaling the variable so the variance is 1, or scaling variable so the variable values range from 0 to 1

Example

To demonstrate normalization, let's say we want to scale the columns "length", "width" and "height"

Target:would like to Normalize those variables so their value ranges from 0 to 1.

Approach: replace original value by (original value)/(maximum value)

[44]:
```
# replace (original value) by (original value)/(maximum value)
df['length'] = df['length']/df['length'].max()
df['width'] = df['width']/df['width'].max()
df.head()
```

[44]:
```
   symboling  normalized-losses         make fuel-type aspiration  \
0          3                122  alfa-romero       gas        std
1          3                122  alfa-romero       gas        std
2          1                122  alfa-romero       gas        std
3          2                164         audi       gas        std
4          2                164         audi       gas        std

  num-of-doors   body-style drive-wheels engine-location  wheel-base  …  \
0          two  convertible          rwd           front        88.6  …
1          two  convertible          rwd           front        88.6  …
2          two    hatchback          rwd           front        94.5  …
3         four        sedan          fwd           front        99.8  …
4         four        sedan          4wd           front        99.4  …

   fuel-system  bore  stroke  compression-ratio horsepower peak-rpm  city-mpg  \
0         mpfi  3.47    2.68                9.0        111   5000.0        21
1         mpfi  3.47    2.68                9.0        111   5000.0        21
2         mpfi  2.68    3.47                9.0        154   5000.0        19
3         mpfi  3.19    3.40               10.0        102   5500.0        24
4         mpfi  3.19    3.40                8.0        115   5500.0        18

  highway-L/100km    price  city-L/100km
0        8.703704  13495.0     11.190476
1        8.703704  16500.0     11.190476
2        9.038462  16500.0     12.368421
3        7.833333  13950.0      9.791667
4       10.681818  17450.0     13.055556

[5 rows x 27 columns]
```

Questiont #3:

According to the example above, normalize the column “height”.

[46]:
```
# Write your code below and press Shift+Enter to execute
df['height'] = df['height']/df['height'].max()
df[["length","width","height"]].head()
```

[46]:

	length	width	height
0	0.811148	0.890278	0.816054
1	0.811148	0.890278	0.816054
2	0.822681	0.909722	0.876254
3	0.848630	0.919444	0.908027
4	0.848630	0.922222	0.908027

Double-click here for the solution.

Here we can see, we’ve normalized “length”, “width” and “height” in the range of [0,1].

Binning

Why binning?

Binning is a process of transforming continuous numerical variables into discrete categorical ‘bins’, for grouped analysis.

Example:

In our dataset, “horsepower” is a real valued variable ranging from 48 to 288, it has 57 unique values. What if we only care about the price difference between cars with high horsepower, medium horsepower, and little horsepower (3 types)? Can we rearrange them into three ‘bins’ to simplify analysis?

We will use the Pandas method ‘cut’ to segment the ‘horsepower’ column into 3 bins

Example of Binning Data In Pandas

Convert data to correct format

[47]:
```
df["horsepower"]=df["horsepower"].astype(int, copy=True)
```

Lets plot the histogram of horspower, to see what the distribution of horsepower looks like.

[48]:
```
%matplotlib inline
import matplotlib as plt
from matplotlib import pyplot
plt.pyplot.hist(df["horsepower"])

# set x/y labels and plot title
plt.pyplot.xlabel("horsepower")
plt.pyplot.ylabel("count")
plt.pyplot.title("horsepower bins")
```

[48]: Text(0.5, 1.0, 'horsepower bins')



We would like 3 bins of equal size bandwidth so we use numpy's linspace(start_value, end_value, numbers_generated function.

Since we want to include the minimum value of horsepower we want to set start_value=min(df["horsepower"]).

Since we want to include the maximum value of horsepower we want to set end_value=max(df["horsepower"]).

Since we are building 3 bins of equal length, there should be 4 dividers, so numbers_generated=4.

We build a bin array, with a minimum value to a maximum value, with bandwidth calculated above. The bins will be values used to determine when one bin ends and another begins.

[49]:
```
bins = np.linspace(min(df["horsepower"]), max(df["horsepower"]), 4)
bins
```

[49]: array([48.   , 119.33333333, 190.66666667, 262.   ])

We set group names:

[50]:
```
group_names = ['Low', 'Medium', 'High']
```

We apply the function "cut" the determine what each value of "df['horsepower']" belongs to.

[51]:
```
df['horsepower-binned'] = pd.cut(df['horsepower'], bins, labels=group_names,␣
↪include_lowest=True )
df[['horsepower','horsepower-binned']].head(20)
```

[51]:
```
    horsepower horsepower-binned
0          111               Low
1          111               Low
2          154            Medium
3          102               Low
4          115               Low
5          110               Low
6          110               Low
7          110               Low
8          140            Medium
9          101               Low
10         101               Low
11         121            Medium
12         121            Medium
13         121            Medium
14         182            Medium
15         182            Medium
16         182            Medium
17          48               Low
18          70               Low
19          70               Low
```

Lets see the number of vehicles in each bin.

[52]:
```
df["horsepower-binned"].value_counts()
```

[52]:
```
Low       153
Medium     43
High        5
Name: horsepower-binned, dtype: int64
```

Lets plot the distribution of each bin.

[53]:
```
%matplotlib inline
import matplotlib as plt
from matplotlib import pyplot
pyplot.bar(group_names, df["horsepower-binned"].value_counts())

# set x/y labels and plot title
plt.pyplot.xlabel("horsepower")
plt.pyplot.ylabel("count")
plt.pyplot.title("horsepower bins")
```

[53]:
```
Text(0.5, 1.0, 'horsepower bins')
```



Check the dataframe above carefully, you will find the last column provides the bins for "horsepower" with 3 categories ("Low","Medium" and "High").

We successfully narrow the intervals from 57 to 3!

Bins visualization

Normally, a histogram is used to visualize the distribution of bins we created above.

[54]:
```
%matplotlib inline
import matplotlib as plt
from matplotlib import pyplot

a = (0,1,2)

# draw historgram of attribute "horsepower" with bins = 3
plt.pyplot.hist(df["horsepower"], bins = 3)

# set x/y labels and plot title
plt.pyplot.xlabel("horsepower")
plt.pyplot.ylabel("count")
plt.pyplot.title("horsepower bins")
```

[54]:
```
Text(0.5, 1.0, 'horsepower bins')
```



The plot above shows the binning result for attribute "horsepower".

Indicator variable (or dummy variable)

What is an indicator variable?

An indicator variable (or dummy variable) is a numerical variable used to label categories. They are called 'dummies' because the numbers themselves don't have inherent meaning.

Why we use indicator variables?

So we can use categorical variables for regression analysis in the later modules.

Example

We see the column "fuel-type" has two unique values, "gas" or "diesel". Regression doesn't understand words, only numbers. To use this attribute in regression analysis, we convert "fuel-type" into indicator variables.

We will use the panda's method 'get_dummies' to assign numerical values to different categories of fuel type.

[55]:
```
df.columns
```

[55]:
```
Index(['symboling', 'normalized-losses', 'make', 'fuel-type', 'aspiration',
       'num-of-doors', 'body-style', 'drive-wheels', 'engine-location',
       'wheel-base', 'length', 'width', 'height', 'curb-weight', 'engine-type',
       'num-of-cylinders', 'engine-size', 'fuel-system', 'bore', 'stroke',
```

```
       'compression-ratio', 'horsepower', 'peak-rpm', 'city-mpg',
       'highway-L/100km', 'price', 'city-L/100km', 'horsepower-binned'],
      dtype='object')
```

get indicator variables and assign it to data frame "dummy_variable_1"

[56]:
```
dummy_variable_1 = pd.get_dummies(df["fuel-type"])
dummy_variable_1.head()
```

[56]:
```
   diesel  gas
0       0    1
1       0    1
2       0    1
3       0    1
4       0    1
```

change column names for clarity

[57]:
```
dummy_variable_1.rename(columns={'fuel-type-diesel':'gas', 'fuel-type-diesel':
 ↪'diesel'}, inplace=True)
dummy_variable_1.head()
```

[57]:
```
   diesel  gas
0       0    1
1       0    1
2       0    1
3       0    1
4       0    1
```

We now have the value 0 to represent "gas" and 1 to represent "diesel" in the column "fuel-type". We will now insert this column back into our original dataset.

[58]:
```
# merge data frame "df" and "dummy_variable_1"
df = pd.concat([df, dummy_variable_1], axis=1)

# drop original column "fuel-type" from "df"
df.drop("fuel-type", axis = 1, inplace=True)
```

[59]:
```
df.head()
```

[59]:
```
   symboling  normalized-losses         make aspiration num-of-doors  \
0          3                122  alfa-romero        std          two
1          3                122  alfa-romero        std          two
2          1                122  alfa-romero        std          two
3          2                164         audi        std         four
4          2                164         audi        std         four

  body-style drive-wheels engine-location  wheel-base    length  …  \
```

```
0  convertible          rwd           front        88.6  0.811148  …
1  convertible          rwd           front        88.6  0.811148  …
2    hatchback          rwd           front        94.5  0.822681  …
3        sedan          fwd           front        99.8  0.848630  …
4        sedan          4wd           front        99.4  0.848630  …

   compression-ratio  horsepower  peak-rpm city-mpg highway-L/100km    price  \
0                9.0         111    5000.0       21        8.703704  13495.0
1                9.0         111    5000.0       21        8.703704  16500.0
2                9.0         154    5000.0       19        9.038462  16500.0
3               10.0         102    5500.0       24        7.833333  13950.0
4                8.0         115    5500.0       18       10.681818  17450.0

  city-L/100km  horsepower-binned  diesel  gas
0    11.190476                Low       0    1
1    11.190476                Low       0    1
2    12.368421             Medium       0    1
3     9.791667                Low       0    1
4    13.055556                Low       0    1

[5 rows x 29 columns]
```

The last two columns are now the indicator variable representation of the fuel-type variable. It's all 0s and 1s now.

Question #4:

As above, create indicator variable to the column of "aspiration": "std" to 0, while "turbo" to 1.

[61]:
```
# Write your code below and press Shift+Enter to execute
dummy_variable_2 = pd.get_dummies(df['aspiration'])
dummy_variable_2.rename(columns={'std':'aspiration-std', 'turbo':
 ↪'aspiration-turbo'}, inplace=True)

dummy_variable_2.head()
```

[61]:
```
   aspiration-std  aspiration-turbo
0               1                 0
1               1                 0
2               1                 0
3               1                 0
4               1                 0
```

Double-click here for the solution.

Question #5:

Merge the new dataframe to the original dataframe then drop the column 'aspiration'

[65]:
```
# Write your code below and press Shift+Enter to execute
df = pd.concat([df, dummy_variable_2], axis=1)
# df.drop("aspiration", axis = 1, inplace=True)
df.head()
```

[65]:
```
   symboling  normalized-losses         make num-of-doors   body-style  \
0          3                122  alfa-romero          two  convertible
1          3                122  alfa-romero          two  convertible
2          1                122  alfa-romero          two    hatchback
3          2                164         audi         four        sedan
4          2                164         audi         four        sedan

  drive-wheels engine-location  wheel-base    length     width  …  diesel  \
0          rwd           front        88.6  0.811148  0.890278  …       0
1          rwd           front        88.6  0.811148  0.890278  …       0
2          rwd           front        94.5  0.822681  0.909722  …       0
3          fwd           front        99.8  0.848630  0.919444  …       0
4          4wd           front        99.4  0.848630  0.922222  …       0

   gas  aspiration-std  aspiration-turbo  aspiration-std  aspiration-turbo  \
0    1               1                 0               1                 0
1    1               1                 0               1                 0
2    1               1                 0               1                 0
3    1               1                 0               1                 0
4    1               1                 0               1                 0

   aspiration-std  aspiration-turbo  aspiration-std  aspiration-turbo
0               1                 0               1                 0
1               1                 0               1                 0
2               1                 0               1                 0
3               1                 0               1                 0
4               1                 0               1                 0

[5 rows x 36 columns]
```

Double-click here for the solution.

save the new csv

[66]:
```
df.to_csv('clean_df.csv')
```

Thank you for completing this notebook

<p><a href="https://cocl.us/corsera_da0101en_notebook_bottom"><img src="https://s3-api.us-geo.

About the Authors:

This notebook was written by Mahdi Noorian PhD, Joseph Santarcangelo, Bahare Talayian, Eric Xiao, Steven Dong, Parizad, Hima Vsudevan and Fiorella Wenver and Yi Yao.

Joseph Santarcangelo is a Data Scientist at IBM, and holds a PhD in Electrical Engineering. His research focused on using Machine Learning, Signal Processing, and Computer Vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.