


## PIZZA\_SALES SQL QUERIES

### A. KPI'S

#### 1. Total Revenue

SELECT SUM(total\_price) AS Total\_Revenue from pizza\_sales




The screenshot shows a 'Result Grid' with a 'Filter Rows' input field. The grid contains one row with the column name 'Total\_Revenue' and the value '817860.049999993'.

|   | Total_Revenue    |
|---|------------------|
| ▶ | 817860.049999993 |

#### 2. Average Order Value

SELECT SUM(total\_price) / count(DISTINCT order\_id) AS AVG\_ORDER\_VALUE  
FROM pizza\_sales;




The screenshot shows a 'Result Grid' with a 'Filter Rows' input field. The grid contains one row with the column name 'AVG\_ORDER\_VALUE' and the value '38.307262295081635'.

|   | AVG_ORDER_VALUE    |
|---|--------------------|
| ▶ | 38.307262295081635 |

#### 3. Total Pizza Sold

SELECT SUM(quantity) AS Total\_Pizza\_Sold from pizza\_sales;



The screenshot shows a 'Result Grid' with a 'Filter Rows' input field. The grid contains one row with the column name 'Total\_Pizza\_Sold' and the value '49574'.

|   | Total_Pizza_Sold |
|---|------------------|
| ▶ | 49574            |

#### 4. Total Orders

SELECT count(DISTINCT order\_id) AS Total\_order FROM pizza\_sales;

| Result Grid |             |
|-------------|-------------|
|             | Total_order |
| ▶           | 21350       |

## 5. Average Pizza per Order

```
SELECT SUM(quantity)/ COUNT(DISTINCT order_id) AS Avg_pizza_per_order
FROM pizza_sales;
```

| Result Grid |                     |
|-------------|---------------------|
|             | Avg_pizza_per_order |
| ▶           | 2.3220              |

```
SELECT CAST(SUM(quantity)/ COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS
Avg_pizza_per_order FROM pizza_sales;
```

| Result Grid |                     |
|-------------|---------------------|
|             | Avg_pizza_per_order |
| ▶           | 2.32                |

## B. Daily Trend for total orders

```
SELECT
DAYNAME(order_date) AS order_day,
COUNT(DISTINCT order_id) AS total_order FROM pizza_sales_copy
GROUP BY order_day
ORDER BY total_order;
```

| Result Grid |           |             | Filter Rows: |
|-------------|-----------|-------------|--------------|
|             | order_day | total_order |              |
| ▶           | Sunday    | 2624        |              |
|             | Monday    | 2794        |              |
|             | Tuesday   | 2973        |              |
|             | Wednesday | 3024        |              |
|             | Saturday  | 3158        |              |
|             | Thursday  | 3239        |              |
|             | Friday    | 3538        |              |

### C. Monthly Trend for total orders

```
SELECT
MONTHNAME(order_date) AS order_month,
COUNT(DISTINCT order_id) AS total_order from pizza_sales_copy
GROUP BY order_month
ORDER BY total_order DESC;
```

| Result Grid |             |             | Filter Rows: |
|-------------|-------------|-------------|--------------|
|             | order_month | total_order |              |
| ▶           | July        | 1935        |              |
|             | May         | 1853        |              |
|             | January     | 1845        |              |
|             | August      | 1841        |              |
|             | March       | 1840        |              |
|             | April       | 1799        |              |
|             | November    | 1792        |              |
|             | June        | 1773        |              |
|             | February    | 1685        |              |
|             | December    | 1680        |              |
|             | September   | 1661        |              |
|             | October     | 1646        |              |

### D. % of sales by pizza category

```
SELECT
pizza_category,
sum(total_price) * 100/ (SELECT SUM(total_price) from pizza_sales_copy)
AS Pct_sales_by_pizza_category
FROM pizza_sales_copy
```

| Result Grid |                |                             | Filter Rows: | Exp |
|-------------|----------------|-----------------------------|--------------|-----|
|             | pizza_category | Pct_sales_by_pizza_category |              |     |
| ▶           | Classic        | 100                         |              |     |

```

SELECT
pizza_category,
sum(total_price) * 100/ (SELECT SUM(total_price) from pizza_sales_copy)
AS Pct_sales_by_pizza_category
FROM pizza_sales_copy
GROUP BY pizza_category

```

| Result Grid |                |                             | Filter Rows: |  |
|-------------|----------------|-----------------------------|--------------|--|
|             | pizza_category | Pct_sales_by_pizza_category |              |  |
| ▶           | Classic        | 26.9059602556699            |              |  |
|             | Veggie         | 23.682590927384783          |              |  |
|             | Supreme        | 25.45631126009884           |              |  |
|             | Chicken        | 23.955137556847493          |              |  |

```

SELECT
pizza_category,
sum(total_price) as total_sales,
CAST(sum(total_price) * 100/ (SELECT SUM(total_price) from
pizza_sales_copy) AS DECIMAL(10,2)) AS Pct_sales_by_pizza_category
FROM pizza_sales_copy
GROUP BY pizza_category

```


| Result Grid |                |                    |                             | Filter Rows: | Export: | Wrap Cell |
|-------------|----------------|--------------------|-----------------------------|--------------|---------|-----------|
|             | pizza_category | total_sales        | Pct_sales_by_pizza_category |              |         |           |
| ▶           | Classic        | 220053.1000000001  | 26.91                       |              |         |           |
|             | Veggie         | 193690.45000000298 | 23.68                       |              |         |           |
|             | Supreme        | 208196.99999999822 | 25.46                       |              |         |           |
|             | Chicken        | 195919.5           | 23.96                       |              |         |           |

## NOTE:-

If you want to apply month, day, quarter, week filters any of the all queries you can use WHERE clause. Let's take example-

```
SELECT
pizza_category,
sum(total_price) as total_sales,
CAST(sum(total_price) * 100/ (SELECT SUM(total_price) from pizza_sales_copy) AS
DECIMAL(10,2)) AS Pct_sales_by_pizza_category
FROM pizza_sales_copy
WHERE MONTH(order_date) = 1
GROUP BY pizza_category
```

- Here MONTH(order\_date) = 1 indicates that the output is for the month of January. Month(order\_date) = 4 indicates output for month of April.
- Here WHERE clause use in only one place but in next query it use in two place first just after the query line and second in the denominator. It gives different results in both conditions i.e. the pattern of result is different in query D and E. Second way is right as said by the youtuber.



The screenshot shows a database query result grid with the following data:

|   | pizza_category | total_sales        | Pct_sales_by_pizza_category |
|---|----------------|--------------------|-----------------------------|
| ▶ | Classic        | 18619.4            | 2.28                        |
|   | Veggie         | 17055.400000000027 | 2.09                        |
|   | Supreme        | 17929.749999999996 | 2.19                        |
|   | Chicken        | 16188.75           | 1.98                        |

## E. % of sales by pizza size

```
SELECT
pizza_size,
cast(sum(total_price) as decimal(10,2)) as total_sales,
CAST(sum(total_price) * 100/ (SELECT SUM(total_price) from pizza_sales_copy) AS
DECIMAL(10,2)) AS Pct_sales_by_pizza_size
FROM pizza_sales_copy
GROUP BY pizza_size
ORDER BY Pct_sales_by_pizza_size DESC;
```

| Result Grid  |            |             |                         |
|--------------|------------|-------------|-------------------------|
| Filter Rows: |            |             |                         |
|              | pizza_size | total_sales | Pct_sales_by_pizza_size |
| ▶            | L          | 375318.70   | 45.89                   |
|              | M          | 249382.25   | 30.49                   |
|              | S          | 178076.50   | 21.77                   |
|              | XL         | 14076.00    | 1.72                    |
|              | XXL        | 1006.60     | 0.12                    |

```

SELECT
pizza_size,
cast(sum(total_price) as decimal(10,2)) as total_sales,
CAST(sum(total_price) * 100/ (SELECT SUM(total_price) from pizza_sales_copy where
quarter(order_date) = 2) AS DECIMAL(10,2)) AS Pct_sales_by_pizza_size
FROM pizza_sales_copy
where quarter(order_date) = 2
GROUP BY pizza_size
ORDER BY Pct_sales_by_pizza_size DESC;

```

NOTE: Here WHERE quarter(order\_date) =1 indicates that the output is for the quarter 1 from Jan to march

WHERE quarter(order\_date) =2 Indicates output is for quarter 2 from April to June.

| Result Grid  |            |             |                         |
|--------------|------------|-------------|-------------------------|
| Filter Rows: |            |             |                         |
|              | pizza_size | total_sales | Pct_sales_by_pizza_size |
| ▶            | L          | 95087.00    | 45.63                   |
|              | M          | 64846.25    | 31.12                   |
|              | S          | 43828.95    | 21.03                   |
|              | XL         | 4284.00     | 2.06                    |
|              | XXL        | 323.55      | 0.16                    |

## F. Total pizza sold by pizza category

```

SELECT
pizza_category,
sum(quantity) as pizza_sold from pizza_sales_copy
Group by pizza_category
Order by pizza_sold ASC;

```

| Result Grid |                |            | Filter Rows: |
|-------------|----------------|------------|--------------|
|             | pizza_category | pizza_sold |              |
| ▶           | Chicken        | 11050      |              |
|             | Veggie         | 11649      |              |
|             | Supreme        | 11987      |              |
|             | Classic        | 14888      |              |

## G. Top 5 pizza by revenue

```
SELECT
pizza_name,
SUM(total_price) as revenue
from pizza_sales_copy
group by pizza_name
order by revenue desc
LIMIT 5;
```

| Result Grid |                              |          | Filter Rows: |
|-------------|------------------------------|----------|--------------|
|             | pizza_name                   | revenue  |              |
| ▶           | The Thai Chicken Pizza       | 43434.25 |              |
|             | The Barbecue Chicken Pizza   | 42768    |              |
|             | The California Chicken Pizza | 41409.5  |              |
|             | The Classic Deluxe Pizza     | 38180.5  |              |
|             | The Spicy Italian Pizza      | 34831.25 |              |


## H. Bottom 5 pizza by revenue

```
SELECT
pizza_name,
SUM(total_price) as revenue
from pizza_sales_copy
group by pizza_name
order by revenue asc
LIMIT 5;
```

| Result Grid |                           |                  | Filter Rows: |
|-------------|---------------------------|------------------|--------------|
|             | pizza_name                | revenue          |              |
| ▶           | The Brie Carre Pizza      | 11588.4999999999 |              |
|             | The Green Garden Pizza    | 13955.75         |              |
|             | The Spinach Supreme Pizza | 15277.75         |              |
|             | The Mediterranean Pizza   | 15360.5          |              |
|             | The Spinach Pesto Pizza   | 15596            |              |

### I. Top 5 pizza by quantity

```
SELECT
pizza_name,
SUM(quantity) as Total_quantity
from pizza_sales_copy
group by pizza_name
order by Total_quantity desc
LIMIT 5;
```




The screenshot shows a 'Result Grid' interface with a 'Filter Rows' input field. Below the header, a table lists the top 5 pizzas by total quantity in descending order. The table has two columns: 'pizza\_name' and 'Total\_quantity'.

| pizza_name                 | Total_quantity |
|----------------------------|----------------|
| The Classic Deluxe Pizza   | 2453           |
| The Barbecue Chicken Pizza | 2432           |
| The Hawaiian Pizza         | 2422           |
| The Pepperoni Pizza        | 2418           |
| The Thai Chicken Pizza     | 2371           |

### J. Bottom 5 pizza by quantity

```
SELECT
pizza_name,
SUM(quantity) as Total_quantity
from pizza_sales_copy
group by pizza_name
order by Total_quantity asc
LIMIT 5;
```



The screenshot shows a 'Result Grid' interface with a 'Filter Rows' input field. Below the header, a table lists the bottom 5 pizzas by total quantity in ascending order. The table has two columns: 'pizza\_name' and 'Total\_quantity'.

| pizza_name                | Total_quantity |
|---------------------------|----------------|
| The Brie Carre Pizza      | 490            |
| The Mediterranean Pizza   | 934            |
| The Calabrese Pizza       | 937            |
| The Spinach Supreme Pizza | 950            |
| The Soppressata Pizza     | 961            |

### K. Top 5 pizza by Total orders

```
SELECT
pizza_name,
count(distinct order_id) as Total_order
from pizza_sales_copy
group by pizza_name
order by Total_order Desc
LIMIT 5;
```



| Result Grid   Filter Rows: <input type="text"/> |                            |             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-------------|
|                                                                                                                                                                                                                   | pizza_name                 | Total_order |
| ▶                                                                                                                                                                                                                 | The Classic Deluxe Pizza   | 2329        |
|                                                                                                                                                                                                                   | The Hawaiian Pizza         | 2280        |
|                                                                                                                                                                                                                   | The Pepperoni Pizza        | 2278        |
|                                                                                                                                                                                                                   | The Barbecue Chicken Pizza | 2273        |
|                                                                                                                                                                                                                   | The Thai Chicken Pizza     | 2225        |

## L. Bottom 5 pizza by Total orders

```

SELECT
pizza_name,
count(distinct order_id) as Total_order
from pizza_sales_copy
group by pizza_name
order by Total_order Asc
LIMIT 5;

```

| Result Grid   Filter Rows: <input type="text"/> |                           |             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-------------|
|                                                                                                                                                                                                                   | pizza_name                | Total_order |
| ▶                                                                                                                                                                                                                 | The Brie Carre Pizza      | 480         |
|                                                                                                                                                                                                                   | The Mediterranean Pizza   | 912         |
|                                                                                                                                                                                                                   | The Calabrese Pizza       | 918         |
|                                                                                                                                                                                                                   | The Spinach Supreme Pizza | 918         |
|                                                                                                                                                                                                                   | The Chicken Pesto Pizza   | 938         |