



FACULTY OF
COMPUTER APPLICATIONS



Marwadi
University
Marwadi Chandarana Group



Faculty of Computer Applications

BCA Sem-1
(AY-2026-27)

Lab Book

Sub Code : 05BC3103
(Programming Practices : 1)

Roll No :	92600527024
Full Name :	Preet Keraliya

GitHub Link | <https://github.com/preetkeraliya-glitch/BCA-1-pp-1-92600527024-Preet.git>

Sub.Faculty Name : Dr.Ashwin Dobariya

Index

Unit : 1	
Program No	Definition
1.	Print "Hello World".
2.	2 Values from user and Perform All Arithmetic Operations.
3.	Print numbers from 1 to 20.
4.	Input 3 values from user and find out its Average.
5.	Calculate the Square and Cube of a number.
6.	Interchange the value of two numbers.
7.	Find largest out of three numbers.

8.	Find out Fibonacci series up to given n values.
9.	Find out Number is Odd or Even.
10.	Find out sum of digits of a given number.

(1) Print "Hello World".


Algorithm :

Step 1 : START

Step 2 : PRINT "Hello World"

Step 3 : STOP

Flowchart :




```
void main(){      clrscr();  
printf("Hello World");  
      getch();  
}
```

Output :



(2) 2 Values from user and Perform All Arithmetic Operations.

Algorithm :

Step 1 : START

Step 2 : DECLARE variables $x=0.0$, $y=0.0$, a , s , m , d

Step 3 : INPUT x, y

Step 4 : $a = x + y$

Step 5 : $s = x - y$

Step 6 : $m = x * y$

Step 7 : $d = x / y$


Code :

```
#include<stdio.h>
#include<conio.h>
```

Step 8 : OUTPUT a, s, m, d

Step 9 : STOP


Flowchart :



```
void main()
{
    float x,y;    clrscr();
    printf("\n Enter Number 1: ");  scanf("%f",&x);
    printf("\n Enter Number 2: ");  scanf("%f",&y);
```

```
        printf("Addition Is: %.2f \n",x+y);  
printf("Subtraction Is: %.2f \n",x-y);  
printf("Multiplication Is: %.2f \n",x*y);  
        printf("Division Is: %.2f \n",x/y);  
  
        getch();  
  
}
```

Output :



```
Enter Number 1: 23  
  
Enter Number 2: 2  
  
Addition is: 25.00  
Subtraction is: 21.00  
Multiplication is: 46.00  
Division is: 11.50_
```

Code :

```
#include<stdio.h>
#include<conio.h>
```


(4 Input 3 values from user and find out its Average.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables x, y, z, avg
Step 3 : INPUT x, y, z
Step 4 : $avg = (x + y + z) / 3$
Step 5 : PRINT avg
Step 6 : STOP

Flowchart :

)



```
void main()
{
    int x,y,z;
    clrscr();
    printf("\n Enter Number 1: "); scanf("%d",&x);
    printf("\n Enter Number 2: "); scanf("%d",&y);
```


Code :

```
#include<stdio.h>
#include<conio.h>

    printf("\n Enter Number 3: ");
    scanf("%d",&z);
    printf("\n Average is: %d ",(x+y+z)/3);
    getch();

}
```

Output :

A screenshot of a terminal window with a black background and white text. It shows the output of a C program. The text is as follows:
Enter Number 1: 23
Enter Number 2: 33
Enter Number 3: 43
Average is: 33 _
The underscore indicates the cursor is positioned after the number 33.

(5 Calculate the Square and Cube of a number.

Algorithm :

Step 1 : START
Step 2 : DECLARE variables n, sqr, cube
Step 3 : INPUT n

)


Step 4 : $sqr = n * n$

Step 5 : $cube = n * n * n$

Step 6 : OUTPUT $sqr, cube$

Step 7 : STOP

Flowchart :




Code :

```
#include<stdio.h>
#include<conio.h>

void main()
{
    int n;
    clrscr();
    printf("\n Enter Number: ");    scanf("%d",&n);
    printf("\n Enter Square: %d",n*n);
    printf("\n Cube is: %d",n*n*n);
    getch();
}
```

Output :



Enter Number: 2

Square: 4

Cube is: 8

(6 Interchange the value of two numbers.

)

Algorithm :

Step 1 : START

Step 2 : DECLARE variables temp, x, y

Step 3 : INPUT x, y

Step 4 : temp = x

Step 5 : x = y

Step 6 : y = temp


Step 7 : PRINT x, y

Step 8 : STOP

Flowchart :

Code :

```
#include<stdio.h>
#include<conio.h>
```




```
void main()
{
    int temp,x,y;
    clrscr();
    printf("\n Enter Number 1: ");
    scanf("%d",&x);
    printf("\n Enter Number 2: ");
```

)

```
        scanf("%d",&y);  
temp=x;    x=y;  
y=temp;  
        printf("\nNew Number 1: %d",x);  
printf("\nNew Number 2: %d",y);    getch();  
  
}
```

Output :



```
Enter Number 1: 23  
  
Enter Number 2: 33  
  
New Number 1: 33  
New Number 2: 23_
```

(7 Find largest out of three numbers.

Algorithm :

Step 1 : START

Step 2 : DECLARE variables X, Y, Z

Code :

```
#include<stdio.h>
```

```
#include<conio.h>
```

Step 3 : INPUT X, Y, Z

Step 4 : IF X > Y && X > Z THEN

PRINT "X is Largest"

Step 5 : ELSE IF Y > Z && Y > X THEN


PRINT "Y is Largest"

Step 6 : ELSE

PRINT "Z is Largest"

Step 7 : STOP

Flowchart :




)

```
void main(){
    int x,y,z;
    clrscr();
    printf("\n Enter Number 1: "); scanf("%d",&x);
    printf("\n Enter Number 2: "); scanf("%d",&y);
    printf("\n Enter Number 3: ");
    scanf("%d",&z);

    if(x>y && x>z){
        printf("Number 1 is largest");
    }
    else if(y>z && y>x){
        printf("Number 2 is largest");
    }
    else{
        printf("Number 3 is largest");
    }
    getch();
}
```

Output :

A screenshot of a terminal window with a black background and white text. It shows the output of the C program: 'Enter Number 1: 23', 'Enter Number 2: 33', 'Enter Number 3: 43', and 'Number 3 is largest'.

```
Enter Number 1: 23
Enter Number 2: 33
Enter Number 3: 43
Number 3 is largest
```

Code :

```
#include<stdio.h>
#include<conio.h>
```

(9 Find out Number is Odd or Even.

Algorithm :

Step 1 : START

Step 2 : DECLARE variable x = 0

Step 3 : INPUT x

Step 4 : IF $x \% 2 = 0$ THEN

PRINT "Even Number"


Step 5 : ELSE

PRINT "Odd Number"

Step 6 : STOP

)

Flowchart :




```
void main()
{
    int n;
    clrscr();
    printf("\n Enter Number: ");    scanf("%d",&n);
```

Code :

```
#include<stdio.h>
#include<conio.h>

    if(n%2==0){
        printf("Even Number");
    }
    else
        printf("Odd Number");
    getch();
}
```

Output :



(10) Find out sum of digits of a given number.

Algorithm :

Step 1 : START

Step 2 : DECLARE variables n, x, y

Step 3 : INPUT n

Step 4 : $x = n \% 10$

Step 5 : $y = n / 10$


Step 6 : OUTPUT $x + y$

Step 7 : STOP

Flowchart :

Code :

```
#include<stdio.h>
#include<conio.h>
```



```
void main()
{   int
    n,x,y;
    clrscr();
    printf("\n Enter Two Digit Number: ");
    scanf("%d",&n);  x=n%10;  y=n/10;
    printf("Sum Of Digits is: %d",x+y);
    getch();
```

```
}
```

Output :

```
Enter Two Digit Number: 45
Sum Of Digits is: 9_
```