```
#include <stdio.h>
int main() {
    int n, i;
    int at[20], bt[20], wt[20], tat[20], ct[20];
    printf("1WA24CS217\n");
    printf("Enter number of processes: ");
    scanf("%d", &n);
    printf("Enter Arrival Time and Burst Time:\n");
    for(i = 0; i < n; i++) {
        printf("P%d Arrival Time: ", i+1);
        scanf("%d", &at[i]);
        printf("P%d Burst Time: ", i+1);
        scanf("%d", &bt[i]);
    }
    ct[0] = at[0] + bt[0];
    for(i = 1; i < n; i++) {
        if(ct[i-1] < at[i])
            ct[i] = at[i] + bt[i];
        else
            ct[i] = ct[i-1] + bt[i];
    }
    for(i = 0; i < n; i++)
        tat[i] = ct[i] - at[i];
    for(i = 0; i < n; i++)
        wt[i] = tat[i] - bt[i];

    float avg_wt = 0, avg_tat = 0;
    for(i = 0; i < n; i++) {
        avg_wt += wt[i];
        avg_tat += tat[i];
```

```
    }
    printf("\nAverage Waiting Time = %.2f", avg_wt/n);
    printf("\nAverage Turnaround Time = %.2f", avg_tat/n);
    return 0;
}
```

```
1WA24CS217
Enter number of processes: 4
Enter Arrival Time and Burst Time:
P1 Arrival Time: 0
P1 Burst Time: 2
P2 Arrival Time: 1
P2 Burst Time: 2
P3 Arrival Time: 5
P3 Burst Time: 3
P4 Arrival Time: 6
P4 Burst Time: 4

Average Waiting Time = 0.75
Average Turnaround Time = 3.50
Process returned 0 (0x0)   execution time : 22.671 s
Press any key to continue.
```