

Long Document — 60+ Page Throughput Test (F7)

[Para 1] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 2] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 3] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 4] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 5] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 6] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 7] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 8] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 9] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 10] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 11] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 747] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 748] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 749] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.

[Para 750] This is a paragraph of text designed to fill pages for throughput testing. The document converter must handle large files efficiently. Performance is measured in seconds per page. The total conversion time should not exceed 300 seconds on the GPU path. This paragraph is repeated many times to generate the required page count.