

AGENDA

- Existing Docgen Limitations
- New Docgen Functionality
- Overview of Tags



Existing Docgen Limitations

- Dependency on Word 2007
- Meta-data is specified within the Word Document template
- PDF conversion has a dependency on the runtime environment, Hence dependent on windows OS.
- Performance Constraints
- Steps to configure New Docgen service

Policy:

https://confluence.majesco.com/display/DOC/Policy+Runtime+Configurations+For+Docgen+Service

Devstudio:

https://confluence.majesco.com/display/DOC/Environment+Setup+-+Pre-Requisites



New Docgen Functionality

DESIGN TIME - Document Template designing.

- Word Template Creation
- Tags Identification
- Defining Template via Dev-Studio Interface
- Defining Meta Data

INSTALL TIME – Document Template Data Publishing on the Target.

- Build Execution to create an installable Pack
- Install the pack on the target(via Dev studio or separate installer Executable)

RUN TIME – Integration with Docgen Services.

- Setup Docgen Configuration Parameters
- Enable Docgen Services
- Enable Aspose PDF Converter



Overview of Tags

Tag Name	Description
SQL	This tag is used to add a SQL query to fetch transaction data from Database data source
IF	This tag is used to conditionally show hide sections of the document template.
DATA	This tag is used to get column data from SQL tag and display on the template.
FORMDATA	This tag is used to get the runtime variable data captured for the form associated with the document template.
IMAGE	This tag is used to provide replacement images for logos and signatures.
SMART TAG	This tag is used to get commonly used data by predefined names.



THANK YOU!

