

AGENDA

- Introduction to Build Plugin
- Navigating To Build Plugin
- Creating a new Build
- Introduction to Install Plugin
- Navigating To Install Plugin
- How to take an Install




Introduction to Build Plugin

- The Build plug-in of Dev Studio provides the functionality required to build the development changes done in a particular custom pack or base pack.
- Build are always differential in nature, thus every time a new build is initiated system will only compile the newly injected changes.
- Builds can only be performed at the Product Level.

Navigating To Build Plugin


- Navigator (Left Panel) lists all builds, which can be filtered by entering search criteria in Search box or selecting the All or Latest checkbox.
- Users can click the build row in the left panel and in Editor (Right Panel) shows details of selected build.
- The Right Panel lists the details for the build, giving information for when and who initiated the build, the version of the build and the status of the build.
- Editor is a multi-tab interface which allows users to open multiple tables for viewing

Navigating To Build Plugin




- After logging into Dev Studio, click on any LOB tile under Products.
- Make sure that the build editor is visible in the left panel for the plugins, click on New Build
- Select the version for which the new build is required
- Save the screen
- Click on Execute Build will be completed and a pop up message will be shown for a complete build


 Go to product tile and click on the Product for which build needs to be created




Click on new --> Build



 Select version for which build needs to be created and click on save.



Click execute button and wait for build to complete.




Introduction to Install Plugin

- Install is a process by which build is deployed to different environments
- The environment on which build is to be deployed is called as Target environment
- Target environment can be a Integration environment(Developer), QA or Customer environment
- Installation on QA and customer environment is executed by BIR (Build, Install, Release)team.


Taking an Install

Click on New → Install




Taking an Install

Select version to install



Taking an Install

- Select environment where install is to be done
- Click on Save and execute. Wait for install to be completed





THANK YOU!

