```jsx
// src/components/Auth/SignUp.jsx
import { useState } from 'react';
import { useNavigate, Link } from 'react-router-dom';
import { useAuth } from '../../hooks/useAuth';

export default function SignUp() {
  const [email, setEmail] = useState('');
  const [password, setPassword] = useState('');
  const [confirmPassword, setConfirmPassword] = useState('');
  const [error, setError] = useState('');
  const [loading, setLoading] = useState(false);
  const { signUp } = useAuth();
  const navigate = useNavigate();

  const handleSubmit = async (e) => {
    e.preventDefault();
    setError('');

    if (password !== confirmPassword) {
      setError('Passwords do not match');
      return;
    }

    if (password.length < 6) {
      setError('Password must be at least 6 characters');
      return;
    }

    setLoading(true);

    try {
      await signUp(email, password);
      alert('Check your email to confirm your account!');
      navigate('/login');
    } catch (err) {
      setError(err.message);
    } finally {
      setLoading(false);
    }
  };

  return (
    <div className="min-h-screen flex items-center justify-center bg-gradient-to-br from-pink-50 to-purple-50 px-4">
      <div className="max-w-md w-full bg-white rounded-2xl shadow-lg p-8">
        <div className="text-center mb-8">
          <span className="text-5xl">🌸</span>
          <h2 className="mt-4 text-3xl font-bold text-gray-900">Join Basil</h2>
          <p className="mt-2 text-gray-600">Create your account to share cultural moments</p>
        </div>

        {error && (
```

```jsx
        <div className="mb-4 p-4 bg-red-50 border border-red-200 text-red-700 rounded-lg">
          {error}
        </div>
      )}

      <form onSubmit={handleSubmit} className="space-y-6">
        <div>
          <label className="block text-sm font-medium text-gray-700 mb-2">
            Email
          </label>
          <input
            type="email"
            value={email}
            onChange={(e) => setEmail(e.target.value)}
            className="w-full px-4 py-3 border border-gray-300 rounded-lg focus:ring-2 focus:ring-pink-500 focus:border-transparent"
            placeholder="you@example.com"
            required
          />
        </div>

        <div>
          <label className="block text-sm font-medium text-gray-700 mb-2">
            Password
          </label>
          <input
            type="password"
            value={password}
            onChange={(e) => setPassword(e.target.value)}
            className="w-full px-4 py-3 border border-gray-300 rounded-lg focus:ring-2 focus:ring-pink-500 focus:border-transparent"
            placeholder="••••••••"
            required
          />
        </div>

        <div>
          <label className="block text-sm font-medium text-gray-700 mb-2">
            Confirm Password
          </label>
          <input
            type="password"
            value={confirmPassword}
            onChange={(e) => setConfirmPassword(e.target.value)}
            className="w-full px-4 py-3 border border-gray-300 rounded-lg focus:ring-2 focus:ring-pink-500 focus:border-transparent"
            placeholder="••••••••"
            required
          />
        </div>

        <button
          type="submit"
          disabled={loading}
          className="w-full py-3 bg-pink-500 text-white rounded-lg hover:bg-pink-600 transition
```

```
            disabled:opacity-50 disabled:cursor-not-allowed font-medium"
          >
            {loading ? 'Creating account...' : 'Sign Up'}
          </button>
        </form>

        <p className="mt-6 text-center text-gray-600">
          Already have an account?{' '}
          <Link to="/login" className="text-pink-600 hover:text-pink-700 font-medium">
            Login
          </Link>
        </p>
      </div>
    </div>
  );
}
```