

```
Microsoft Windows [Version 10.0.26200.8973]
(c) Microsoft Corporation. All rights reserved.

mysql -u root -p
C:\Users\Admin>cd C:\Program Files\MySQL\MySQL Server 8.0\bin

C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.
```

```
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| studentdb1 |
| sys |
+-----+
5 rows in set (0.00 sec)
```

```
mysql> create database bookflow_db;
Query OK, 1 row affected (0.01 sec)
```

```
mysql> use bookflow_db;
Database changed
```

```
mysql> CREATE TABLE books (
  -> book_id
  -> INT AUTO_INCREMENT PRIMARY KEY,
  -> title
  -> VARCHAR(255) NOT NULL,
  -> isbn
  -> VARCHAR(13) NOT NULL UNIQUE,
  -> published_year INT,
  -> CONSTRAINT chk_published_year CHECK (published_year < 2027)
  -> );
Query OK, 0 rows affected (0.08 sec)
```

```
mysql> CREATE TABLE members (
  -> member_id INT AUTO_INCREMENT PRIMARY KEY,
  -> full_name VARCHAR(100) NOT NULL,
  -> email
  -> VARCHAR(150) NOT NULL UNIQUE
  -> );
Query OK, 0 rows affected (0.06 sec)
```

```
mysql> show tables;
+-----+
| Tables_in_bookflow_db |
+-----+
| books                  |
| members                |
+-----+
2 rows in set (0.01 sec)
```

```
mysql> INSERT INTO books (title, isbn, published_year) VALUES
  -> ('The Alchemist', '9780061122415', 1988),
  -> ('Clean Code', '9780132350884', 2008),
  -> ('Atomic Habits', '9780735211292', 2018);
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO members (full_name, email) VALUES
  -> ('Anil Kumar', 'anil.kumar@example.com'),
  -> ('Priya Sharma', 'priya.sharma@example.com'),
  -> ('Ravi Verma', 'ravi.verma@example.com');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0
```

```
mysql> select * from books;
+-----+-----+-----+-----+
| book_id | title       | isbn          | published_year |
+-----+-----+-----+-----+
| 1       | The Alchemist | 9780061122415 | 1988           |
| 2       | Clean Code   | 9780132350884 | 2008           |
| 3       | Atomic Habits | 9780735211292 | 2018           |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from members;
+-----+-----+-----+
| member_id | full_name | email                      |
+-----+-----+-----+
| 1         | Anil Kumar | anil.kumar@example.com    |
| 2         | Priya Sharma | priya.sharma@example.com  |
| 3         | Ravi Verma | ravi.verma@example.com    |
+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> select count(*) from books;
+-----+
| count(*) |
+-----+
|          3 |
+-----+
1 row in set (0.00 sec)

mysql> select count(*) from members;
+-----+
| count(*) |
+-----+
|          3 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> delete from books where book_id=2; Query OK, 1 row affected (0.01 sec)
mysql> delete from members where member_id=2; Query OK, 1 row affected (0.01 sec)
```

```
mysql> select count(*) from books;
+-----+
| count(*) |
+-----+
|          2 |
+-----+
1 row in set (0.00 sec)

mysql> select count(*) from members;
+-----+
| count(*) |
+-----+
|          2 |
+-----+
1 row in set (0.00 sec)
```

```
mysql> select * from books;
+-----+-----+-----+-----+
| book_id | title       | isbn       | published_year |
+-----+-----+-----+-----+
| 1       | The Alchemist | 9780061122415 | 1988          |
| 3       | Atomic Habits | 9780735211292 | 2018          |
+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from members;
+-----+-----+-----+
| member_id | full_name | email                |
+-----+-----+-----+
| 1         | Anil Kumar | anil.kumar@example.com |
| 3         | Ravi Verma | ravi.verma@example.com |
+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select max(book_id) from books;
```

max(book_id)
3

```
1 row in set (0.00 sec)
```

```
mysql> select max(member_id) from members;
```

max(member_id)
3

```
1 row in set (0.00 sec)
```