SHODWE
Pizza Resto

Home About Contact

PIZZA RESTO

WHERE EVERY SLICE TELLS A STORY

SHODWE
Pizza Resto

Home About Contact

HELLO!

MY NAME IS PREM KUMAR

In this project I have utilize sql Queries to solve Questions related to pizza sales

CSV FILE USE IN THIS PROJECT

ORDER DETAILS.CSV

ORDERS.CSV

PIZZAS

PIZZA_TYPES

Import All CSV Files



RETRIEVE THE TOTAL NUMBER OF ORDERS PLACED.

```sql
SELECT
    COUNT(ORDER_ID) AS TOTAL_NUMBER
FROM
    ORDERS
```



CALCULATE THE TOTAL REVENUE GENERATED FROM PIZZA SALES.

```sql
select sum(od.quantity * p.price) as total_sales
from pizzas p
join order_details od
on od.pizza_id = p.pizza_id;
```



IDENTIFY THE HIGHEST-PRICED PIZZA.

```sql
select pt.name, p.price
from pizzas p
join pizza_types pt
on p.pizza_type_id = pt.pizza_type_id
order by price desc limit 1;
```

name character varying (100)	price numeric (10,2)
The Greek Pizza	35.95

IDENTIFY THE MOST COMMON PIZZA SIZE ORDERED.

```sql
select p.size, count(od.order_details_id) as order_count
from pizzas p
join order_details od
on od.pizza_id = p.pizza_id
group by p.size
order by order_count desc limit 1;
```

size character varying (50)	order_count bigint
L	18526

LIST THE TOP 5 MOST ORDERED PIZZA TYPES ALONG WITH THEIR QUANTITIES.

```sql
select pt.name, sum(od.quantity) as sum_of_quantity
from pizza_types pt
join pizzas p
on pt.pizza_type_id = p.pizza_type_id
join order_details od
on od.pizza_id = p.pizza_id
group by pt.name
order by sum_of_quantity desc limit 5
```

name character varying (100)	sum_of_quantity bigint
The Classic Deluxe Pizza	2453
The Barbecue Chicken Piz...	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

JOIN THE NECESSARY TABLES TO FIND THE TOTAL QUANTITY OF EACH PIZZA CATEGORY ORDERED.

```sql
select pt.category, sum(od.quantity) as total_quantity
from pizza_types pt
join pizzas p
on pt.pizza_type_id = p.pizza_type_id
join order_details od
on p.pizza_id = od.pizza_id
group by pt.category
```

category character varying (100)	total_quantity bigint
Supreme	11987
Classic	14888
Veggie	11649
Chicken	11050

JOIN RELEVANT TABLES TO FIND THE CATEGORY-WISE DISTRIBUTION OF PIZZAS.

```sql
SELECT
    CATEGORY,
    COUNT(NAME)
FROM
    PIZZA_TYPES
GROUP BY
    CATEGORY
```

category character varying (100)	count bigint
Supreme	9
Classic	8
Veggie	9
Chicken	6

GROUP THE ORDERS BY DATE AND CALCULATE THE AVERAGE NUMBER OF PIZZAS ORDERED PER DAY.

```sql
select round(avg(quantity),0) from
(select o.date, sum(od.quantity) as quantity
from orders o
join order_details od
on o.order_id = od.order_id
group by  o.date
) as order_quantity
```

round numeric
138

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE.

```sql
select pt.name, sum(p.price * od.quantity) as total_sales
from pizzas p
join order_details od
on p.pizza_id = od.pizza_id
join pizza_types pt
on p.pizza_type_id = pt.pizza_type_id
group by pt.name
order by total_sales desc limit 3
```

name character varying (100)	total_sales numeric
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Piz...	42768.00
The California Chicken Piz...	41409.50

CALCULATE THE PERCENTAGE CONTRIBUTION OF EACH PIZZA TYPE TO TOTAL REVENUE.

```sql
select * from orders
select * from pizza_types
select * from pizzas
select * from order_details



SELECT
    pt.category,
    SUM(p.price * od.quantity) AS category_sales,
    SUM(p.price * od.quantity) * 100.0 /
    (
        SELECT SUM(p2.price * od2.quantity)
        FROM order_details od2
        JOIN pizzas p2
            ON p2.pizza_id = od2.pizza_id
    ) AS revenue_percentage
FROM pizzas p
JOIN order_details od
    ON p.pizza_id = od.pizza_id
JOIN pizza_types pt
    ON p.pizza_type_id = pt.pizza_type_id
GROUP BY pt.category;
```

category character varying (100)	category_sales numeric	revenue_percentage numeric
Supreme	208197.00	25.4563112600988396
Classic	220053.10	26.90596025566965 89
Veggie	193690.45	23.68259092738421 45
Chicken	195919.50	23.9551375568472870

ANALYZE THE CUMULATIVE REVENUE GENERATED OVER TIME.

```sql
select sales.date,
    sum(sales.revenue) over(order by sales.date) as cum_revenue
from
(select o.date, sum(od.quantity * p.price) as revenue
from orders o
join order_details od
on o.order_id = od.order_id
join pizzas p
on od.pizza_id = p.pizza_id
group by o.date) as sales;
```

date date	cum_revenue numeric
2015-01-01	2713.85
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.60
2015-01-05	11929.55
2015-01-06	14358.50
2015-01-07	16560.70
2015-01-08	19399.05
2015-01-09	21526.40
2015-01-10	23990.35
2015-01-11	25862.65
2015-01-12	27781.70
2015-01-13	29831.30
2015-01-14	32358.70

DETERMINE THE TOP 3 MOST ORDERED PIZZA TYPES BASED ON REVENUE FOR EACH PIZZA CATEGORY.

```sql
select name, revenue
from
(select category, name, revenue, rank() over(partition by category order by revenue desc) as rn
from
(select pt.category, pt.name, sum(od.quantity * p.price) as revenue
from pizza_types pt
join pizzas p
on pt.pizza_type_id = p.pizza_type_id
join order_details od
on od.pizza_id = p.pizza_id
group by pt.category, pt.name) as a) as b
where rn <= 3
;
```

name character varying (100)	revenue numeric
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Piz...	42768.00
The California Chicken Piz...	41409.50
The Classic Deluxe Pizza	38180.50
The Hawaiian Pizza	32273.25
The Pepperoni Pizza	30161.75
The Spicy Italian Pizza	34831.25
The Italian Supreme Pizza	33476.75
The Sicilian Pizza	30940.50
The Four Cheese Pizza	32265.70
The Mexicana Pizza	26780.75
The Five Cheese Pizza	26066.50

SHODWE
Pizza Resto

Home About Contact

THANK YOU

FOR ATTENTION

2025 PIZZA RESTO PRESENTATION