

Persona Use Case Canvases

A switchable “Use cases” section with three live canvas demos—Design Freelancer, Product Manager, and Founding Team—each showing exactly 8 nodes (inputs + AI outputs) that tell a realistic spatial workflow story.

Section concept

A single marketing section with **three pill tabs** at the top. Selecting a tab swaps the canvas below to a pre-seeded snapshot for that persona. The canvas is **read-only / demo mode**: pan and zoom allowed, but no editing—same interaction model as a product landing demo.

```
flowchart TB
  subgraph section [UseCasesSection]
    Tabs["Profile selector: Freelancer | PM | Founding team"]
    Canvas["Live canvas frame – rebuilds on tab change"]
    Caption["One-line scenario + 4 input / 4 output legend"]
  end
  Tabs -->|switch| Canvas
  Registry["useCaseProfiles registry"] --> Canvas
  Builder["buildUseCaseCanvas(profileId)"] --> Canvas
```


Tab UX pattern: pill buttons, active state filled (dark background on light card), optional sound/haptic on switch. Remount the canvas frame with `key={profileId}` so each tab loads a fresh snapshot.

Suggested section copy

Field	Copy
Eyebrow	Use cases
Title	One canvas, three ways people actually work
Body	Paste your references, branch your questions, and let outputs land beside the inputs—not buried in a scroll. Pick a profile to see a realistic session.

Canvas layout (shared across all three)

Each canvas holds **exactly 8 nodes: 4 inputs** (left) + **4 outputs** (right). No chat cards unless you want a 9th element—stay at 8 total.



- **Grid:** 2 columns × 4 rows, ~140px vertical gap, inputs at `x ≈ 120` , outputs at `x ≈ 720` .
- **Optional:** one small sticky label at top center naming the scenario (not counted in the 8).
- **Viewport:** auto-fit all 8 node bounds with ~120px padding on load and on tab switch.

Profile 1 — Design freelancer

Scenario: *Client rebrand — redesign a fintech app onboarding flow.*

Story arc: Bring brief + mood + reference kit + client voice note → compare style directions, lock palette, capture decisions, track component work.

#	Role	Type	Title	Content / sample
1	Input	Google Doc	Client brief	Extracted text: rebrand goals, target audience (25–40 mobile-first), deliverables (onboarding + dashboard), deadline 3 weeks
2	Input	Images	Mood board	2–3 reference images (lifestyle + UI screenshots); reuse catalog-style gallery
3	Input	Embed (Figma)	UI kit reference	Public Figma mobile banking kit embed
4	Input	Audio	Client feedback memo	~60s synthetic voice note: “warmer, less corporate, keep trust cues”
5	Output	Table	Style direction comparison	3 concepts (Minimal / Bold / Playful) × columns: vibe, risk, client fit, recommendation tag
6	Output	Chart (bar)	Color usage split	Primary / secondary / accent / neutral percentages for chosen direction
7	Output	Sticky note	Design decisions	Short bullets: type scale, corner radius, illustration vs photography
8	Output	Todo	Component checklist	Onboarding screens: splash, permissions, link bank, success state — with due tags

Why these 8: Covers the freelancer’s actual inputs (brief, refs, Figma, async feedback) and the artifacts they need to ship (comparison, palette, decisions, task list)—without exceeding the limit.

Profile 2 — Product manager

Scenario: *Q1 launch planning for a mobile budgeting feature.*

Story arc: PRD + user evidence + competitive intel + problem framing → prioritize features, schedule release, define metrics, break into sprint work.

#	Role	Type	Title	Content / sample
1	Input	PDF asset	Feature PRD	Mobile budgeting PRD (goals, user stories, open questions)
2	Input	Audio	User interview	~90s clip: pain points around “forgetting subscriptions” and “no shared household view”
3	Input	Google Sheet	Competitive analysis	Matrix: competitor × features, pricing, gaps (extracted text preview)
4	Input	Sticky note	Problem framing	JTBD + north-star metric + out-of-scope list
5	Output	Table	Feature prioritization (RICE)	Rows: shared budgets, subscription scan, alerts, export — with Reach/Impact/Confidence/Effort
6	Output	Timeline	Release plan	Discovery → Beta → App Store → GA with month labels
7	Output	Chart (gauge)	Success metric target	e.g. “Week-4 retention” at 42% of 55% goal
8	Output	Todo	Sprint 1 backlog	5–6 actionable items with priority chips

Why these 8: Mirrors PM discovery → prioritization → planning → execution. Timeline + gauge + todo are distinct output types that read instantly on a canvas.

Profile 3 — Founding team

Scenario: *Validate and ship an MVP for a B2B SaaS wedge.*

Story arc: Pitch narrative + market signal + technical reference + strategy notes → size market, plan GTM, track milestones, watch runway.

#	Role	Type	Title	Content / sample
1	Input	Markdown asset	Pitch deck outline	Problem, ICP, wedge, business model slides (outline, not full deck)
2	Input	Website	Market research link	Analyst or competitor landing page preview (title, domain, favicon)
3	Input	Repo	Reference codebase	Small open-source app repo dashboard (stack, README summary)
4	Input	Sticky note	Strategy thesis	ICP, wedge, pricing hypothesis, “what we’re not building yet”
5	Output	Table	TAM / SAM / SOM	3 rows with \$ ranges and assumptions column
6	Output	Timeline	90-day GTM	Build MVP → design partners → paid pilot → launch
7	Output	Todo	MVP milestone checklist	Auth, core workflow, billing stub, onboarding — with done/pending
8	Output	Chart (gauge)	Runway remaining	e.g. 14 months at current burn

Why these 8: Founders juggle narrative, market, build, and runway. Repo + website inputs show “research in context”; table + timeline + gauge outputs cover the three questions investors and the team ask weekly.

Input / output type coverage

Across all three canvases you showcase **10 distinct node kinds** without repeating the same combo:

Type	Freelancer	PM	Founding team
Google Doc	✓	✓ (Sheet)	—
Images	✓	—	—
Embed (Figma)	✓	—	—
Audio	✓	✓	—
PDF / MD asset	—	✓	✓
Website	—	—	✓
Repo	—	—	✓
Sticky note	✓ (output)	✓ (input)	✓ (input)
Table	✓	✓	✓
Chart	✓ (bar)	✓ (gauge)	✓ (gauge)
Timeline	—	✓	✓
Todo	✓	✓	✓

Tab metadata (for selector labels)

Tab ID	Label	Subtitle (under tabs or in canvas caption)
design-freelancer	Design freelancer	Client rebrand — onboarding flow
product-manager	Product manager	Q1 launch — budgeting feature
founding-team	Founding team	MVP validation — B2B SaaS wedge

Implementation checklist

When you build this on your page:

1. **Registry** — define persona id, label, subtitle, scenario, and 8 item definitions (role, kind, title, payload/sample ref).
2. **Snapshot builder** — spawn artifacts from payloads, assets from sample files, 2×4 grid layout.
3. **Section component** — pill tabs + canvas frame with `key={profileId}` and a snapshot builder per profile.
4. **Samples** — wire brief, mood board, PRD, pitch outline, and output payloads (reuse public assets where possible).
5. **Tab switch** — remount the frame with a new `key` on profile change (simplest), or re-hydrate the canvas store when `profileId` changes.

Design review checklist

- Each canvas reads in **under 5 seconds**: 4 familiar inputs left, 4 clear outputs right.
- Tab switch feels instant (prebuilt snapshots; network only for live embeds like Figma, website, repo).
- Mobile: tabs scroll horizontally; canvas height ~520–560px; pinch/pan still works.
- Accessibility: tab list is a `tablist`; active tab has `aria-selected`; canvas has `aria-label` per persona.