

PIZZA SALES REPORT SQL QUERIES

KPIS:

1.Total Revenue

```
SELECT sum(total_price) as Total_Revenue FROM pizza_sales;
```

Total_Revenue
817860.049999993

2.Avarage Order

```
select sum(total_price) / count(distinct(order_id)) as Avagarge_order from pizza_sales;
```

Avagarge_order
38.307262295081635

3.Quantity Sold

```
select sum(quantity) as quantity from pizza_sales;
```

quantity
49574

4.Total Order

```
select count(distinct order_id) as Total_order from pizza_sales;
```

Total_order
21350

5.Avarage Per Order

```
select cast( CAST(sum(quantity) as decimal(10,2)) / CAST(count(distinct (order_id)) as decimal(10,2)) as decimal(10,2)) as avg_per_order from pizza_sales;
```

avg_per_order
2.32

PIZZA SALES REPORT SQL QUERIES

Problem Statements

1. Daily Trend for Total Order

```
SELECT DAYNAME(order_date) AS order_day, COUNT(DISTINCT order_id) as Total_Orders FROM  
pizza_sales GROUP BY DAYNAME(order_date);
```

	order_day	Total_Orders
▶	Friday	3359
	Monday	2940
	Saturday	3126
	Sunday	2710
	Thursday	3173

2. Month Trend for Total Order

```
select monthname(order_date) as month_name, count(distinct order_id) as total_order from pizza_sales  
group by monthname(order_date) order by (total_order) desc;
```

	month_name	total_order
▶	January	1929
	March	1864
	July	1860
	November	1844
	August	1835
	April	1829
	October	1782
	June	1771
	May	1765

3. Hour Trends by Order

```
select hour(order_time) as hour_order ,count(distinct(order_id)) as total_orders from pizza_sales group  
by hour(order_time) order by total_orders asc;
```

	hour_order	total_orders
	9	1
	10	8
	23	28
	22	663
	21	1198
	11	1231
	15	1468
	14	1472
	20	1642

4. % Sales by Pizza_Category

```
SELECT pizza_category, CAST( (SUM(total_price) * 100.0) / (SELECT SUM(total_price) FROM  
pizza_sales) AS DECIMAL(10,2) ) AS per_of_sales FROM pizza_sales GROUP BY pizza_category;
```

	pizza_category	per_of_sales
▶	Classic	26.91
	Veggie	23.68
	Supreme	25.46
	Chicken	23.96

PIZZA SALES REPORT SQL QUERIES

5. % Sales by Size of Pizza

```
SELECT pizza_size ,CAST((SUM(total_price) * 100.0) / (SELECT SUM(total_price) FROM pizza_sales) AS  
DECIMAL(10,2) ) AS per_of_sales FROM pizza_sales GROUP BY pizza_size;
```

	pizza_size	per_of_sales
▶	M	30.49
	L	45.89
	S	21.77
	XL	1.72
	XXL	0.12

6. Top 5 Pizzas by Revenue

```
select pizza_name,sum(total_price) as total_revenue from pizza_sales group by pizza_name order by  
total_revenue desc limit 5;
```

	pizza_name	total_revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Spicy Italian Pizza	34831.25

7. Bottom 5 Pizzas by Revenue

```
select pizza_name,sum(total_price) as total_revenue from pizza_sales group by pizza_name order by  
total_revenue asc limit 5;
```

	pizza_name	total_revenue
	The Brie Carre Pizza	11588.499999999999
	The Green Garden Pizza	13955.75
	The Spinach Supreme Pizza	15277.75
	The Mediterranean Pizza	15360.5
	The Spinach Pesto Pizza	15596

8. Top 5 Pizzas by Quantity Sold

```
select pizza_name,sum(quantity) as total_quantity from pizza_sales group by pizza_name order by  
total_quantity desc limit 5 ;
```

	pizza_name	total_quantity
	The Classic Deluxe Pizza	2453
	The Barbecue Chicken Pizza	2432
	The Hawaiian Pizza	2422
	The Pepperoni Pizza	2418
	The Thai Chicken Pizza	2371

PIZZA SALES REPORT SQL QUERIES

9. Bottom 5 Pizzas by Quantity Sold

```
select pizza_name,sum(quantity) as total_quantity from pizza_sales group by pizza_name order by total_quantity asc limit 5 ;
```

	pizza_name	total_quantity
►	The Brie Carre Pizza	490
	The Mediterranean Pizza	934
	The Calabrese Pizza	937
	The Spinach Supreme Pizza	950
	The Soppressata Pizza	961

10. Top 5 Pizzas by Total Orders

```
select pizza_name,count(distinct order_id) as total_order from pizza_sales group by pizza_name order by total_order desc limit 5 ;
```

	pizza_name	total_order
	The Classic Deluxe Pizza	2329
	The Hawaiian Pizza	2280
	The Pepperoni Pizza	2278
	The Barbecue Chicken Pizza	2273
	The Thai Chicken Pizza	2225

11. Bottom 5 Pizza by Total Orders

```
select pizza_name,count(distinct order_id) as total_order from pizza_sales group by pizza_name order by total_order asc limit 5 ;
```

	pizza_name	total_order
►	The Brie Carre Pizza	480
	The Mediterranean Pizza	912
	The Calabrese Pizza	918
	The Spinach Supreme Pizza	918
	The Chicken Pesto Pizza	938