

PIZZA SALES REPORT SQL QUERIES

KPIS:

1.Total Revenue

```
SELECT sum(total_price) as Total_Revenue FROM pizza_sales;
```

Total_Revenue
817860.049999993

2.Avarage Order

```
select sum(total_price) / count(distinct(order_id)) as Avagarge_order from pizza_sales;
```

Avagarge_order
38.307262295081635

3.Quantity Sold

```
select sum(quantity) as quantity from pizza_sales;
```

quantity
49574

4.Total Order

```
select count(distinct order_id) as Total_order from pizza_sales;
```

Total_order
21350

5.Avarage Per Order

```
select cast( CAST(sum(quantity) as decimal(10,2)) / CAST(count(distinct (order_id)) as decimal(10,2)) as decimal(10,2)) as avg_per_order from pizza_sales;
```

avg_per_order
2.32

PIZZA SALES REPORT SQL QUERIES

Problem Statements

1. Daily Trend for Total Order

```
SELECT DAYNAME(order_date) AS order_day, COUNT(DISTINCT order_id) as Total_Orders FROM
pizza_sales GROUP BY DAYNAME(order_date);
```

	order_day	Total_Orders
►	Friday	3359
	Monday	2940
	Saturday	3126
	Sunday	2710
	Thursday	3173

2. Month Trend for Total Order

```
select monthname(order_date) as month_name, count(distinct order_id) as total_order from pizza_sales
group by monthname(order_date) order by (total_order) desc;
```

	month_name	total_order
►	January	1929
	March	1864
	July	1860
	November	1844
	August	1835
	April	1829
	October	1782
	June	1771
	May	1765

3. Hour Trends by Order

```
select hour(order_time) as hour_order ,count(distinct(order_id)) as total_orders from pizza_sales group
by hour(order_time) order by total_orders asc;
```

hour_order	total_orders
9	1
10	8
23	28
22	663
21	1198
11	1231
15	1468
14	1472
20	1642

4. % Sales by Pizza_Category

```
SELECT pizza_category, CAST( (SUM(total_price) * 100.0) / (SELECT SUM(total_price) FROM
pizza_sales) AS DECIMAL(10,2) ) AS per_of_sales FROM pizza_sales GROUP BY pizza_category;
```

PIZZA SALES REPORT SQL QUERIES

	pizza_category	per_of_sales
▶	Classic	26.91
	Veggie	23.68
	Supreme	25.46
	Chicken	23.96

5. % Sales by Size of Pizza

```
SELECT pizza_size ,CAST((SUM(total_price) * 100.0) / (SELECT SUM(total_price) FROM pizza_sales) AS  
DECIMAL(10,2) ) AS per_of_sales FROM pizza_sales GROUP BY pizza_size;
```

	pizza_size	per_of_sales
▶	M	30.49
	L	45.89
	S	21.77
	XL	1.72
	XXL	0.12

6. Top 5 Pizzas by Revenue

```
select pizza_name,sum(total_price) as total_revenue from pizza_sales group by pizza_name order by  
total_revenue desc limit 5;
```

	pizza_name	total_revenue
▶	The Thai Chicken Pizza	43434.25
	The Barbecue Chicken Pizza	42768
	The California Chicken Pizza	41409.5
	The Classic Deluxe Pizza	38180.5
	The Spicy Italian Pizza	34831.25

7. Bottom 5 Pizzas by Revenue

```
select pizza_name,sum(total_price) as total_revenue from pizza_sales group by pizza_name order by  
total_revenue asc limit 5;
```

	pizza_name	total_revenue
	The Brie Carre Pizza	11588.4999999999
	The Green Garden Pizza	13955.75
	The Spinach Supreme Pizza	15277.75
	The Mediterranean Pizza	15360.5
	The Spinach Pesto Pizza	15596

8. Top 5 Pizzas by Quantity Sold

```
select pizza_name,sum(quantity) as total_quantity from pizza_sales group by pizza_name order by  
total_quantity desc limit 5 ;
```

PIZZA SALES REPORT SQL QUERIES

pizza_name	total_quantity
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

9. Bottom 5 Pizzas by Quantity Sold

select pizza_name,sum(quantity) as total_quantity from pizza_sales group by pizza_name order by total_quantity asc limit 5 ;

	pizza_name	total_quantity
▶	The Brie Carre Pizza	490
	The Mediterranean Pizza	934
	The Calabrese Pizza	937
	The Spinach Supreme Pizza	950
	The Soppressata Pizza	961

10. Top 5 Pizzas by Total Orders

select pizza_name,count(distinct order_id) as total_order from pizza_sales group by pizza_name order by total_order desc limit 5 ;

	pizza_name	total_order
	The Classic Deluxe Pizza	2329
	The Hawaiian Pizza	2280
	The Pepperoni Pizza	2278
	The Barbecue Chicken Pizza	2273
	The Thai Chicken Pizza	2225

11. Bottom 5 Pizza by Total Orders

select pizza_name,count(distinct order_id) as total_order from pizza_sales group by pizza_name order by total_order asc limit 5 ;

	pizza_name	total_order
▶	The Brie Carre Pizza	480
	The Mediterranean Pizza	912
	The Calabrese Pizza	918
	The Spinach Supreme Pizza	918
	The Chicken Pesto Pizza	938