

# Week-1 Practical Output

-2520030561

CREATE DATABASE IF NOT EXISTS bookflow\_db;

| #   | Time     | Action                                    |
|-----|----------|-------------------------------------------|
| ✓ 1 | 14:32:10 | CREATE DATABASE IF NOT EXISTS bookflow_db |

USE bookflow\_db;

| #   | Time     | Action                                    | Message           |
|-----|----------|-------------------------------------------|-------------------|
| ✓ 1 | 14:32:10 | CREATE DATABASE IF NOT EXISTS bookflow_db | 1 row(s) affected |
| ✓ 2 | 14:33:07 | USE bookflow_db                           | 0 row(s) affected |

```
CREATE TABLE books (  
    book_id INT AUTO_INCREMENT PRIMARY KEY,  
    title VARCHAR(255) NOT NULL,  
    isbn VARCHAR(13) NOT NULL UNIQUE,  
    published_year INT,  
    CONSTRAINT chk_published_year CHECK (published_year < 2027)  
);
```

| Output |          |                                                                                          |                   |
|--------|----------|------------------------------------------------------------------------------------------|-------------------|
| #      | Time     | Action                                                                                   | Message           |
| ✓ 1    | 14:32:10 | CREATE DATABASE IF NOT EXISTS bookflow_db                                                | 1 row(s) affected |
| ✓ 2    | 14:33:07 | USE bookflow_db                                                                          | 0 row(s) affected |
| ✓ 3    | 14:33:45 | CREATE TABLE books ( book_id INT AUTO_INCREMENT PRIMARY KEY, title VARCHAR(255) NOT N... | 0 row(s) affected |

  

| book_id | title | isbn | published_year |
|---------|-------|------|----------------|
| NULL    | NULL  | NULL | NULL           |

```
CREATE TABLE members (  
    member_id INT AUTO_INCREMENT PRIMARY KEY,  
    full_name VARCHAR(100) NOT NULL,  
    email VARCHAR(150) NOT NULL UNIQUE
```

);

Query 1 books members x

Limit to 2000 rows

```
1 • SELECT * FROM bookflow_db.members;
```

Result Grid

|   | member_id | full_name | email |
|---|-----------|-----------|-------|
| * | NULL      | NULL      | NULL  |

DESCRIBE books;

```
14 • );  
15 • DESCRIBE books;
```

Result Grid

|   | Field          | Type         | Null | Key | Default | Extra          |
|---|----------------|--------------|------|-----|---------|----------------|
| ▶ | book_id        | int          | NO   | PRI | NULL    | auto_increment |
|   | title          | varchar(255) | NO   |     | NULL    |                |
|   | isbn           | varchar(13)  | NO   | UNI | NULL    |                |
|   | published_year | int          | YES  |     | NULL    |                |

DESCRIBE members;

```
18 VALUES
```

Result Grid

|   | Field     | Type         | Null | Key | Default | Extra          |
|---|-----------|--------------|------|-----|---------|----------------|
| ▶ | member_id | int          | NO   | PRI | NULL    | auto_increment |
|   | full_name | varchar(100) | NO   |     | NULL    |                |
|   | email     | varchar(150) | NO   | UNI | NULL    |                |

INSERT INTO books(title,isbn,published\_year)

VALUES

```

('The Alchemist','9780061122415',1988),
('Clean Code','9780132350884',2008),
('Atomic Habits','9780735211292',2018);

```

|   | book_id | title  | isbn   | published_year |
|---|---------|--------|--------|----------------|
| ▶ | 1       | The... | 978... | 1988           |
|   | 2       | Cle... | 978... | 2008           |
|   | 3       | Ato... | 978... | 2018           |
| ✱ | NULL    | NULL   | NULL   | NULL           |

```

INSERT INTO members(full_name,email)
VALUES
('Anil Kumar','anil.kumar@example.com'),
('Priya Sharma','priya.sharma@example.com'),
('Ravi Verma','ravi.verma@example.com');

```

|   | member_id | full_name   | email   |
|---|-----------|-------------|---------|
| ▶ | 1         | Anil Kumar  | anil... |
|   | 2         | Priya Sh... | priy... |
|   | 3         | Ravi Verma  | ravi... |
| ✱ | NULL      | NULL        | NULL    |

```

INSERT INTO books (title, isbn, published_year)
VALUES ('Fake Copy', '9780061122415', 2000);
INSERT INTO books (title, isbn, published_year)
VALUES (NULL, '9999999999999', 2010);

```