
```
>_MONGOSH
        |          ^
> show dbs
< admin       40.00 KiB
  config     108.00 KiB
  local       40.00 KiB
  studentDB   80.00 KiB
> show collections
< books
  students
> db.students.find()
<
>
> db.students.find()
<
> db.students.insertOne({
      name: "Renugadevi P",
      age: 25,
      course: "FSWD",
      status: "ongoing"
  })
< {
    acknowledged: true,
    insertedId: ObjectId('6ae81e7aa457cf7d0c49c708')
  }
```


MongoDB Compass - MongoDB Local/Shell
Connections Edit View Help
Compass
My Queries
Data Modeling
CONNECTIONS (1)
MongoDB Shell
No results found.
books
mongosh: MongoDB Lo...
My Queries
MongoDB Local
>_MONGOSH
> db.students.insertMany([
{
name: "Priya",
age: 22,
course: "MERN Stack",
status: "completed"
},
{
name: "Arun",
age: 23,
course: "MERN Stack",
status: "ongoing"
},
{
name: "Kumar",
age: 24,
course: "Java",
status: "completed"
},
{
name: "Divya",
age: 21,
course: "Python",
status: "ongoing"
}
])
< {
acknowledged: true,
insertedIds: {
'0': ObjectId('6ae81f01a457cf7d0c49c709'),
'1': ObjectId('6ae81f01a457cf7d0c49c70a'),
'2': ObjectId('6ae81f01a457cf7d0c49c70b'),
'3': ObjectId('6ae81f01a457cf7d0c49c70c')
}
}
studentDB >

MongoDB Compass - MongoDB Local/Shell

Connections Edit View Help

Compass

My Queries

Data Modeling

CONNECTIONS (1)

MongoDB Shell

No results found.

books | mongosh: MongoDB Lo... | My Queries | MongoDB Local

>_MONGOSH

```
> db.students.find()
< {
    _id: ObjectId('6ae81e7aa457cf7d0c49c708'),
    name: 'Renugadevi P',
    age: 25,
    course: 'FSWD',
    status: 'ongoing'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c709'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'ongoing'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70c'),
    name: 'Divya',
    age: 23,
    course: 'MERN Stack',
    status: 'ongoing'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70c'),
    name: 'Divya',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70c'),
    name: 'Divya',
    age: 21,
    course: 'MERN Stack',
    status: 'ongoing'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70c'),
    name: 'Divya',
    age: 21,
    course: 'Python',
    status: 'ongoing'
  }
studentDB>
```

```
> db.students.find({ course: "MERN Stack" })
< {
    _id: ObjectId('6ae81f01a457cf7d0c49c709'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'ongoing'
  }
studentDB>
```

```
> db.students.updateOne(
    { name: "Renugadevi P" },
    { $set: { status: "completed" } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
studentDB >
```

```
> db.students.updateMany(
    { course: "MERN Stack" },
    { $set: { status: "completed" } }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 2,
    modifiedCount: 1,
    upsertedCount: 0
  }
studentDB>
```

```
> db.students.deleteOne({
    name: "Divya"
  })
< {
    acknowledged: true,
    deletedCount: 1
  }
studentDB >
```


```
> db.students.find({
    age: { $gt: 22 }
  })
< {
    _id: ObjectId('6ae81e7aa457cf7d0c49c708'),
    name: 'Renugadevi P',
    age: 25,
    course: 'FSWD',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
studentDB >
```


```
> db.students.find({
    age: { $lt: 23 }
  })
< {
    _id: ObjectId('6ae81f01a457cf7d0c49c709'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  }
studentDB>
```

```
> db.students.find({
    course: { $in: ["MERN Stack", "Java"] }
  })
< {
    _id: ObjectId('6ae81f01a457cf7d0c49c709'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
studentDB>
```

```
> db.students.find({
    $and: [
      { age: { $gt: 22 } },
      { status: "completed" }
    ]
  })
< {
    _id: ObjectId('6ae81e7aa457cf7d0c49c708'),
    name: 'Renugadevi P',
    age: 25,
    course: 'FSWD',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
studentDB>
```

```
> db.students.find({
    $or: [
      { course: "MERN Stack" },
      { age: 24 }
    ]
  })
< {
    _id: ObjectId('6ae81f01a457cf7d0c49c709'),
    name: 'Priya',
    age: 22,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70a'),
    name: 'Arun',
    age: 23,
    course: 'MERN Stack',
    status: 'completed'
  }
  {
    _id: ObjectId('6ae81f01a457cf7d0c49c70b'),
    name: 'Kumar',
    age: 24,
    course: 'Java',
    status: 'completed'
  }
```


MongoDB Compass - MongoDB Local/Shell
Connections Edit View Help
Compass
My Queries
Data Modeling
CONNECTIONS (1)
MongoDB Shell
No results found.
books
mongosh: MongoDB Lo...
My Queries
MongoDB Local
>_MONGOSH
db.students.find({
course: { $exists: true }
})
{
_id: ObjectId('6ae81e7aa457cf7d0c49c708'),
name: 'Renugadevi P',
age: 25,
course: 'FSWD',
status: 'completed'
}
{
_id: ObjectId('6ae81f01a457cf7d0c49c709'),
name: 'Priya',
age: 22,
course: 'MERN Stack',
status: 'completed'
}
{
_id: ObjectId('6ae81f01a457cf7d0c49c70a'),
name: 'Arun',
age: 23,
course: 'MERN Stack',
status: 'completed'
}
{
_id: ObjectId('6ae81f01a457cf7d0c49c70b'),
name: 'Kumar',
age: 24,
course: 'Java',
status: 'completed'
}
studentDB>


db.students.deleteMany({})
{
acknowledged: true,
deletedCount: 4
}
studentDB>

```
> db.books.find()
< {
    _id: ObjectId('6ae604db90a33b1d32eed576'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 500,
    available: false
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed577'),
    title: 'React for Beginners',
    author: 'David',
    category: 'Programming',
    price: 650,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
studentDB >
```

```
> db.books.insertOne({
      title: "MongoDB for Beginners",
      author: "Alex",
      category: "Programming",
      price: 550,
      available: true
  })
< {
    acknowledged: true,
    insertedId: ObjectId('6ae82951a457cf7d0c49c70d')
  }
studentDB >
```

```
< {
    acknowledged: true,
    insertedId: ObjectId('6ae82951a457cf7d0c49c70d')
  }
> db.books.updateOne(
      { title: "MongoDB for Beginners" },
      {
          $set: {
              available: false,
              price: 600
          }
      }
  )
< {
    acknowledged: true,
    insertedId: null,
    matchedCount: 1,
    modifiedCount: 1,
    upsertedCount: 0
  }
studentDB>
```

```
> db.books.find({ category: "Programming" })
< {
    _id: ObjectId('6ae604db90a33b1d32eed576'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 500,
    available: false
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed577'),
    title: 'React for Beginners',
    author: 'David',
    category: 'Programming',
    price: 650,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: false
  }
studentDB>
```

MongoDB Compass - MongoDB Local/Shell

Connections Edit View Help

Compass

- My Queries
- Data Modeling

CONNECTIONS (1)

MongoDB Shell

No results found.

books | mongosh: MongoDB Lo... | My Queries | MongoDB Local

>_MONGOSH

```
> db.students.find()
<
> db.books.find()
< {
    _id: ObjectId('6ae604db90a33b1d32eed576'),
    title: 'JavaScript Basics',
    author: 'John Smith',
    category: 'Programming',
    price: 500,
    available: false
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed577'),
    title: 'React for Beginners',
    author: 'David',
    category: 'Programming',
    price: 650,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: true
  }
  {
    _id: ObjectId('6ae604db90a33b1d32eed578'),
    title: 'Wings of Fire',
    author: 'APJ Abdul Kalam',
    category: 'Biography',
    price: 300,
    available: true
  }
  {
    _id: ObjectId('6ae82951a457cf7d0c49c70d'),
    title: 'MongoDB for Beginners',
    author: 'Alex',
    category: 'Programming',
    price: 600,
    available: false
  }
studentDB >
```