LANGUAGE TRANSLATOR

A MINI PROJECT REPORT

Submitted to

VISVESVARAYA TECHNOLOGICAL UNIVERSITY

Jnana Sangama, BELAGAVI- 590018



By

Ms. Preona Dsouza **USN:4MW21CS072**

Ms. Rachana P **USN:4MW21CS073**

Ms. Savi H S **USN:4MW21CS089**

Under the guidance of

Ms. Sahana

Assistant Professor(senior), Dept. of Computer Science & Engineering



Department of Computer Science & Engineering

SHRI MADHWA VADIRAJA INSTITUTE OF TECHNOLOGY AND MANAGEMENT

Vishwothama Nagar, BANTAKAL–574115,Udupi District

JULY 2024

SHRI MADHWA VADIRAJA INSTITUTE OF TECHNOLOGY AND MANAGEMENT

(A Unit of Shri Sode Vadiraja Mutt Education Trust ®, Udupi)

Vishwothama Nagar, BANTAKAL–574115,Udupi District, Karnataka, INDIA

Department of Computer Science & Engineering

CERTIFICATE

Certified that the Mini Project Work titled '**LANGUAGE TRANSLATOR**' is carried out by:

Ms. Preona Dsouza	USN:**4MW21CS072**
Ms. Rachana P	USN:**4MW21CS073**
Ms. Savi H S	USN:**4MW21CS089**

bonafide students of Shri Madhwa Vadiraja Institute of Technology and Management, in completion of "**Mini Project"** in Computer Science & Engineering of Visvesvaraya Technological University, Belagavi during the year 2023-2024. It is certified that all the corrections / suggestions indicated during Internal Assessment have been incorporated in the report. The report has been approved as it satisfies the academic requirements in respect of Mini Project Work prescribed for the said degree.

Ms. Sahana
Assistant Professor(senior) & Guide
Dept. of CSE

Dr. Soumya J Bhat
Head
Dept. of CSE

Name of the Examiners: **Signature with Date**

1.

2.

Acknowledgements

We express our deepest gratitude and respect to Dr. Soumya J. Bhat, Associate Professorand Head of the Department of Computer Science and Engineering, and Ms. Sahana, Assistant Professor (Senior), Department of Computer Science and Engineering, for their encouragement during this project work. We are in debted to Prof. Dr. Thirumaleshwara Bhat, Principal, for his advice and suggestions at various stages of the work.

We extend our thanks to the Management of Shri Madhwa Vadiraja Institute of Technology and Management, Bantakal, Udupi, for providing excellent laboratory and library facilities. We also remain grateful for the cooperation and help rendered by the teaching and non-teaching staff of the Computer Science and Engineering Department.

Lastly, we take this opportunity to offer our regards to all those who have supported us directly or indirectly in the successful completion of this project work.

Ms.Preona Dsouza
Ms.Rachana P
Ms.Savi H S

ABSTRACT

The Android Language Translator application is a versatile mobile tool designed to facilitate real-time translation of text and speech across multiple languages. Utilizing Firebase's Machine Learning (ML) Kit, his app provides a seamless experience for users seeking to overcome language barriers. The application integrates speech recognition and translation capabilities, making it a valuable asset for users in multilingual contexts. These applications harness the power of advanced computational linguistics, machine learning, and artificial intelligence to offer real-time translation services, transforming how users interact with diverse linguistic environments. By leveraging the computational capabilities of modern smart phones, these apps provide users with the ability to translate text, speech, and even images from one language to another with remarkable convenience and accuracy.

This application is designed to be user-friendly, offering features that enhance accessibility and functionality. Many incorporate voice input for hands-free operation, making them particularly useful in dynamic or travel scenarios where typing may be impractical. Real-time translation capabilities facilitate spontaneous conversations, helping travelers communicate with locals, business professionals negotiate deals, and individuals navigate foreign environment with ease. Additionally, the integration of offline translation modes ensures that users have access to essential translation features even without an active internet connection, which is invaluable in remote or under-connected regions.

In summary, this Android Language Translator application effectively combines speech and text translation features with Firebase's advanced machine learning capabilities. It provides users with a practical tool for real-time multilingual communication, contributing to global connectivity and accessibility. With its robust feature set and user-friendly design, the application stands as a valuable resource for overcoming language barriers in various contexts. Future developments may focus on refining the application's functionality and expanding its language offerings to further enhance its utility.

Table of Contents

		Page No.
Acknowledgements		i
Abstract		ii
Table of Contents		iii
List of Figures		iv
Chapter 1	**Introduction**	1
	Relevance of the work	1
	Issue and challenges	2
	Problems statement and objectives	3
	Significance Original Contribution	3
Chapter 2	**Literature Survey**	5
Chapter 3	**Proposed Methodology**	8
	Methodology	7
	Hardware requirements	9
	Software requirements	10
	Flowchart	11
Chapter 4	**Result and Evaluation**	13
Chapter 5	**Conclusion and Future work**	20
References		

List of Figures

Fig. no	Description	Page No.
Figure 3.1	illustrates the architecture of the proposed system	11
Figure 4.1	Main Page of the application	13
Figure 4.2	Frontal view of the translator app	14
Figure 4.3	Language selection option for source language	15
Figure 4.4	Language selection option for target language	16
Figure 4.5	Translation of a text from one language to another language	17
Figure 4.6	Translation of a text from one language to another language	18
Figure 4.7	Translation of a text through voice	19

Chapter 1

INTRODUCTION

In an increasingly interconnected world, effective communication across different languages is vital. To address this need, the Language Translator Android Application offers a robust solution for translation of text and speech. This application harnesses the power of Google's Firebase Machine Learning Kit to facilitate seamless language translation, making it an invaluable tool for travelers, students, and professionals a like. To bridge this gap, mobile translation applications have emerged as valuable tools for on-the-go language conversion. This application leverages advanced technologies to break down language barriers, making communication more accessible and seamless for users around the world.

Relevance of the Work

While language translation applications are not a new concept, "Language Translator" offers several key advantages that contribute meaningfully to this field:

- **Unparalleled Accessibility:** Mobile applications provide a readily available translation tool, accessible anytime and anywhere on smart phones, a ubiquitous part of modern life. This allows for on-the-go translation, perfect for spontaneous conversations, unexpected situations, or travel adventures.

- **Offline Functionality:** Understanding the limitations of internet connectivity, Language Translator prioritizes offline usability. By incorporating an efficient model management system, users can download essential translation models for specific languages. This ensures seamless translation even in areas with limited or no internet access.

- **Prioritizing User-friendliness:** The application prioritizes a user-friendly interface with intuitive features. This includes clear and simple language selection through spinner menus, informative feedback messages through toast notifications, and

easy-to-understand functionalities. This design approach ensures a smooth translation experience for users with varying levels of technical expertise.

- **Enhanced Convenience with Speech Recognition:** For added convenience, "Language Translator" offers the optional integration of speech recognition functionality. This allows users to translate spoken language directly, making communication even more convenient, particularly in scenarios where typing might be impractical.

Issues and Challenges

While mobile translation applications offer undeniable benefits, there are ongoing challenges that developers and users must navigate:

- **Accuracy Nuances:** Machine translation models are constantly evolving, but achieving perfect accuracy across all languages and contexts remains a hurdle. This project will explore strategies to utilize the latest advancements in Google's Firebase ML Kit to ensure the translated text maintains accuracy, conveys natural-sounding phrasing, and reflects the nuances of the source language.
- **Balancing Functionality with Storage:** There's a constant battle between offering comprehensive features and managing resource constraints. Downloading large translation models can consume storage space, potentially limiting usability on devices with limited capacity. 'Language Translator' will investigate methods for optimizing model sizes and offering a balance between comprehensiveness and offline functionality. This may involve prioritizing frequently used languages for offline access while allowing online access for less common languages.

- **Ensuring Optimal Internet Usage:** Although the app offers offline functionality for downloaded models, some features, like downloading new language models or updates, require an internet connection. This project will consider alternative methods for model distribution, such as offering downloadable model packages or user education on optimizing internet usage for essential functionalities.

Problem Statement and Objectives

Problem Statement

The current lands cape of mobile translation applications presents a need for user-friendly, readily available tools that prioritize accuracy, both online and offline. Travelers, business professionals, language learners, and anyone encountering language barriers require a reliable solution to bridge the communication gap, on the go and seamlessly.

Objectives

This project aims to achieve the following objectives:

- Develop a user-friendly Android application that facilitates real-time text translation between various languages, leveraging Google's Firebase ML Kit.
- Integrate Google's Firebase ML Kit to leverage powerful and accurate machine translation models.
- Implement an efficient model management system to enable offline translation capabilities for downloaded models.
- Offer optional speech recognition functionality for hands-free translation, enhancing user convenience.
- Design an intuitive interface with clear user feedback mechanisms for a smooth and efficient translation experience.

Significant Original Contributions

This project contributes to the field of mobile translation applications by:

- **Prioritizing User Experience:** The focus on a user-friendly interface with intuitive features and clear feedback caters to a broader audience, making translation accessible for users with varying levels of technical expertise.
- **Balancing Online and Offline Functionality:** By allowing users to download essential models for specific languages, the app addresses the concern of limited internet

connectivity. This empowers users to translate even in areas with limited or no network access.

- **Speech Recognition Integration:** The inclusion of speech recognition as an optional feature provides a convenient option for spoken language translation, improving user experience for on-the-go scenarios.

Chapter 2

LITERATURE SURVEY

This literature survey explores existing research relevant to developing a mobile language translator application like this app. The focus is on functionalities like text translation, speech recognition, and language selection, all implemented within a user-friendly interface. Research in as explores various acoustic.

1. Machine Translation (MT):

Journal: "Investigative Study towards the Development of Mobile Language Translator" (Research Gate, 2023) by Sim Liew Fong, Abdelrahman Osman, Md Gapar & Kevin lobo

Summary: This paper explores the development process of a mobile language translator app. It highlightsintegrationofFirebaseMLKitforbuildingalanguagetranslatorapp.It explores functionalities like text-to-text translation and highlights the benefits of Firebase's pre-trained models and ease of use. This aligns with the code utilizing Firebase Translator for translation tasks.MT is the foundation of any language translator app. The app utilizes Firebase Translation, a cloud-based MT service from Google. Research in MT explores various techniques, with recent advancements focusing on Neural Machine Translation (NMT) (Wu et al., 2016). NMT models achieve high accuracy by learning complex relationships between source and target languages. Further research explores domain-specific MT models trained on specialized data sets to improve performance in specific contexts (Schuster et al., 1994).

2. Automatic Speech Detection:

Journal: "Deep Learning for Automatic Speech Recognition" by Hinton et al. (2012) .

Summary: This paper discusses the application of deep learning techniques, particularly deep neural networks (DNNs), for ASR tasks. DNNs excel at capturing complex patterns in speech data, leading to significant improvements in recognition accuracy.

Speech-to-Text Conversion: The app uses speech recognition to convert spoken language into text for translation. Research in ASR explores various acoustic modeling techniques

to handle variations in speech patterns, accents, and back ground noise (Huangetal 2001). Deep learning approaches using Long Short-Term Memory (LSTM) networks have shown promising results in handling complex speech (Graves et al., 2013). Combining ASR with MT allows for seamless speech-to-text translation. Research explores methods for optimizing the pipeline between these two modules to ensure accurate and efficient translation (Liu et al., 2016).

3. Language Detection and Selection:

Journal: "Automatic Language Identification Using Character n-grams" by Cavnar and Trenkle (1994) [2]. This seminal work established n-gram based language identification a technique that analyzes character sequences to determine the source language.

Summary: Your code likely employs a similar approach or a pre-trained model for language detection based on the user's input or speech recognition.

Speech Recognition and Natural Language Processing (NLP): Research by Sanket et al. (2012) in "Literature Survey: Spoken Language Translation" explores the use of speech recognition for language detection. The paper highlights the integration of Automatic Speech Recognition (ASR) with Machine Translation (MT) for spoken language translation. This is relevant for incorporating voice input in the translator app**.** Speech Recognition and Natural Language Processing (NLP): Research by Sanket et al. (2012)in "Literature Survey: Spoken Language Translation" explores the use of speech recognition for language detection. The paper highlights the integration of Automatic Speech Recognition (ASR) with Machine Translation (MT) for spoken language translation. The app identifies the source language for translation. Research explores language identification techniques based on n-gram statistics or character-level features (Lui and Wong, 2013). Additionally, research explores app provides user interfaces for selecting source and target languages. Research on user-centered design explores interfaces that are intuitive and user-friendly, especially for multilingual users (Garzoneet al., 2013).

4. Mobile App Development:

Journal: "LANGUAGE TRANSLATOR APP - IRJ METS"(International Research Journal of Management, Engineering and Technology (IRJMETS), 2022).

Summary: This paper focuses on the technical aspects of developing a mobile translator

app. It discusses features like offline translation, text-to-speech conversion, and image-to-text translation for a more comprehensive user experience. This app utilizes Android APIs for functionalities like spinner menus, buttons, and text views. Research in mobile app development explores best practices for building user-friendly and efficient apps for various platforms (Greenfield, 2016).

Offline Translation: The current implementation relies on internet connectivity for translation. Research explores techniques for enabling offline translation capabilities by storing pre-trained models on the device (Wang et al., 2016).

5. User Interface (UI) and User Experience (UX):

Journal: User Interface Design for Mobile Translation Applications (2013, International Journal of Human-Computer Interaction).

Summary: User-centered design principles are crucial for creating a language translation app that is easy to use, intuitive, and facilitates efficient communication.

The studies by Diaz et al. (2014) emphasize the importance of user-friendly interfaces and intuitive navigation in language translator apps. They advocate for features that cater to users with disabilities, such as text-to-speech and speech-to-text functionalities.

This paper focuses on the user interface design of a language translator app. Item phasizes the importance of a clear and intuitive interface for selecting languages, inputting text, and displaying translations. The provided code offers a basic structure with spinners for language selection and text fields for input and output. However, further research on user-friendly layouts and functionalities like voice input/output or image translation can be explored

Chapter3

PROPOSED METHODOLOGY

3.1. Methodology

The application follows a user-centric approach, enabling seamless text and speech translation across various languages. Here's a breakdown of the functionalities:

1. **User Input:**

- The user will have two options for input:
  - Text input: Users can type the text they want to translate directly into a text field.
  - Speech recognition: Clicking the microphone icon initiates speech recognition. The app captures user speech, converts to text ,and displays it in the text field Users can speak the text they want to translate by clicking on a microphone icon. The app will use the device's speech recognition capabilities to convert spoken words to text**.**

2. **Language Selection:**

- Language Selection: Users can choose the source and target languages from pre-defined spinners. The app includes a "From" and "To" spinner populated with language options like English, Spanish, French, etc.
- The user will select both the source language (the language that exists currently in) and the target language (the language they want to translate it to) from dropdown menus populated with supported languages.

3. **Translation Processing:**

- Once the user confirms their selections, the app will:

➢ Check if the user has entered any text to translate. If not, it will display an error message.

➢ Check if the user has selected both source and target languages. If not, it will display appropriate error messages.

➢ If all inputs are valid, the app will use the Firebase Translation API to translate the text. This involves:

- ➢ Downloading the necessary translation model for the chosen languages (if not already downloaded).
- ➢ Sending the text for translation using the chosen source and target language codes.

4. Output Display:

- Upon successful translation, the app will display the translated text in a designated area on the screen.
- Incase of translation errors, the app will display an error message informing the user about the issue.

Hardware Requirements

- **Development:**

1. Operating system(Windows, macOS, Linux)

` 2. PC or Mac with sufficient processing power and memory.

3. Mobile Devices:
   - o Processor: Minimum 1.2 GHz dual-core
   - o RAM: Minimum 1 GB
   - o Storage: Minimum 16 GB
   - o OperatingSystem:Android5.0oriOS11orlater
   - o Camera (for optional image-to-text translation)
   - o Microphone (for voice input)
   - o Speaker (for audio output)
4. Development Environment:
   - o Computer with sufficient processing power and RAM
   - o IntegratedDevelopmentEnvironment(IDE)compatiblewithchosenprogramming language
   - o Necessary software development kits (SDKs) and tools
   - o Network connectivity for API access and testing

- **Deployment:**
  - o No specific hardware requirements, as the app runs on mobile devices.

Software Requirements

- **Development:**
  - Android or iOS development kits.
  - Emulators for testing on different devices.
  - Android Studio or Xcode (depending on platform).
  - Java, Kotlin, or Swift programming languages.
  - Version control system(Git).
  - Integrated development environment (IDE) for code editing and debugging.
  - UI/UX design tools (Figma, Adobe XD).
  - Translation API integration libraries.
  - Database management software(SQLite for offline dictionary).
- **Deployment:**
  - App store accounts (Google Play Console ,Apple App Store Connect).Hardware Requirements

Flow Chart

It provides a high-level overview of the data flow and interactions between different components.




Figure3.1: illustrates the architecture of the proposed system

Step1: Text/Speech Input

The process begins with receiving input, which can be either text or speech.

Step 2: Convert Speech to Text

If the input is speech, it is converted into text using speech recognition technology. This step is skipped if the input is already in text format.

Step3:Cross-ChecksLanguageSelected

The system verifies that the language selected for translation matches the language of the input text.

Step4:Translate into Given Language

The text is then translated into the specified target language using machine translation algorithms.

Step5:ConvertText/Speech to Text

If the desired output format is speech, the translated text is converted into speech using text-to-speech technology. This step is skipped if the output format is text.

Step6:Final Output of Translated Language

The final output, either in text or speech format, is presented in the target language

Chapter 4

RESULTS AND EVALUATION



Figure 4.1: Main Page of the application

This image shows the home screen of an Android smart phone.




Figure 4.2: Frontal view of the translator app

The image showcases the main interface of a language translation app on an Android device.

.



Figure 4.3: Language selection option for source language

Users can select the source languages for translation from a drop down list. Supported languages include English, Afrikaans, Arabic, Belarusian, Bengali, Catalan, Czech, Welsh, Hindi, and Urdu.




Figure4.4: Language selection option for target language

Users can select the source and target languages for translation from a drop down list .Supported languages include English, Afrikaans, Arabic, Belarusian, Bengali, Catalan, Czech, Welsh, Hindi, and Urdu.




Figure4.5: Translation of a text from one language to another language

This output provides a straightforward way to translate text between English and Hindi.



\

Figure4.6: Translation of a text from one language to another language

The image demonstrates a basic language translation app with a clean and simple interface.

Languages selection: The app supports English and Arabic languages, with English currently selected as the source language and Arabic as the target language.

Translation input: The user has entered the word "hello" in the English input field.

Translation output: The app displays the Arabic translation of "hello" as"مرحبا"(Marhaban).

Translation options: Users can either type in the text to be translated or use the microphone.




Figure4.7: Translation of a text through voice

In this output screenshot, a microphone icon is present, labeled "say something to translate," indicating voice input functionality. The text "English (United States)" suggests that the app is set to recognize English spoken in the United States accent.

Chapter 5

CONCLUSION AND FUTURE WORK

The language translator app demonstrates the feasibility of building a mobile application at utilizes Firebase Translation for real-time language conversion. The core functionalities are operational, allowing users to select source and target languages, input text or speech, and receive translated outputs.

The app effectively leverages spinners for language selection and integrates speech recognition for hands-free input. Error handling mechanisms are implemented to address missing user input and translation failures.

Future Work

While the current version provides a functional base, several enhancements can elevate the user experience and translation capabilities:

1. **Expanding Language Support:**
The current language selection is limited. The app can be enriched by incorporating a wider range of languages supported by Firebase Translation (over 100).This would cater to a more diverse user base and facilitate communication across a broader spectrum of cultures.

2. **Offline Translation Functionality:**
Currently, the app relies on an internet connection for translation. Implementing offline translation would significantly improve usability in scenarios with limited or no internet access. This can be achieved by pre-downloading frequently used language models or offering users the option to download specific language packs.

3. **Contextual Translation:**
The app currently performs basic text translation. Incorporating contextual translation techniques would enhance accuracy, particularly for nuanced phrases, idioms, and sentences with double meanings. Analyzing the surrounding text and considering the context would improve the quality of the translated output.

4. **Image Translation:**

Integrating image recognition and translation capabilities would significantly broaden the app's functionality. Users could point their camera at signs, menus , or documents written in a foreign language and receive a real-time translation on their screen. This would be particularly beneficial for travelers and those encountering foreign languages in everyday life.

5. **Speech-to-Speech Translation:**

Expanding upon the existing speech-to-text functionality, the app could be enhanced to offer speech-to-speech translation. This would allow users to have real-time conversations with individuals speaking different languages, breaking down communication barriers and facilitating smoother interactions.

6. **User Interface Improvements:**

The user interface can be further refined to enhance user experience. Implementing features like a history section to revisit past translations, the ability to save frequently used phrases, and customization options for language selection order would provide added convenience and personalization.

7. **Integration with Additional Services:**

The app's functionality could be extended by integrating with other services like maps or travel guides. This would allow users to seamlessly translate directions, restaurant menus, or tourist information encountered during their travels.

8. **User Feedback and Iteration:**

Implementing a user feedback mechanism within the app would be valuable. Gathering user insights on language selection preferences, encountered issues, and desired features would guide future development efforts and ensure the app remains relevant and user-friendly.

References

1. Cavnar, W. B., & Trenkle, J. M. (1994). Automatic language identification using character n-grams. *Proceedings of the 3rd Conference on Applied Natural Language Processing*, 392-397.

2. Hinton, G. E., Deng, L., Yu, D., Dahl, G. E., Mohamed, A. R., Jaitly, N., & others. (2012). Deep learning for automatic speech recognition. *IEEE Signal Processing Magazine*, 29(6), 82-97.

3. User Interface Design for Mobile Translation Applications. (2013). *International Journal of Human-Computer Interaction*.

4. LANGUAGE TRANSLATOR APP - IRJ METS. (2022). *International Research Journal of Management, Engineering and Technology (IRJMETS)*.

5. Bahdanau, D., Cho, K., & Bengio, Y. (2014). Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*.

6. Sutskever, I., Vinyals, O., & Le, Q. V. (2014). Sequence to sequence learning with neural networks. *Advances in Neural Information Processing Systems*, 27, 3104-3112.

7. Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems*, 30, 5998-6008.

8. Koehn, P., Och, F. J., & Marcu, D. (2003). Statistical phrase-based translation. *Proceedings of the 2003 Conference of the North American Chapter of the Association for Computational Linguistics on Human Language Technology-Volume 1*, 48-54.

9. Brown, P. F., Pietra, S. A. D., Pietra, V. J. D., & Mercer, R. L. (1993). The mathematics of statistical machine translation: Parameter estimation. *Computational Linguistics*, 19(2), 263-311.

10. Tiedemann, J. (2012). Parallel data, tools and interfaces in OPUS. *Proceedings of the 8th International Conference on Language Resources and Evaluation (LREC)*, 2214-2218.

11. Johnson, M., Schuster, M., Le, Q. V., Krikun, M., Wu, Y., Chen, Z., & Dean, J. (2017). Google's multilingual neural machine translation system: Enabling zero-shot translation. *Transactions of the Association for Computational Linguistics*, 5, 339-351.

12. Wu, Y., Schuster, M., Chen, Z., Le, Q. V., Norouzi, M., Macherey, W., & Dean, J. (2016). Google's neural machine translation system: Bridging the gap between human and machine translation. *arXiv preprint arXiv:1609.08144*.

13. Koehn, P. (2004). Pharaoh: A beam search decoder for phrase-based statistical machine translation models. *Proceedings of the 3rd Conference of the Association for Machine Translation in the Americas (AMTA)*, 115-124.