Query Group 1: Competitions Analysis

1. List all competitions with category names

SELECT c.competition_name, cat.category_name

FROM Competitions c

JOIN Categories cat ON c.category_id = cat.category_id;

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

competition_name	category_name
ATP Tour	ATP
ATP Vienna	ATP
ATP Challenger Doubles	ATP
ITF Men Doubles	ITF Men
WTA Dubai	WTA

Result 17

Output

Action Output

#	Time	Action	Message
107	18:06:03	SELECT * FROM Competitor_Rankings LIMIT 0, 1000	0 row(s) returned
108	18:06:07	INSERT INTO Competitor_Rankings (rank_id, competitor_id, player_rank, movement, points, competitions_pl...	5 row(s) affected Records: 5 Duplicates: 0 Warnings: 0
109	18:06:13	SELECT * FROM Competitor_Rankings LIMIT 0, 1000	5 row(s) returned
110	18:08:54	SELECT c.competition_name, cat.category_name FROM Competitions c JOIN Categories cat ON c.category...	5 row(s) returned

2. Count number of competitions in each category

SELECT cat.category_name, COUNT(*) AS competition_count

FROM Competitions c

JOIN Categories cat ON c.category_id = cat.category_id

GROUP BY cat.category_name

ORDER BY competition_count DESC;

Result Grid | Filter Rows:

category_name	competition_count
ATP	3
ITF Men	1
WTA	1

3. Find competitions of type doubles

```
SELECT competition_name
FROM Competitions
WHERE type = 'doubles';
```

competition_name
ATP Challenger Doubles
ITF Men Doubles

4. Get competitions in a specific category, for example ITF Men

```
SELECT c.competition_name
FROM Competitions c
JOIN Categories cat ON c.category_id = cat.category_id
WHERE cat.category_name = 'ITF Men';
```

competition_name
ITF Men Doubles

5. Identify parent competitions and sub-competitions

```
SELECT p.competition_name AS parent_competition,
    c.competition_name AS sub_competition
FROM Competitions c
JOIN Competitions p ON c.parent_id = p.competition_id;
```

parent_competition	sub_competition
ATP Tour	ATP Vienna

6. Distribution of competition types by category

```
SELECT cat.category_name, c.type, COUNT(*) AS cnt
FROM Competitions c
JOIN Categories cat ON c.category_id = cat.category_id
GROUP BY cat.category_name, c.type
ORDER BY cat.category_name, cnt DESC;
```

category_name	type	cnt
ATP	singles	2
ATP	doubles	1
ITF Men	doubles	1
WTA	singles	1

7. List all top-level competitions with no parent

```
SELECT competition_name
FROM Competitions
WHERE parent_id IS NULL;
```

competition_name

Venue Analysis Queries

1. **List all venues with their associated complex name**

```
SELECT v.venue_name, c.complex_name
FROM Venues v
JOIN Complexes c ON v.complex_id = c.complex_id;
```

venue_name	complex_name
Court Central	Nacional
Court 2	Nacional
Center Court	Vienna Tennis Center
Arena 1	Dubai Stadium

2. **Count the number of venues in each complex**

```
SELECT c.complex_name, COUNT(*) AS venue_count
FROM Venues v
JOIN Complexes c ON v.complex_id = c.complex_id
GROUP BY c.complex_name
ORDER BY venue_count DESC;
```

complex_name	venue_count
Nacional	2
Vienna Tennis Center	1
Dubai Stadium	1

3. **Get details of venues in a specific country, for example Chile**

```
SELECT *
FROM Venues
WHERE country_name = 'Chile';
```

venue_id	venue_name	city_name	country_name	country_code	timezone	complex_id
vn_001	Court Central	Santiago	Chile	CHL	America/Santiago	cx_001
vn_002	Court 2	Santiago	Chile	CHL	America/Santiago	cx_001
NULL	NULL	NULL	NULL	NULL	NULL	NULL

4. **Identify all venues and their timezones**

```
SELECT venue_name, timezone
FROM Venues;
```

venue_name	timezone
Court Central	America/Santiago
Court 2	America/Santiago
Center Court	Europe/Vienna
Arena 1	Asia/Dubai

5. **Find complexes that have more than one venue**

```
SELECT c.complex_name, COUNT(*) AS venue_count
FROM Venues v
JOIN Complexes c ON v.complex_id = c.complex_id
GROUP BY c.complex_name
HAVING COUNT(*) > 1;
```

complex_name	venue_count
Nacional	2

6. **List venues grouped by country**

```
SELECT country_name, COUNT(*) AS venue_count
FROM Venues
GROUP BY country_name
ORDER BY venue_count DESC;
```

country_name	venue_count
Chile	2
Austria	1
UAE	1

7. **Find all venues for a specific complex, for example Nacional**

```
SELECT v.*
FROM Venues v
JOIN Complexes c ON v.complex_id = c.complex_id
WHERE c.complex_name = 'Nacional';
```

venue_id	venue_name	city_name	country_name	country_code	timezone	complex_id
vn_001	Court Central	Santiago	Chile	CHL	America/Santiago	cx_001
vn_002	Court 2	Santiago	Chile	CHL	America/Santiago	cx_001

Competitor Ranking Queries

1. **Get all competitors with their rank and points**

```
SELECT c.name, c.country, r.player_rank, r.points
FROM Competitor_Rankings r
JOIN Competitors c ON r.competitor_id = c.competitor_id
ORDER BY r.player_rank;
```

name	country	player_rank	points
Ivan Horvat / Luka Brnic	Croatia	1	8120
Sergio Gomez / Raul Perez	Spain	2	7900
John Smith / Michael Lee	United States	3	7740
Pierre Laurent / Hugo Noel	France	4	7600
Nikhil Rao / Arjun Menon	India	5	7420

2. **Find competitors ranked in the top 5**

```
SELECT c.name, r.player_rank, r.points
FROM Competitor_Rankings r
JOIN Competitors c ON r.competitor_id = c.competitor_id
ORDER BY r.player_rank
LIMIT 5;
```

name	player_rank	points
Ivan Horvat / Luka Brnic	1	8120
Sergio Gomez / Raul Perez	2	7900
John Smith / Michael Lee	3	7740
Pierre Laurent / Hugo Noel	4	7600
Nikhil Rao / Arjun Menon	5	7420

3. **List competitors with no rank movement**

```
SELECT c.name, r.player_rank, r.movement
FROM Competitor_Rankings r
JOIN Competitors c ON r.competitor_id = c.competitor_id
WHERE r.movement = 0;
```

name	player_rank	movement
Ivan Horvat / Luka Brnic	1	0
Pierre Laurent / Hugo Noel	4	0

4. **Get total points of competitors from a specific country, for example Croatia**

```
SELECT c.country, SUM(r.points) AS total_points
FROM Competitor_Rankings r
JOIN Competitors c ON r.competitor_id = c.competitor_id
WHERE c.country = 'Croatia'
GROUP BY c.country;
```

country	total_points
Croatia	8120

5. **Count the number of competitors per country**

```
SELECT country, COUNT(*) AS competitor_count
FROM Competitors
GROUP BY country
ORDER BY competitor_count DESC;
```

country	competitor_count
Croatia	1
Spain	1
United States	1
France	1
India	1

6. **Find competitors with the highest points**

```
SELECT c.name, r.points
FROM Competitor_Rankings r
JOIN Competitors c ON r.competitor_id = c.competitor_id
WHERE r.points = (SELECT MAX(points) FROM Competitor_Rankings);
```

	name	points
▶	Ivan Horvat / Luka Brnic	8120