
INNOVATE. CREATE. SOLVE

Bengaluru, Karnataka, India



AN INTERNSHIP REPORT

ON

"CUSTOM RESUME GENERATOR"

Bachelor of Engineering
In
Information Science and Engineering

Submitted by: Prerana Hiremath (1EP18IS065)



Jnana Prabha, Bidarahalli, Bengaluru-560049

2020-2021

ABOUT THE COMPANY

Bionic Engineers is a digital service provider that aims to provide software, designing and marketing solutions to individuals and businesses. we believe that service and quality is the key to success

We provide all kinds of technological and designing solutions from Billing Software to Web Designs or any custom demand that you may have. Experience the service like none other!

Some of our services include:

<u>Development</u> - We develop responsive, functional and super-fast websites.

We keep User Experience in mind while creating websites. A website should load quickly and should be accessible even on a small view-port and slow internet connection.

<u>Mobile Application</u> - We offer a wide range of professional Android, iOS & Hybrid app development services for our global clients, from a start up to a large enterprise.

<u>Design</u> - We offer professional Graphic design, Brochure design & Logo design. We are experts in crafting visual content to convey the right message to the customers.

<u>Consultancy</u> - We are here to provide you with expert advice on your design and development requirement.

<u>Videos</u> - We create a polished professional video that impresses your audience.

TABLE OF CONTENTS

About the company	ii
Table of contents	iii
Overview of the Project	1
Introduction	2
Tools Used	3
Implementation	4
Snapshots	33
Bibliography	38

CUSTOM RESUME GENERATOR

OVERVIEW OF THE PROJECT

Project Name: CUSTOM RESUME GENERATOR

Team Members: Madhuri V

Manjula S

Prerana Hiremath

This project is based on Web Development And its Applications. The main objective of this project is to learn the implementation of HTML, CSS and JavaScript. The basic webpage of this project is created using HTML and styling of the webpage is done using

CSS. Javascript is used for the backend for storing all the details typed by the users.

The project is to create a website which is all about CUSTOM RESUME GENERATOR.

An online resume builder is a software developed to simplify the task of creating a resume for

individuals. The application provides an effective means of designing desired resume in fact a

professional looking resume. The system is flexible to be used and reduces the need of thinking and

designing an appropriate resume according to qualifications.

Usually individuals get confused while creating a resume especially for a novice person such as

graduate students. They don't get a clear idea of what things and information must be included in a

resume. Hence the system is developed to provide them an easy way for creating a professional looking

resume. This project is user-friendly and requires minimum human intervention. Individuals just have

to fill up a form that specifies questions from all required fields such as personal questions, educational,

qualities, interest, skills and so on. The answers provided by the users are stored and the system

automatically generates a well structured resume. Users have option to create resume in any format and

file.

CUSTOM RESUME GENERATOR

INTRODUCTION

A resume is a formal document that provides an overview of your professional qualifications, including your relevant work experience, skills, education, and notable accomplishments. Usually paired with a cover letter, a resume helps you demonstrate your abilities and convince employers you're qualified and hireable. Your resume, along with a cover letter, is an essential part of the hiring process, and is a base requirement to be considered for a position.

A good resume is the first part of your application any hiring manager will see, so it's important that it conveys your qualifications accurately and convincingly.

Your resume should offer employers a digestible overview of your relevant skills, employment history, education background, and accomplishments. Based on this information, they can make an informed decision about whether or not they want to interview or hire you.

But writing a resume from scratch can be time-consuming. To simplify the process, try using our online resume builder. Just type in your information and our software will help you assemble a perfectly formatted resume that is sure to impress any hiring manager.

The spelling of "résumé" actually originates from French, and means "summary." To this day, the purpose of a resume is still to provide employers with a summary of your relevant qualifications.

If you're applying for a job, you need at least a resume to be considered for the position.

On a base level, a resume is made up of the following five parts:

Contact details

Introduction

Educational background

Work history

Relevant skills

The Purpose of a Resume:

Image of a female hiring manager assessing the resumes of two job seekers.

The goal of any good resume is to get you a formal interview.

Many job seekers assume that the purpose of a resume is to provide a full overview of their professional history. Instead, the goal of your resume is to convince employers you're worth interviewing. To that end, your resume is a valuable tool you can use to highlight your experience to prospective employers.

TOOLS USED

Software Requirements:

- Visual Studio Code 2019.
- Google Chrome or Microsoft Edge of latest version.
- Front End: HTML, CSS, JavaScript, Bootstrap.
- Linux 7.1 or Windows XP/7/8/10 OS or Mac OS

Hardware Requirements:

- Pentium 200-MHz computer with a minimum of 64 MB of RAM (128 MB of RAMrecommended).
- Monitor with a refresh rate of at least 40Hz for a smooth GUI experience (optional).

IMPLEMENTATION

SOURCE CODE

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    k href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
crossorigin="anonymous">
    <link rel="stylesheet" href="style.css"/>
    </
awesome.min.css">
    <script src="https://kit.fontawesome.com/08e20f8a4f.js" crossorigin="anonymous"></script>
    <title> CUSTOM RESUME GENERATOR </title>
    <style> body{
      background-image: url("bg.jpg");
      background-size: cover;
      opacity: 0.8;
    }
    #header{
      border: solid black;
      border-style: solid;
      background-color: black;
      opacity: 0.8;
      text-decoration: underline;
      color: white;
      height: 80px;
      text-align: center;
    }
```

```
img{
       width:500px;
       float:right;
      margin-right:60px;
      }
     </style>
     </head>
      <body>
         <h1 id="header">
         <a href="contact.html" class="header-right-links" style="margin-right: 25px; margin-top: 16px; text-
decoration: none;color: white;font-size: 65%; float: right;">CONTACT</a>
         <a href="#" class="header-right-links" style="margin-right: 25px; margin-top: 16px; text-decoration:
none; color: white; font-size: 65%; float: right; ">ABOUT</a>
         <a style="margin-right: 10px; margin-top: 20px; font-size: 60%; float: right; text-decoration:
none; color: white; font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode',
Geneva, Verdana, sans-serif; font-weight: bolder; "href="index.html">HOME  </a> MY RESUME
</h1><br>
         <img src="gif.gif" alt="scenery" title="TEMPLATE-1" style=" border-radius: 13%;height: 500pt;</pre>
width: 300pt;">
         <h2 style=" text-decoration: underline; color: black; font-family: 'Lucida Sans', 'Lucida Sans Regular',
'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif; margin-left: 30px;">CUSTOM RESUME
GENERATOR</h2>
         <h5 style="color: black; font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida
Sans Unicode', Geneva, Verdana, sans-serif;margin-left: 30px;">Fast. Easy. Effective.</h>
         <br/>br><h4 style="text-decoration: underline; margin-left: 30px; font-family: Arial, Helvetica, sans-serif;</pre>
color: whitesmoke; font-size:x-large;font-weight: bolder; ">The Best Resume Builder Online.</h4>
         <h5 style="color: black; margin-left: 30px;font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida
Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif;"> Writing a resume is a daunting task:
<br>stressful, confusing, and takes too much time. But not anymore...!!</h5>
         <br><br><br>>
```

```
<img src="icon.png" alt="scenery" title="TEMPLATE-1" style="float:left; width: 200px; height:</pre>
200px;"><br><br>
<h5 style="color: black;">Fill in the blanks by Typing few words.<br/>
The rest is taken care by MY
RESUME.</h5><br><br>
         <img src="look.png" alt="scenery" title="TEMPLATE-1" style="float:left; width: 200px; height:</pre>
200px;"><br><br>
         <h5 style="color: black; text-decoration: underline;">Optimize your document.</h5>
         <h5 style="color: black;">Personalize the look and feel. <br/>br>Polish it with no effort.</h5><br/>br><br/>
         <br>><br>>
         <img src="pick.png" alt="scenery" title="TEMPLATE-1" style=" float:left; width: 200px; height:</pre>
200px;"><br><br>
         <h4 style="color: black; text-decoration: underline;">Pick a RESUME Template.</h4>
         <h5 style="color: black;">Choose a sleek design and layout to get started.</h5>
         <button style="text-decoration: none; height: 60px; width: 300px; background-color:cornsilk; border-</p>
radius: 15%; margin-left: 530px; ">
            <a style="font-weight: bolder; text-decoration: none; color:black; font-family: 'Lucida Sans', 'Lucida
Sans Regular', 'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif; font-weight:
bolder; "href="#1">CHOOSE A TEMPLATE   </a><i class="fas fa-hand-point-down" style="font-
size:xx-large;"></i>
         </button>
         <br><br><br>>
         <img src="Template2.jpg" alt="scenery" title="TEMPLATE-2" style="border-radius: 5%;">
         <img src="RESUME IMG.jpg" alt="scenery" title="TEMPLATE-1" style="border-radius: 5%; float:</pre>
left; margin-left: 65px;">
         <button style="margin-top: 30px; text-decoration: none; height: 60px; width: 300px; background-
color: white; color: darkblue; border-radius: 15%; float: right; margin-right: 155px; ">
            <a style="text-decoration: none; color: darkblue; font-family: 'Lucida Sans', 'Lucida Sans Regular',
'Lucida Grande', 'Lucida Sans Unicode', Geneva, Verdana, sans-serif; font-weight:
bolder; "href="resume2.html">GET STARTED NOW  </a><i class="fas fa-hand-point-up" style="font-
size:xx-large;"></i>
```

Contact.html

```
<!DOCTYPE html>
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
<meta name="author">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1">
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-
awesome.min.css">
k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/normalize/5.0.0/normalize.min.css">
k rel = "icon" href = "images\logo.png" type = "image/x-icon">
<title>CONTACT</title>
<style>
* {
box-sizing: border-box;
}
body {
margin:0;
padding:0;
font-family:-apple-system, BlinkMacSystemFont, 'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans',
'Helvetica Neue', sans-serif;
background-color: palevioletred
}
.background {
height: 100vh;
width: 110%;
position: fixed;
top: 0;
```

```
bottom: 0;
z-index: 0;
background: cornsilk;
clip-path: circle(60% at 100%);
z-index: -9999;
}
/*--Header Div--*/
.header {
margin:0;
width:100%;
height: 100px;
position:relative;
background-color: cornsilk;
}
.header .header-left {
display: inline-block;
width: 40%;
}
.header .header-left .heading-donate {
font-size: 20px;
font-weight: 700;
margin: 6% 0 0 12%;
}
.header .header-left .heading-donate .blink-hand {
font-size: 25px;
animation: blink 3.5s infinite linear;
}
@keyframes blink {
  0% {opacity: 0;}
  20% {opacity: 1;}
```

```
40% {opacity: 0;}
  60% {opacity: 1;}
  80% {opacity: 0;}
  100% {opacity: 1;}
  120% {opacity: 0;}
}
.header .header-left .donateBtn {
display: block;
border-radius: 20px;
background-color: darkred;
border: none;
color: white;
text-align: center;
font-size: 20px;
padding: 15px;
width: 150px;
cursor: pointer;
margin: -8% 0 0 60%;
.header .header-left .donateBtn:hover {
transform: scale(1.1);
}
.header .header-left .donateBtnSpan {
cursor: pointer;
display: block;
position: relative;
transition: 0.5s;
}
.header .header-left .donateBtnSpan:after {
content: "Now";
position: absolute;
```

```
color: white;
opacity: 0;
top: 0;
right: -40px;
transition: 0.6s;
}
.header .header-left .donateBtn:hover .donateBtnSpan {
padding-right: 30px;
}
.header .header-left .donateBtn:hover .donateBtnSpan:after {
opacity: 1;
right: 0;
}
/*--Header Right Lists--*/
.header-right {
margin: 35px 40px 0 0;
font-size:20px;
float:right;
}
.header-right .header-right-links{
display:inline;
padding: 0 30px;
text-decoration:none;
color: black;
font-weight: bold;
transition: 0.6s;
}
.header .header-right .header-right-links:hover {
text-decoration:underline;
letter-spacing: 2.5px;
```

```
}
/*--Responsive Header Hamburger Icon--*/
.header .header-right-icon {
display: none;
font-size: 35px;
float: right;
color: black;
position: absolute;
top: 30%;
right: 5%;
}
/*--Responsive Header Close Icon--*/
. header \ . header-right-close-icon \ \{
 display: none;
 font-size: 35px;
 float: right;
 color: white;
 position: absolute;
 top: 30%;
 right: 5%;
 z-index: 999;
/*--Header Responsive Query--*/
@media (max-width: 880px) {
.header {
        font: bold 14px sans-serif;
        width: 100%;
        }
.header .header-right .header-right-links {
        display: none;
```

```
.header .header-right-icon {
        display: block;
 }
 .header .header-right-close-icon {
  display: block;
  opacity: 0;
 }
.header .Responsive-SlideDown {
background-color: rgb(0,0,0);
background-color: rgba(0,0,0, 0.9);
       height: 100vh;
       width: 100%;
position: fixed;
left: 0%;
top: -4.6%;
z-index: 1;
 overflow-y: hidden;
 transition: 0.5s ease-in-out;
        }
.header .Responsive-SlideDown .header-right-links {
 display: block;
 text-align: center;
 font-size: 26px;
 padding: 40px;
       transform: translate(0%, 125%);
        color: white;
 }
.header .header-left {
 display: none;
```

```
.background {
 display: none;
@media (max-width: 680px) {
.header {
       width: 100%;
        }
}
@import url("https://fonts.googleapis.com/css?family=Open+Sans:400,700");
* {
 padding: 0;
 margin: 0;
 box-sizing: border-box;
 outline: none;
}
a {
 color: inherit;
}
input,
textarea,
button {
 font-family: inherit;
 font-size: 100%;
}
button,
label {
 cursor: pointer;
```

```
}
textarea {
 resize: none;
ul {
 list-style: none;
.container {
 max-width: 800px;
 margin: 0 auto;
 padding: 0 1.5rem;
/* FORM ELEMENTS
.my-form h1 {
 margin-bottom: 1.5rem;
.my-form li,
.my-form .grid > *:not(:last-child) {
 margin-bottom: 1.5rem;
.my-form select,
.my-form input,
.my-form textarea,
.my-form button {
 width: 100%;
 line-height: 1.5;
```

```
padding: 15px 10px;
 border: 1px solid black;
 color: white;
 background: #333;
 transition: background-color 0.3s cubic-bezier(0.57, 0.21, 0.69, 1.25),
 transform 0.3s cubic-bezier(0.57, 0.21, 0.69, 1.25);
.my-form textarea {
height: 170px;
.my-form ::placeholder {
 color: inherit;
 opacity: 1;
.my-form select:focus,
.my-form input:focus,
.my-form textarea:focus,
.my-form button:enabled:hover,
.my-form button:focus,
.my-form input[type="checkbox"]:focus + label {
background: #333;
 transform: scale(1.1);
}
.my-form select:focus,
.my-form input:focus,
.my-form textarea:focus {
transform: scale(1.02);
.my-form *:required {
background-repeat: no-repeat;
```

```
background-position: center right 12px;
 background-size: 15px 15px;
.my-form *:required {
 background-image: url(https://s3-us-west-2.amazonaws.com/s.cdpn.io/162656/asterisk.svg);
/* FORM BTNS
.my-form .required-msg {
 display: none;
 background: url(https://s3-us-west-2.amazonaws.com/s.cdpn.io/162656/asterisk.svg)
  no-repeat center left / 15px 15px;
 padding-left: 20px;
.my-form .btn-grid {
 position: relative;
 overflow: hidden;
 transition: filter 0.2s;
.my-form button {
 font-weight: bold;
.my-form button > * {
 display: inline-block;
 width: 100%;
 transition: transform 0.4s ease-in-out;
.my-form button .back {
 position: absolute;
```

```
left: 50%;
 top: 50%;
 transform: translate(-110%, -50%);
.my-form button:enabled:hover .back,
.my-form button:focus .back {
 transform: translate(-50%, -50%);
}
.my-form button:enabled:hover .front,
.my-form button:focus .front {
 transform: translateX(110%);
}
/* MQ
@media screen and (min-width: 600px) {
 .my-form .grid {
  display: grid;
  grid-gap: 1.5rem;
 .my-form.grid-2 {
  grid-template-columns: 1fr 1fr;
 }
 .my-form.grid-3 {
  grid-template-columns: auto auto;
  align-items: center;
 }
 .my-form .grid > *:not(:last-child) {
  margin-bottom: 0;
```

```
.my-form .required-msg {
  display: block;
 }
@media screen and (min-width: 541px) {
 .my-form input[type="checkbox"] + label::before {
  top: 50%;
  transform: translateY(-50%);
 }
 .my-form input[type="checkbox"]:checked + label::after {
  top: 3px;
 }
}
</style>
</head>
<body>
<div class="background"></div>
<section class="page-header"></section>
    <div id="header-right" class="header-right" style="text-decoration: underline;">
       <a href="index.html" class="header-right-links">Home</a>
       <a href="#" class="header-right-links">About</a>
       <a href="contact.html" class="header-right-links">Contact</a>
    </div>
</section>
```

```
<!--Script for header-->
<script>
function ResponsiveFunction()
  var nav = document.getElementById("header-right");
  var closeIcon = document.getElementById("closeIcon");
  if (nav.className === "header-right")
    nav.className += "Responsive-SlideDown";
    closeIcon.style.opacity = "1";
  }
  else
    nav.className = "header-right";
    closeIcon.style.opacity = "0";
  }
}
</script>
<!--End of Script for header-->
<form class="my-form">
 <div class="container">
  <br><br><br>>
  <h1 style="text-decoration: underline;">CONTACT US..!</h1>
   \langle ul \rangle
    <
      <div class="grid grid-2">
       <input type="text" placeholder="Name" required>
       <input type="text" placeholder="Surname" required>
      </div>
     <
```

```
<div class="grid grid-2">
      <input type="email" placeholder="Email" required>
      <input type="tel" placeholder="Phone">
     </div>
    <
     <textarea placeholder="Message"></textarea>
    <li>>
     <div class="grid grid-3">
      <button class="btn-grid" type="submit">
       <span class="back">
         <img src="https://s3-us-west-2.amazonaws.com/s.cdpn.io/162656/email-icon.svg" alt="">
       </span>
       <span class="front">SUBMIT</span>
      </button>
      <button class="btn-grid" type="reset">
       <span class="back">
         <img src="https://s3-us-west-2.amazonaws.com/s.cdpn.io/162656/eraser-icon.svg" alt="">
       </span>
       <span class="front">RESET</span>
      </button>
     </div>
    </div>
 </form>
</body>
</html>
```

TEMPLATE 1.html

```
<!DOCTYPE html>
 <html lang="en">
        <head>
                <meta charset="UTF-8">
                <meta http-equiv="X-UA-Compatible" content="IE=edge">
                <meta name="viewport" content="width=device-width, initial-scale=1.0">
                k href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
crossorigin="anonymous">
                <link rel="stylesheet" href="style.css"/>
                k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0
 awesome.min.css">
                <title> MY RESUME </title>
                <style>
                         .box{
                                 border: 2pt solid black;
                         }
                         #cv-template{
                                 display:none;
                         }
                         #part1{
                                 background-color:cornsilk;
                         }
                         .background{
                                 background-color:rgb(6, 24, 85);
                         }
                         .myimg{
                                 border-radius: 50%;
```

```
width:200px;
    </style>
  </head>
  <body><section id="part1">
    <div class="container" id="cv-form">
       <div class="box" style="background-color: rgb(6, 24, 85); color: white;" ><h1 class="text-center my-2"</pre>
>MY RESUME</h1></div><br>
       <div class="row">
         <div class="col-md-6">
           <div class="box" style="text-align: center;background-color: rgb(10, 39, 119); color: white;" ><h3>
PERSONAL INFORMATION</h3><br></div><br
           <div class="box" style="background-color: orange;" ><br>
           <div class="form-group" style="margin-left: 20px; margin-right: 20px;">
             <label for="nameField">FULL NAME</label>
             <input type="text" id="nameField" placeholder="FULLNAME" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="contactField">PHONE NUMBER</label>
              <input type="text" id="contactField" placeholder="PHONE NUMBER" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="mailidField">E-MAIL</label>
              <input type="email" id="mailidField" placeholder="E-MAIL" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="bdayField">BIRTHDAY</label>
              <input type="date" id="bdayField" placeholder="BIRTHDAY" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="addressField">LOCATION</label>
              <input type="text" id="addressField" placeholder="LOCATION" class="form-control"/>
```

```
</div>
<div class="form-group mt-3" style="margin-left: 20px; margin-right: 20px;">
  <label for="">CHOOSE PROFILE PHOTO</label>
  <input id="imgField" type="file" class="form-control">
</div><br></div><br>
<div class="box" style="background-color: rgb(9, 119, 119);" >
<h3 class="text-group my-3" style="text-align: center; color: black;"> IMPORTANT LINKS</h3>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="fbField">LINKEDIN</label>
  <input type="text" id="fbField" placeholder="LINKEDIN" class="form-control"/>
</div>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="instaField">GITHUB</label>
  <input type="text" id="instaField" placeholder="GITHUB" class="form-control"/>
</div>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="LinkedField">OTHER LINK</label>
  <input type="text" id="LinkedField" placeholder="OTHER LINK" class="form-control"/><br/>br>
</div></div><br><br>
<div class="box" style="background-color: rgb(233, 21, 92);">
  <h3 class="text-group my-3" style="text-align: center;color: black;"> OTHER DETAILS</h3>
  <div class="form-group mt-2" id="sk" style="margin-left: 20px; margin-right: 20px;">
    <label for="">SKILLS</label>
    <textarea placeholder="SKILL" class="form-control skField" rows="1"></textarea>
 <div class="container text-center mt-2" id="skAddButton">
    <button onclick="addNewskField()" class="btn btn-primary btn-sm">Add</button>
 </div>
 </div>
 <div class="form-group mt-2" id="la" style="margin-left: 20px; margin-right: 20px;">
    <label for="">LANGUAGES</label>
    <textarea placeholder="LANGUAGE" class="form-control laField" rows="1"></textarea>
```

```
<div class="container text-center mt-2" id="laAddButton">
               <button onclick="addNewlaField()" class="btn btn-primary btn-sm">Add</button>
             </div><br>
             </div>
         </div>
         <div class="col-md-6">
           <!--second col-->
           <div class="box" style="text-align: center;background-color: rgb(10, 39, 119); color: white;" ><h3>
PROFESSIONAL DETAILS</h3><br></div><br
           <div class="box"style="background-color: rgb(236, 67, 75);" ><br>
           <div class="form-group mt-2" style="text-align: center; margin-left: 20px; margin-right: 20px;">
             <label for="" style="font-size: larger; font-weight: bold; " >OBJECTIVE</label>
             <textarea id="objectiveField" rows="4" placeholder="OBJECTIVE" class="form-
control"></textarea>
           </div><br></div><br>
           <div class="box" style="background-color: rgb(35, 196, 182);" > <br>
font-weight: bold;">SSLC DETAILS 
             <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
               <label for="schoolname">SCHOOL NAME </label>
               <input type="text" id="schoolname" placeholder="SCHOOL NAME" class="form-control"/>
              </div>
              <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
               <label for="passout" > YEAR OF GRADUATION</label>
               <input type="text" id="passout" placeholder="FROM - TO" class="form-control"/>
              </div>
              <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
               <label for="percentage">PERCENTAGE </label>
               <input type="text" id="percentage" placeholder="PERCENTAGE" class="form-</pre>
control"/><br>
              </div>
             </div><br>
             <div class="box" style="background-color: rgb(176, 224, 43);" > <br>
center; font-weight: bold;">PUC DETAILS
```

```
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="collegename">COLLEGE NAME </label>
                  <input type="text" id="collegename" placeholder="COLLEGE NAME" class="form-
control"/>
                </div>
                <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="passout1"> YEAR OF GRADUATION</label>
                  <input type="text" id="passout1" placeholder="FROM - TO" class="form-control"/>
                </div>
                <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="percentage1">PERCENTAGE </label>
                  <input type="text" id="percentage1" placeholder="PERCENTAGE" class="form-</p>
control"/><br>
                </div>
                </div><br>
                <!--start-->
               <div class="box" style="background-color: rgb(160, 82, 212);" > <br>
center; font-weight: bold;">UNDER GRADUATION
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="ugname"> DEGREE </label>
                    <input type="text" id="ugname" placeholder="DEGREE - DEPARTMENT" class="form-
control"/>
                  </div>
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="ugclgname">COLLEGE NAME </label>
                    <input type="text" id="ugclgname" placeholder="COLLEGE NAME" class="form-
control"/>
                  </div>
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="universityname">UNIVERSITY NAME</label>
                    <input type="text" id="universityname" placeholder="UNIVERSITY NAME"</pre>
class="form-control"/>
                  </div>
```

```
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                     <label for="passout2" > YEAR OF GRADUATION</label>
                     <input type="text" id="passout2" placeholder="FROM - TO" class="form-control"/>
                   </div>
                   <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                     <label for="percentage2">PERCENTAGE </label>
                     <input type="text" id="percentage2" placeholder="PERCENTAGE" class="form-</pre>
control"/><br>
                   </div>
                   </div>
                   <!--end--><br>
                   <div class="box" style="background-color: rgb(224, 101, 101);">
            <div class="form-group mt-2" id="we" style="text-align: center; margin-left: 20px; margin-right:</pre>
20px;">
              <label for="" style="font-weight: bold;">TECHNICAL SKILLS</label>
              <textarea placeholder="TECHNICAL SKILLS" class="form-control weField"
rows="3"></textarea>
            <div class="container text-center mt-2" id="weAddButton">
              <button onclick="addNewWEField()" class="btn btn-primary btn-sm">Add</button><br>
            </div><br>
            </div></div><br>
            <div class="box"style="background-color: orange;" >
            <div class="form-group mt-2" id="aq" style="text-align: center; margin-left: 20px; margin-right:</pre>
20px;">
              <label for="" style="font-weight: bold;">CERTIFICATES</label>
              <textarea placeholder="CERTIFICATE" class="form-control eqField" rows="3"></textarea>
            <div class="container text-center mt-2" id="aqAddButton">
              <button onclick="addNewAQField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(228, 74, 215);">
            <div class="form-group mt-2" id="int" style="text-align: center; margin-left: 20px; margin-right:</pre>
20px;">
```

```
<label for="" style="font-weight: bold;">INTERNSHIP</label>
              <textarea placeholder="INTERNSHIP" class="form-control intField" rows="3"></textarea>
           <div class="container text-center mt-2" id="intAddButton">
              <button onclick="addNewintField()" class="btn btn-primary btn-sm">Add</button>
           </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(204, 233, 185);">
            <div class="form-group mt-2" id="pro" style="text-align: center; margin-left: 20px; margin-right:</p>
20px;">
              <label for="" style="font-weight: bold;">PROJECTS</label>
              <textarea placeholder="PROJECT" class="form-control proField" rows="3"></textarea>
           <div class="container text-center mt-2" id="proAddButton">
              <button onclick="addNewproField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(128, 228, 97);">
            <div class="form-group mt-2" id="ach" style="text-align: center; margin-left: 20px; margin-right:</p>
20px;">
              <label for="" style="font-weight: bold;">ACHIEVEMENT</label>
              <textarea placeholder="ACHIEVEMENT" class="form-control achField" rows="3"></textarea>
           <div class="container text-center mt-2" id="achAddButton">
              <button onclick="addNewachField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
           </div></div><br>
       </div>
       </div>
       <div class="container text-center mt-3"><br>
         <button onclick="generateCV()" class="btn btn-primary btn-lg">GENERATE RESUME</button>
       </div>
    </div>
  </section><br><br>
```

```
<section id="part2">
   <div class="container" id="cv-template">
      <div class="row">
        <div class="col-md-4 text-center py-5" style="background-color:rgb(6, 24, 85)">
         <!--first column-->
           <img src="https://clipground.com/images/female-profile-icon-clipart-3.jpg" alt="" class="img-</p>
fluid myimg" id="imgTemplate"/>
           <div class="container"><br><br>
             Geneva, sans-serif; font-size:xx-large; color:white">Manjula Shivaraya
             <hr>
             size:larger; color: white;">9867542398
             size:large; color: white;"> manjula@gmail.com
            size:large;color: white;"> 13/3/2000
            size:large;color: white;"> Bangalore
             <br>>
             <hr style="height: 5px; color: white;"><br>
             serif; font-size:xx-large;color: white;"> IMPORTANT LINKS
             <br>>
             <a id="fbT" href="#1" style=" text-align: left; font-family: Verdana, Geneva, sans-
serif;color: white;">LINKEDIN</a> 
            <a id="instaT" href="#1" style=" text-align: left; font-family: Verdana, Geneva, sans-
serif;color: white;">GITHUB </a>
             <a id="LinkedT" href="#1" style=" text-align: left; font-family: Verdana, Geneva, sans-
serif;color: white;">WEBSITE </a>
             <br><hr style="height: 5px; color: white;"><br>
```

```
<div class="card-header background" style="text-align: left; text-decoration: underline; color: white; font-</p>
family: Verdana, Geneva, sans-serif; font-size:xx-large; ">
                                                                <h3> SKILLS</h3>
                                                          </div>
                                                          <div class="card-body background">
                                                                serif;">
                                                                       <br> 1 <br> /li>
                                                                       <br> 2 <br> 
                                                                       <br>>
                                                                 </div><br><br><br><br/>div><br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br><br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br<br/>br
                                                          <div class="card-header background" style="text-align: left;font-family: Verdana,</pre>
Geneva, sans-serif; font-size:xx-large; text-decoration: underline; color: white; font-family: Verdana, Geneva,
sans-serif; font-size:xx-large; ">
                                                                <h3> LANGUAGES</h3>
                                                          </div>
                                                          <div class="card-body background">
                                                                serif;">
                                                                       <br> 1 <br> 
                                                                       <br> 2 <br> 
                                                                       <br> 3 <br>
                                                                 </div>
                                             </div>
                                       </div>
                                       <!--second col-->
                                       <div class="col-md-8 py-5"> <h1 id="nameT2" class="text-center" style="font-weight: 980;</pre>
color:rgb(6, 24, 85);">Manjula Shivaraya</h1>
```

```
<!--objective-->
            <div class="card mt-4">
              <div class="card-header background" style="color: white;" >
                < h3 > OBJECTIVE < /h3 >
              </div>
             <div class="card-body">
                I am a python enthusiastic
              </div>
            </div>
            <div class="card mt-4">
              <div class="card-header background" style="color: white;">
                <h3> SSLC</h3>
              </div>
              <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
               school
               passout
               100</div></div>
              <div class="card mt-4">
                <div class="card-header background" style="color: white;">
                 <h3> PUC</h3>
                </div>
                <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif;</p>
color: black">
                 name
                 passout
                 100</div></div>
                <div class="card mt-4">
                 <div class="card-header background" style="color: white;">
                    <h3> UNDERGRADUATE</h3>
```

```
</div>
                 <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif;</pre>
color: black">
                  name
                  name
                  name
                  passout
                 100
                </div></div>
            <!--TECHNICAL SKILLS-->
            <div class="card mt-4">
             <div class="card-header background" style="color: white;">
                <h3> TECHNICAL SKILLS</h3>
             </div>
             <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
                ul id="weT">
                 1 
                  2 
                 3 
               </div>
            </div>
            <!--CERTIFICATES-->
            <div class="card mt-4">
             <div class="card-header background" style="color: white;">
                <h3> CERTIFICATES</h3>
             </div>
             <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
               ul id="aqT">
```

```
1 
                  2 
                  3 
                </div>
            </div>
            <div class="card mt-4">
              <div class="card-header background" style="color: white;">
                <h3> INTERNSHIP</h3>
              </div>
              <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
                 ul id="intT">
                   1 
                   2 
                  3 
                </div>
            </div>
            <div class="card mt-4">
              <div class="card-header background" style="color: white;">
                <h3> PROJECTS</h3>
              </div>
              <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
                ul id="proT">
                  1 
                  2 
                  3 
                </div>
            </div>
```

```
<div class="card mt-4">
               <div class="card-header background" style="color: white;">
                  <h3> ACHIEVEMENT</h3>
                </div>
                <div class="card-body" style="text-align: left; font-family: Verdana, Geneva, sans-serif; color:</pre>
black">
                  ul id="achT">
                    1 
                    2 
                    3 
                  </div>
             </div>
             <br>
             <div class="container mt-3 text-center">
               <button onclick="printCV()" class="btn background"style="color: white;">
                  Print Resume
               </button>
             </div>
           </div>
         </div>
    </div>
  </section>
    <br><br>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.min.js"</pre>
integrity="sha384-/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zEOg7Hlq2THRZ"
crossorigin="anonymous"></script>
    <script src="script.js"></script>
  </body>
</html>
```

TEMPLATE 2.html

```
<!DOCTYPE html>
<html lang="en">
       <head>
                <meta charset="UTF-8">
               <meta http-equiv="X-UA-Compatible" content="IE=edge">
               <meta name="viewport" content="width=device-width, initial-scale=1.0">
               link href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.css" rel="stylesheet"
integrity="sha384-F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
crossorigin="anonymous">
               <link rel="stylesheet" href="style.css"/>
               k rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0/css/font-awesome/4.7.0
awesome.min.css">
               <title> MY RESUME </title>
               <script src="https://kit.fontawesome.com/08e20f8a4f.js" crossorigin="anonymous"></script>
               <style>
                       .box{
                               border: 2pt solid black;
                       }
                       #cv-template{
                               display:none;
                       #part1{
                               background-color:cornsilk;
                       }
                       .background{
                               background-color:rgb(6, 24, 85);
                       }
                       .myimg{
```

```
border-radius: 50%;
         width:200px;
    </style>
  </head>
  <body><section id="part1">
    <div class="container" id="cv-form">
       <div class="box" style="background-color: rgb(6, 24, 85); color: white;" ><h1 class="text-center my-2"</p>
>MY RESUME</h1></div><br>
       <div class="row">
         <div class="col-md-6">
           <div class="box" style="text-align: center;background-color: rgb(10, 39, 119); color: white;" ><h3>
PERSONAL INFORMATION</h3><br></div><br
           <div class="box" style="background-color: orange;" ><br>
           <div class="form-group" style="margin-left: 20px; margin-right: 20px;">
             <label for="nameField">FULL NAME</label>
             <input type="text" id="nameField" placeholder="FULLNAME" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="contactField">PHONE NUMBER</label>
              <input type="text" id="contactField" placeholder="PHONE NUMBER" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="mailidField">E-MAIL</label>
              <input type="email" id="mailidField" placeholder="E-MAIL" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="bdayField">BIRTHDAY</label>
              <input type="date" id="bdayField" placeholder="BIRTHDAY" class="form-control"/>
           </div>
           <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
              <label for="addressField">LOCATION</label>
              <input type="text" id="addressField" placeholder="LOCATION" class="form-control"/>
```

```
</div>
<div class="form-group mt-3" style="margin-left: 20px; margin-right: 20px;">
  <label for="">CHOOSE PROFILE PHOTO</label>
  <input id="imgField" type="file" class="form-control">
</div><br></div><br>
<div class="box" style="background-color: rgb(9, 119, 119);">
<h3 class="text-group my-3" style="text-align: center; color: black;"> IMPORTANT LINKS</h3>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="fbField">LINKEDIN</label>
  <input type="text" id="fbField" placeholder="LINKEDIN" class="form-control"/>
</div>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="instaField">GITHUB</label>
  <input type="text" id="instaField" placeholder="GITHUB" class="form-control"/>
</div>
<div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
  <label for="LinkedField">OTHER LINK</label>
  <input type="text" id="LinkedField" placeholder="OTHER LINK" class="form-control"/><br/>br>
</div></div><br><br>
<div class="box" style="background-color: rgb(233, 21, 92);">
  <h3 class="text-group my-3" style="text-align: center;color: black;"> OTHER DETAILS</h3>
  <div class="form-group mt-2" id="sk" style="margin-left: 20px; margin-right: 20px;">
    <label for="">SKILLS</label>
    <textarea placeholder="SKILL" class="form-control skField" rows="1"></textarea>
 <div class="container text-center mt-2" id="skAddButton">
    <button onclick="addNewskField()" class="btn btn-primary btn-sm">Add</button>
 </div>
 </div>
 <div class="form-group mt-2" id="la" style="margin-left: 20px; margin-right: 20px;">
    <label for="">LANGUAGES</label>
```

```
<textarea placeholder="LANGUAGE" class="form-control laField" rows="1"></textarea>
             <div class="container text-center mt-2" id="laAddButton">
               <button onclick="addNewlaField()" class="btn btn-primary btn-sm">Add</button>
             </div><br>
             </div>
         </div></div>
         <div class="col-md-6">
           <!--second col-->
           <div class="box" style="text-align: center;background-color: rgb(10, 39, 119); color: white;" ><h3>
PROFESSIONAL DETAILS</h3><br></div><br
           <div class="box"style="background-color: rgb(236, 67, 75);" ><br>
           <div class="form-group mt-2" style="text-align: center; margin-left: 20px; margin-right: 20px;">
             <label for="" style="font-size: larger; font-weight: bold; " >OBJECTIVE</label>
             <textarea id="objectiveField" rows="4" placeholder="OBJECTIVE" class="form-
control"></textarea>
           </div><br></div><br>
           <div class="box" style="background-color: rgb(35, 196, 182);" > <br>
font-weight: bold;">SSLC DETAILS 
             <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                <label for="schoolname">SCHOOL NAME </label>
                <input type="text" id="schoolname" placeholder="SCHOOL NAME" class="form-control"/>
              </div>
              <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                <label for="passout" > YEAR OF GRADUATION</label>
                <input type="text" id="passout" placeholder="FROM - TO" class="form-control"/>
              </div>
              <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                <label for="percentage">PERCENTAGE </label>
                <input type="text" id="percentage" placeholder="PERCENTAGE" class="form-
control"/><br>
              </div>
             </div><br>
             <div class="box" style="background-color: rgb(176, 224, 43);" > <br>
```

```
center; font-weight: bold;">PUC DETAILS 
                <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="collegename">COLLEGE NAME </label>
                  <input type="text" id="collegename" placeholder="COLLEGE NAME" class="form-</p>
control"/>
                </div>
                <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="passout1"> YEAR OF GRADUATION</label>
                  <input type="text" id="passout1" placeholder="FROM - TO" class="form-control"/>
                </div>
                <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                  <label for="percentage1">PERCENTAGE </label>
                  <input type="text" id="percentage1" placeholder="PERCENTAGE" class="form-
control"/><br>
                </div>
                </div><br>
                <!--start-->
               <div class="box" style="background-color: rgb(160, 82, 212);" > <br>
center; font-weight: bold; ">UNDER GRADUATION
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="ugname"> DEGREE </label>
                    <input type="text" id="ugname" placeholder="DEGREE - DEPARTMENT" class="form-</p>
control"/>
                  </div>
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="ugclgname">COLLEGE NAME </label>
                    <input type="text" id="ugclgname" placeholder="COLLEGE NAME" class="form-
control"/>
                  </div>
                  <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                    <label for="universityname">UNIVERSITY NAME</label>
                    <input type="text" id="universityname" placeholder="UNIVERSITY NAME"</pre>
class="form-control"/>
```

```
</div>
                   <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                     <label for="passout2" > YEAR OF GRADUATION</label>
                     <input type="text" id="passout2" placeholder="FROM - TO" class="form-control"/>
                   </div>
                   <div class="form-group mt-2" style="margin-left: 20px; margin-right: 20px;">
                     <label for="percentage2">PERCENTAGE </label>
                     <input type="text" id="percentage2" placeholder="PERCENTAGE" class="form-</pre>
control"/><br>
                   </div>
                   </div>
                   <!--end--><br>
                   <div class="box" style="background-color: rgb(224, 101, 101);" >
            <div class="form-group mt-2" id="we" style="text-align: center; margin-left: 20px; margin-right:</pre>
20px;">
              <label for="" style="font-weight: bold;">TECHNICAL SKILLS</label>
              <textarea placeholder="TECHNICAL SKILLS" class="form-control weField"
rows="3"></textarea>
            <div class="container text-center mt-2" id="weAddButton">
              <button onclick="addNewWEField()" class="btn btn-primary btn-sm">Add</button><br>
            </div><br>
            </div></div><br>
            <div class="box"style="background-color: orange;" >
            <div class="form-group mt-2" id="aq" style="text-align: center; margin-left: 20px; margin-right:</pre>
20px;">
              <label for="" style="font-weight: bold;">CERTIFICATES</label>
              <textarea placeholder="CERTIFICATE" class="form-control eqField" rows="3"></textarea>
            <div class="container text-center mt-2" id="aqAddButton">
              <button onclick="addNewAQField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(228, 74, 215);" >
            <div class="form-group mt-2" id="int" style="text-align: center; margin-left: 20px; margin-right:</pre>
```

```
20px;">
              <label for="" style="font-weight: bold;">INTERNSHIP</label>
              <textarea placeholder="INTERNSHIP" class="form-control intField" rows="3"></textarea>
            <div class="container text-center mt-2" id="intAddButton">
              <button onclick="addNewintField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(204, 233, 185);">
            <div class="form-group mt-2" id="pro" style="text-align: center; margin-left: 20px; margin-right:</p>
20px;">
              <label for="" style="font-weight: bold;">PROJECTS</label>
              <textarea placeholder="PROJECT" class="form-control proField" rows="3"></textarea>
            <div class="container text-center mt-2" id="proAddButton">
              <button onclick="addNewproField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
            </div></div><br>
            <div class="box" style="background-color: rgb(128, 228, 97);">
            <div class="form-group mt-2" id="ach" style="text-align: center; margin-left: 20px; margin-right:</p>
20px;">
              <label for="" style="font-weight: bold;">ACHIEVEMENT</label>
              <textarea placeholder="ACHIEVEMENT" class="form-control achField" rows="3"></textarea>
            <div class="container text-center mt-2" id="achAddButton">
              <button onclick="addNewachField()" class="btn btn-primary btn-sm">Add</button>
            </div><br>
           </div></div><br>
       </div>
       </div>
       <div class="container text-center mt-3"><br>
         <button onclick="generateCV()" class="btn btn-primary btn-lg">GENERATE RESUME</button>
       </div>
    </div>
  </section><br><br>
```

```
<section id="part2">
    <div class="container" id="cv-template">
        <div class="row">
          <div class="col-md-4 text-center py-5" style="background-color:rgba(87, 70, 167, 0.842)">
            <!--first column-->
               <img src="https://clipground.com/images/female-profile-icon-clipart-3.jpg" alt="" class="img-</p>
fluid myimg" id="imgTemplate"/>
              <div class="container"><br><br>
                 'Times New Roman', Times, serif; font-size:xx-large; color:black">Manjula Shivaraya
                 <hr>
                 <i class="fas fa-phone"> <p id="contactT" style="text-align: left; font-family: Georgia,
'Times New Roman', Times, serif; font-size:larger; color:black;">9867542398
                 <i class="fas fa-envelope-open-text"><p id="mailT" style="text-align: left; font-
family:Georgia, 'Times New Roman', Times, serif; font-size:large; color:black;">
manjula@gmail.com</i>
                 <i class="fas fa-birthday-cake"> <p id="bdayT" style="text-align: left; font-family:Georgia,
'Times New Roman', Times, serif;font-size:large;color: black;"> 13/3/2000</i><br/>br>
                 <i class="fas fa-map-marker-alt"> <p id="addressT" style="text-align: left; font-
family:Georgia, 'Times New Roman', Times, serif; font-size:large;color: black;"> Bangalore
                 <hr>
                 <hr style="height: 8px; color: white;"><br>
               Roman', Times, serif; font-size:xx-large;color: black;"> IMPORTANT LINKS
                 <br>>
                 <i class="fab fa-linkedin"> <a id="fbT" href="#1" style=" text-align: left; font-family:
Georgia, 'Times New Roman', Times, serif;color: black;">LINKEDIN</a> 
                 <i class="fab fa-github"> <a id="instaT" href="#1" style=" text-align: left; font-family:
Georgia, 'Times New Roman', Times, serif;color:black;">GITHUB </a></i><br/>
                 <i class="fas fa-link"> <a id="LinkedT" href="#1" style=" text-align: left; font-
family:Georgia, 'Times New Roman', Times, serif;color:black;">WEBSITE </a>
                 <br><hr style="height: 8px; color: white;"><br>
```

```
<div class="card-header background" style="text-align: left; text-decoration: underline;</pre>
color:black; font-family: Georgia, 'Times New Roman', Times, serif; font-size:xx-large; background-color:
rgba(87, 70, 167, 0.842);">
                   <h3> SKILLS</h3>
                 </div>
                 <div class="card-body background" style="background-color: rgba(106, 93, 165,</pre>
0.842);">
                   Roman', Times, serif;">
                     1 <br>
                     2 <br>
                     3 <br>
                   <div class="card-header background" style="text-align: left;font-family:Georgia, "Times</pre>
New Roman', Times, serif; font-size:xx-large; text-decoration: underline; color:black; font-family: Verdana,
Geneva, sans-serif; font-size:xx-large; background-color: rgba(87, 70, 167, 0.842);">
                   <h3 style="font-family:Georgia, Times New Roman', Times, serif">
LANGUAGES</h3>
                 </div>
                 <div class="card-body background" style="background-color: rgba(106, 93, 165,</pre>
0.842);">
                   Roman', Times, serif;">
                     1 <br>
                     2 <br>
                     3 <br>
                   </div>
             </div>
           </div>
```

```
<!--second col-->
             <div class="col-md-8 py-5" style="background-color:rgba(155, 148, 185, 0.842);"> <h1</pre>
id="nameT2" class="text-center" style="font-weight: 980;font-family: cursive;color:black;">Manjula
Shivaraya</h1>
             <!--objective-->
             <hr style="height: 8px; color: white;"><br>
             <div class="text-center mt-4">
                 <h3 style="font-family: cursive; text-decoration: underline;"> OBJECTIVE</h3>
               <div class="card-body">
                 I am a python enthusiastic
               </div>
             </div>
             <hr style="height: 8px; color: white;"><br>
             <div class=" text-center mt-4">
                 <h3 style="font-family: cursive; text-decoration: underline;"> SSLC</h3>
               <div class="card-body" style="text-align: center; font-family: Georgia, 'Times New Roman',</p>
Times, serif; color: black">
                school
                passout
                100</div></div>
               <hr style="height: 8px; color: white;"><br>
               <div class="text-center mt-4">
                   <h3 style="font-family: cursive; text-decoration: underline;"> PUC</h3>
                 <div class="card-body" style="text-align: center; font-family:Georgia, 'Times New Roman',</p>
Times, serif: color: black">
                  name
                  passout
                  100</div></div>
                 <hr style="height: 8px; color: white;"><br>
                 <div class="text-center mt-4">
                     <h3 style="font-family: cursive; text-decoration: underline;">
UNDERGRADUATE</h3>
                   <div class="card-body" style="text-align: center; font-family:Georgia, 'Times New</p>
```

```
Roman', Times, serif; color: black">
                 name
                 name
                 name
                 passout
                100
               </div></div>
               <hr style="height: 8px; color: white;"><br>
           <!--TECHNICAL SKILLS-->
           <div class="text-center mt-4">
               <h3 style="font-family: cursive; text-decoration: underline;"> TECHNICAL SKILLS</h3>
             <div class="card-body" style="align-items: center; font-family: Georgia, 'Times New Roman',</pre>
Times, serif; color: black">
                1 
                2 
                3 
               </div>
           </div>
           <hr style="height: 8px; color: white;"><br>
           <!--CERTIFICATES-->
           <div class="text-center mt-4">
               <h3 style="font-family: cursive;text-decoration: underline;"> CERTIFICATES</h3>
             <div class="card-body" style="text-align: center; font-family: Georgia, 'Times New Roman',</pre>
Times, serif; color: black">
               ul id="aqT">
                1 
                2 
                3 
               </div>
           </div>
```

```
<hr style="height: 8px; color: white;"><br>
              <div class="text-center mt-4">
                  <h3 style="font-family: cursive;text-decoration: underline;"> INTERNSHIP</h3>
                <div class="card-body text-center" style="text-align: center; font-family: Georgia, "Times New</pre>
Roman', Times, serif; color: black">
                  ul id="intT">
                     1 
                    2 
                     3 
                  </div>
              </div>
              <hr style="height: 8px; color: white;"><br>
              <div class="text-center mt-4">
                  <h3 style="font-family: cursive;text-decoration: underline;"> PROJECTS</h3>
                <div class="card-body" style="text-align: center; font-family:Georgia, "Times New Roman",</pre>
Times, serif; color: black">
                  1 
                    2 
                    3 
                  </div>
              </div>
              <hr style="height: 8px; color: white;"><br>
              <div class="text-center mt-4">
                  <h3 style="font-family: cursive;text-decoration: underline;"> ACHIEVEMENT</h3>
                <div class="card-body" style="text-align: center; font-family:Georgia, 'Times New Roman',</pre>
Times, serif; color: black">
                  ul id="achT">
```

```
1 
                   2 
                   3 
                 </div>
             </div>
             <br>
             <div class="container mt-3 text-center">
               <button onclick="printCV()" class="btn background"style="color: white;">
                 Print Resume
               </button>
             </div>
           </div>
        </div>
    </div>
  </section>
    <br><br>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.min.js"</pre>
integrity = "sha384-/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zEOg7Hlq2THRZ" \\
crossorigin="anonymous"></script>
    <script src="script2.js"></script>
  </body>
</html>
```

Script.is

```
function addNewWEField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('weField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",3);
  newNode.setAttribute('placeholder','Enter');
  let weOb=document.getElementById("we");
  let weAddButtonOb=document.getElementById("weAddButton");
  weOb.insertBefore(newNode, weAddButtonOb);
}
function addNewAQField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('eqField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",3);
  newNode.setAttribute('placeholder','Enter');
  let aqOb=document.getElementById("aq");
  let aqAddButtonOb=document.getElementById("aqAddButton");
  agOb.insertBefore(newNode, agAddButtonOb);
}
function addNewskField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('skField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let skOb=document.getElementById("sk");
  let skAddButtonOb=document.getElementById("skAddButton");
  skOb.insertBefore(newNode, skAddButtonOb);
```

```
}
function addNewlaField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('laField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let laOb=document.getElementById("la");
  let laAddButtonOb=document.getElementById("laAddButton");
  laOb.insertBefore(newNode, laAddButtonOb);
function addNewedField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('edField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let edOb=document.getElementById("ed");
  let edAddButtonOb=document.getElementById("edAddButton");
  edOb.insertBefore(newNode, edAddButtonOb);
function addNewproField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('proField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let proOb=document.getElementById("pro");
  let proAddButtonOb=document.getElementById("proAddButton");
```

```
proOb.insertBefore(newNode, proAddButtonOb);
function addNewintField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('intField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let intOb=document.getElementById("int");
  let intAddButtonOb=document.getElementById("intAddButton");
  intOb.insertBefore(newNode, intAddButtonOb);
function addNewachField(){
  let newNode=document.createElement('textarea');
  newNode.classList.add('form-control');
  newNode.classList.add('achField');
  newNode.classList.add("mt-2");
  newNode.setAttribute("rows",1);
  newNode.setAttribute('placeholder','Enter');
  let achOb=document.getElementById("ach");
  let achAddButtonOb=document.getElementById("achAddButton");
  achOb.insertBefore(newNode, achAddButtonOb);
}
//generating resume
function generateCV(){
  console.log("generating cv")
  let nameField=document.getElementById('nameField').value;
  let nameT1=document.getElementById('nameT1')
  nameT1.innerHTML=nameField;
  document.getElementById('nameT2').innerHTML=nameField;
  document.getElementById("contactT").innerHTML=document.getElementById(
     "contactField").value;
```

- document.getElementById("mailT").innerHTML=document.getElementById(
 "mailidField").value;
- document.getElementById("bdayT").innerHTML=document.getElementById("bdayField").value;
- document.getElementById("addressT").innerHTML=document.getElementById(
 "addressField").value;
- document.getElementById("fbT").innerHTML=document.getElementById(
 "fbField").value;
- document.getElementById("instaT").innerHTML=document.getElementById(
 "instaField").value;
- document.getElementById("LinkedT").innerHTML=document.getElementById(
 "LinkedField").value;
- document.getElementById('objectiveT').innerHTML = document.getElementById(
 "objectiveField").value;
- document.getElementById('schoolnameT').innerHTML = document.getElementById(
 "schoolname").value;
- $\label{lem:document.getElementById(passoutT').innerHTML = document.getElementById("passout").value;} \\$
- $\label{lem:document.getElementById} document.getElementById("percentage").innerHTML = document.getElementById("percentage").value;$
- $\label{locument.getElementById} document.getElementById('collegenameT').innerHTML = document.getElementById('collegenameT').value;$
- $\label{lem:document.getElementById} document.getElementById(\\ "passout1").value;$
- $\label{lementById} document.getElementById('percentage1T').innerHTML = document.getElementById('percentage1T').value;$
- document.getElementById('ugnameT').innerHTML = document.getElementById(
 "ugname").value;
- $\label{lem:document.getElementById('ugclgnameT').innerHTML = document.getElementById('ugclgnameT').value;} \\$
- $\label{lem:document.getElementById('university name T').inner HTML = document.getElementById('university name T').inner HTML = documentById('university name T').inner HTML = document.getElementById('university name T').inner HTML = document.getEl$
- $\label{lem:document.getElementById(passout2T').innerHTML = document.getElementById("passout2").value;$
- document.getElementById('percentage2T').innerHTML = document.getElementById(

"percentage2").value; let wes=document.getElementsByClassName('weField') let str=" for (let e of wes) document.getElementById("weT").innerHTML = str; let aqs=document.getElementsByClassName('eqField') let str1=" for(let e of aqs){ str1 += `\${e.value} `; document.getElementById("aqT").innerHTML=str1; let sks=document.getElementsByClassName('skField') let str2=" for (let e of sks) } document.getElementById("skT").innerHTML=str2; let las=document.getElementsByClassName('laField') let str3=" for (let e of las) $str3 = str3 + ` {e.value} `;$ document.getElementById("laT").innerHTML=str3;

let pros=document.getElementsByClassName('proField')

```
let str5="
  for (let e of pros)
    str5 = str5 + ` {e.value} `;
  document.getElementById("proT").innerHTML=str5;
  let ints=document.getElementsByClassName('intField')
  let str6="
  for (let e of ints)
    str6 = str6 + `  {e.value}  `;
  }
  document.getElementById("intT").innerHTML=str6;
  let achs=document.getElementsByClassName('achField')
  let str7="
  for (let e of achs)
    document.getElementById("achT").innerHTML=str7;
 let file=document.getElementById('imgField').files[0]
 console.log(file);
  let reader=new FileReader();
  reader.readAsDataURL(file);
  console.log(reader.result);
  reader.onloadend=function(){
  document.getElementById('imgTemplate').src=reader.result;
};
  document.getElementById('cv-form').style.display='none';
  document.getElementById('cv-template').style.display='block';
function printCV(){
  window.print(); }
```

}

SNAPSHOTS

HOME PAGE



Fig 1: This is the Home Page of Resume.

MY RESUME FORM

	RESUME
PERSONAL INFORMATION	PROFESSIONAL DETAILS
FULL NAME	OBJECTIVE
FULLNAME PHONE NUMBER	OBJECTIVE
PHONE NUMBER E-MAIL	<u> </u>
E-MAIL BIRTHDAY	
dd-mm-yyyy LOCATION	SSLC DETAILS SCHOOL NAME
LOCATION	SCHOOL NAME YEAR OF GRADUATION
CHOOSE PROFILE PHOTO Choose File No file chosen	FROM - TO PERCENTAGE
	PERCENTAGE
IMPORTANT LINKS	PUC DETAILS
LINKEDIN GITHUB	COLLEGE NAME
GITHUB STATES TIME	YEAR OF GRADUATION
OTHER LINK	FROM - TO PERCENTAGE PERCENTAGE
OTHER DETAILS SKILLS	UNDER GRADUATION
SKILL Add	DEGREE - DEPARTMENT
LANGUAGES LANGUAGE	COLLEGE NAME
Add	UNIVERSITY NAME UNIVERSITY NAME
	YEAR OF GRADUATION FROM - TO
	PERCENTAGE PERCENTAGE
	TECHNICAL SKILLS
	TECHNICAL SKILLS
	Add
	CERTIFICATE
	CERTIFICATE
	Add
	INTERNSHIP INTERNSHIP
	Add
	PROJECTS PROJECT
	Add
	ACHIEVEMENT ACHIEVEMENT
	Add

<u>Fig 2</u>: This web page allows the user to fill all their Personal and Professional details to generate a resume.

TEMPLATE-1



<u>Fig 3</u>: This is the First Template.

TEMPLATE-2




Fig 4: This is the Second Template.

CONTACT PAGE




Fig 5: This is the Contact page.

ABOUT PAGE




Fig 5: This is the About page.

BIBLIOGRAPHY

- https://www.w3schoolom
- > https://www.geeksforgeeks.org
- https://freefrontend.com
- > Bootstrap · The most popular HTML, CSS, and JS library in the world. (getbootstrap.com)

ABOUT MY TEAM

❖ Name: Manjula S

USN : 1EP18CS053

Role Played : Created Home page, Resume form and Template-1

Name: Madhuri V

USN: 1KN18CS049

Role Played: Created Contact Page and Template-2

Name: Prerana Hiremath

USN: 1EP18IS065

Role Played : Created About Page and Project report