

BUILDER PATTERN**Computer.java:**

```
public class Computer {
    private String cpu;
    private String ram;
    private String storage;
    private String gpu;

    private Computer(Builder builder) {
        this.cpu= builder.cpu;
        this.ram= builder.ram;
        this.storage= builder.storage;
        this.gpu= builder.gpu;
    }
    public void displayConfiguration() {
        System.out.println("CPU : " + cpu);
        System.out.println("RAM : " + ram);
        System.out.println("Storage : " + storage);
        System.out.println("GPU : " + gpu);
        System.out.println();
    }
    public static class Builder {
        private String cpu;
        private String ram;
        private String storage;
        private String gpu;

        public Builder setCpu(String cpu) {
            this.cpu= cpu;
            return this;
        }
        public Builder setRam(String ram) {
            this.ram= ram;
            return this;
        }
        public Builder setStorage(String storage) {
            this.storage= storage;
            return this;
        }
        public Builder setGpu(String gpu) {
            this.gpu= gpu;
        }
    }
}
```

```

        return this;
    }
    public Computer build() {
        return new Computer(this);
    }
}

```

BuilderPatternTest.java:

```

public class BuilderPatternTest {
    public static void main(String[] args) {
        Computer gamingPc= new Computer.Builder()
            .setCpu("Intel i9")
            .setRam("32GB")
            .setStorage("1TB SSD")
            .setGpu("RTX 4080")
            .build();
        Computer officePc= new Computer.Builder()
            .setCpu("Intel i5")
            .setRam("8GB")
            .setStorage("512GB SSD")
            .build();
        System.out.println("Gaming PC Configuration:");
        gamingPc.displayConfiguration();
        System.out.println("Office PC Configuration:");
        officePc.displayConfiguration();
    }
}

```

