

ADAPTER PATTERN

PaymentProcessor.java:

```
public interface PaymentProcessor {  
    void processPayment(double amount);  
}
```

PayPalAdapter.java:

```
public class PayPalAdapter implements PaymentProcessor {  
    private PayPalGateway paypal;  
    public PayPalAdapter(PayPalGateway paypal) {  
        this.paypal=paypal;  
    }  
    @Override  
    public void processPayment(double amount) {  
        paypal.makePayment(amount);  
    }  
}
```

PayPalGateway.java:

```
public class PayPalGateway {  
    public void makePayment(double amount) {  
        System.out.println("PayPal payment processed: Rs."+amount);  
    }  
}
```

StripeAdapter.java:

```
public class StripeAdapter implements PaymentProcessor {  
    private StripeGateway stripe;  
    public StripeAdapter(StripeGateway stripe) {  
        this.stripe=stripe;  
    }  
    @Override  
    public void processPayment(double amount) {  
        stripe.payAmount(amount);  
    }  
}
```

```
}
```

StripeGateway.java:

```
public class StripeGateway {  
    public void payAmount(double amount) {  
        System.out.println("Stripe payment processed: Rs."+amount);  
    }  
}
```

AdapterPatternTest.java:

```
public class AdapterPatternTest {  
    public static void main(String[] args) {  
        PaymentProcessor pay1=  
            new PayPalAdapter(new PayPalGateway());  
        PaymentProcessor pay2=  
            new StripeAdapter(new StripeGateway());  
        pay1.processPayment(2500);  
        pay2.processPayment(4000);  
    }  
}
```

