```
#include <stdio.h>
int main() {
    int n, i, j;
    printf("1WA24CS218\n");
    printf("Enter number of processes: ");
    scanf("%d", &n);
    int at[n], bt[n], ct[n], tat[n], wt[n];
    int finished[n];
    for(i = 0; i < n; i++) {
        printf("Enter Arrival Time and Burst Time for P%d: ", i+1);
        scanf("%d %d", &at[i], &bt[i]);
        finished[i] = 0;
    }
    int current_time = 0;
    int completed = 0;
    while(completed < n) {
        int min_bt = 9999;
        int index = -1;
        for(i = 0; i < n; i++) {
            if(at[i] <= current_time && finished[i] == 0) {
                if(bt[i] < min_bt) {
                    min_bt = bt[i];
                    index = i;
                }
            }
        }
        if(index == -1) {
            current_time++;
        }
        else {
```

```
            ct[index] = current_time + bt[index];
            tat[index] = ct[index] - at[index];
            wt[index] = tat[index] - bt[index];
            current_time = ct[index];
            finished[index] = 1;
            completed++;
        }
    }
    printf("\nProcess\tAT\tBT\tCT\tTAT\tWT\n");
    for(i = 0; i < n; i++) {
        printf("P%d\t%d\t%d\t%d\t%d\t%d\n",
        i+1, at[i], bt[i], ct[i], tat[i], wt[i]);
    }
    return 0;
}
```

```
1WA24CS218
Enter number of processes: 4
Enter Arrival Time and Burst Time for P1: 0 7
Enter Arrival Time and Burst Time for P2: 8 3
Enter Arrival Time and Burst Time for P3: 3 4
Enter Arrival Time and Burst Time for P4: 5 6

Process AT      BT      CT      TAT     WT
P1      0       7       7       7       0
P2      8       3       14      6       3
P3      3       4       11      8       4
P4      5       6       20      15      9

Process returned 0 (0x0)   execution time : 32.933 s
Press any key to continue.
```