```
#include <stdio.h>
int main() {
    int n, i;
    printf("1WA24CS18\n");
    printf("Enter number of processes: ");
    scanf("%d", &n);
    int at[n], bt[n], rt[n], ct[n], tat[n], wt[n];
    for(i = 0; i < n; i++) {
        printf("Enter Arrival Time and Burst Time for P%d: ", i+1);
        scanf("%d %d", &at[i], &bt[i]);
        rt[i] = bt[i];
    }
    int current_time = 0, completed = 0;
    while(completed < n) {
        int min_rt = 9999, index = -1;
        for(i = 0; i < n; i++) {
            if(at[i] <= current_time && rt[i] > 0) {
                if(rt[i] < min_rt) {
                    min_rt = rt[i];
                    index = i;
                }
            }
        }
        if(index == -1) {
            current_time++;
        }
        else {
            rt[index]--;
            current_time++;
            if(rt[index] == 0) {
```

```
            completed++;
            ct[index] = current_time;
            tat[index] = ct[index] - at[index];
            wt[index] = tat[index] - bt[index];
        }
    }
  }
  printf("\nP\tAT\tBT\tCT\tTAT\tWT\n");
  for(i = 0; i < n; i++) {
    printf("P%d\t%d\t%d\t%d\t%d\t%d\n",
    i+1, at[i], bt[i], ct[i], tat[i], wt[i]);
  }
  return 0;
}
```

```
1WA24CS18
Enter number of processes: 4
Enter Arrival Time and Burst Time for P1: 0 8
Enter Arrival Time and Burst Time for P2: 1 4
Enter Arrival Time and Burst Time for P3: 2 9
Enter Arrival Time and Burst Time for P4: 3 5

P       AT      BT      CT      TAT     WT
P1      0       8       17      17      9
P2      1       4       5       4       0
P3      2       9       26      24      15
P4      3       5       10      7       2

Process returned 0 (0x0)   execution time : 29.528 s
Press any key to continue.
```