

# USA Computing Olympiad

OVERVIEW


TRAINING

CONTESTS

HISTORY

STAFF

RESOURCES


[Return to Problem List](#)

## USACO 2023 JANUARY CONTEST, BRONZE PROBLEM 1. LEADERS

Time Remaining: 3 hrs, 59 min, 56 sec

Not submitted yet

English (en) ▼

Farmer John has  $N$  cows ( $2 \leq N \leq 10^5$ ). Each cow has a breed that is either Guernsey or Holstein. As is often the case, the cows are standing in a line, numbered  $1 \cdots N$  in this order.

Over the course of the day, each cow writes down a list of cows. Specifically, cow  $i$ 's list contains the range of cows starting with herself (cow  $i$ ) up to and including cow  $E_i$  ( $i \leq E_i \leq N$ ).

FJ has recently discovered that each breed of cow has exactly one distinct leader. FJ does not know who the leaders are, but he knows that each leader must have a list that includes all the cows of their breed, or the other breed's leader (or both).

Help FJ count the number of pairs of cows that could be leaders. It is guaranteed that there is at least one possible pair.

### INPUT FORMAT (input arrives from the terminal / stdin):

The first line contains  $N$ .

The second line contains a string of length  $N$ , with the  $i$ th character denoting the breed of the  $i$ th cow (G meaning Guernsey and H meaning Holstein). It is guaranteed that there is at least one Guernsey and one Holstein.

The third line contains  $E_1 \cdots E_N$ .

### OUTPUT FORMAT (print output to the terminal / stdout):

Output the number of possible pairs of leaders.

### SAMPLE INPUT:

```
4
GHHG
2 4 3 4
```

### SAMPLE OUTPUT:

```
1
```

The only valid leader pair is (1, 2). Cow 1's list contains the other breed's leader (cow 2). Cow 2's list contains all cows of her breed (Holstein).

No other pairs are valid. For example, (2, 4) is invalid since cow 4's list does not contain the other breed's leader, and it also does not contain all cows of her breed.

### SAMPLE INPUT:

```
3
GGH
2 3 3
```

### SAMPLE OUTPUT:

```
2
```

There are two valid leader pairs, (1, 3) and (2, 3).

### SCORING

- Inputs 3-5:  $N \leq 100$
- Inputs 6-10:  $N \leq 3000$
- Inputs 11-17: No additional constraints.

Problem credits: Mythreya Dharani

Language:

C

▼

Source File:

파일 선택

선택된 파일 없음

Submit Solution