

Active Promo Codes

2026-05-04

Active Promo Codes

Live in Stripe (live mode) as of 2026-05-04. Customer applies the code on the Stripe Checkout page via "+ Add promotion code".

CODE	DISCOUNT	DURATION	MAX USES	EXPIRES	USE CASE
FOUNDING100	100% off	first year only	1	30 days	The first paying customer ever — give it away to anchor the launch story
CONFERENCE	100% off	first year only	5	14 days	Conference / event giveaway
EARLY50	50% off	first year only	20	90 days	Early-adopter outbound (months 1-3)
SOC2READY	33% off	first year only	20	60 days	"We're prepping SOC 2" cold-email response
PARTNER25	25% off	perpetual	50	365 days	Referral / partner program

All codes work for both Pro tiers (\$999/repo and \$4,999 unlimited). None apply to Enterprise (sales-led, no Checkout).

How customers redeem

1. Click any "Upgrade" button at <https://app.preston-check.com/#/settings>
2. On the Stripe Checkout page, click **" + Add promotion code"** above the price
3. Enter the code, click apply
4. Total drops, complete the form
5. After Stripe redirects back, the success banner shows on the customer portal Billing tab

Operator commands — manage promo codes

```
# Set up SK once per shell (the live secret key from your password manager)
export SK=sk_live...
```

```
# List all active promo codes
```

```
curl -s -u "$SK:" -H 'Stripe-Version: 2024-04-10' \
  'https://api.stripe.com/v1/promotion_codes?
    limit=20&active=true&expand[]=data.coupon' \
  | python3 -m json.tool | head -80
```

```
# Disable a promo code
```

```
PROMO=$(curl -s -u "$SK:" 'https://api.stripe.com/v1/promotion_codes?
    code=EARLY50' \
  | grep -oE '"id":\s*"promo_[^"]*"' | head -1 | cut -d'"' -f4)
curl -s -u "$SK:" -X POST "https://api.stripe.com/v1/promotion_codes/$PROMO" -d
  'active=false'
```

```
# Create a new promo code
```

```
EXP=$(date -u -v+90d +%s)
COUPON=$(curl -s -u "$SK:" -H 'Stripe-Version: 2024-04-10' \
  -X POST https://api.stripe.com/v1/coupons \
  --data-urlencode "percent_off=40" --data-urlencode "duration=once" \
  --data-urlencode "max_redemptions=10" --data-urlencode "name=Black Friday" \
  | grep -oE '"id":\s*"[^"]*"' | head -1 | cut -d'"' -f4)
curl -s -u "$SK:" -H 'Stripe-Version: 2024-04-10' \
  -X POST https://api.stripe.com/v1/promotion_codes \
  --data-urlencode "coupon=$COUPON" --data-urlencode "code=BLACKFRIDAY40" \
  --data-urlencode "max_redemptions=10" --data-urlencode "expires_at=$EXP"
```

When to deprecate

- **FOUNDING100** — the moment the first customer redeems. Reserve a fresh “FOUNDER100-2” if needed for a second strategic free-year deal.
- **CONFERENCE** — refresh per event. Disable after each conference.
- **EARLY50** — replace with a smaller discount (`LAUNCH25` at 25% off) once you’ve signed 5+ customers; the price discount narrative shifts from “early adopter” to “we’re established now.”
- **SOC2READY** — keep indefinitely; SOC 2 prep is a year-round trigger.
- **PARTNER25** — keep; this is a perpetual referral incentive.

Audit usage monthly via the Stripe dashboard → Coupons. Anything not redeemed in 90 days, retire.